



Message Implementation Guideline

DSV_BookingConfirmationMessage

Model: DSV BOOKINGCONFIRMATION XML
Version: V2.0
Issue date: 2026-08-28
Author: DSV A/S, EDI

3 Structure.....	2
4 Guideline	6

Structure

Occurrence	Element/Attribute
	DSV_BookingConfirmationMessage
1 .. 1	xs:sequence
1 .. 1	Header
1 .. 1	xs:sequence
1 .. 1	MessageId
1 .. 1	SenderId
1 .. 1	ReceiverId
1 .. 1	DocumentDate
required	<i>Type</i>
required	<i>Format</i>
1 .. 1	xs:sequence
0 .. 1	DateTime
1 .. 1	DocumentCode
1 .. 1	Function
1 .. 1	Version
1 .. 1	BookingConfirmation
1 .. 1	xs:sequence
0 .. 1	BookingId
0 .. 1	Dates
1 .. 1	xs:sequence
0 .. unbounded	Date
required	<i>Type</i>
required	<i>Format</i>
1 .. 1	xs:sequence
0 .. 1	DateTime
0 .. 1	FreeTextData
1 .. 1	xs:sequence
0 .. unbounded	FreeText
required	<i>Type</i>
1 .. 1	xs:sequence
0 .. 1	TextLine1
0 .. 1	TextLine2
0 .. 1	TextLine3
0 .. 1	TextLine4
0 .. 1	TextLine5
0 .. 1	ControlTotals
1 .. 1	xs:sequence
0 .. unbounded	ControlTotal
required	<i>Type</i>
	<i>Uom</i>
1 .. 1	xs:sequence
0 .. 1	Quantity
0 .. 1	TermsOfDelivery
1 .. 1	xs:sequence
0 .. 1	Terms
1 .. 1	xs:sequence
0 .. 1	TermsCode
0 .. 1	CodeId
0 .. unbounded	Location

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

DSV public

Occurrence	Element/Attribute
required	Type
1 .. 1	xs:sequence
1 .. unbounded	LocationIdentification
1 .. 1	xs:sequence
0 .. 1	LocationIdentifier
0 .. 1	LocationName
0 .. 1	References
1 .. 1	xs:sequence
0 .. unbounded	ReferenceGroup
1 .. 1	xs:sequence
0 .. 1	Reference
required	Type
0 .. 1	TransportStages
1 .. 1	xs:sequence
0 .. unbounded	TransportStage
1 .. 1	xs:sequence
0 .. 1	Stage
required	Type
1 .. 1	xs:sequence
0 .. 1	ModeOfTransport
0 .. 1	Dates
1 .. 1	xs:sequence
0 .. unbounded	Date
required	Type
required	Format
1 .. 1	xs:sequence
0 .. 1	DateTime
0 .. 1	Locations
1 .. 1	xs:sequence
0 .. unbounded	LocationGroup
1 .. 1	xs:sequence
0 .. 1	Location
required	Type
1 .. 1	xs:sequence
1 .. unbounded	LocationIdentification
1 .. 1	Type
0 .. 1	xs:sequence
0 .. 1	LocationIdentifier
0 .. 1	LocationName
0 .. 1	References
1 .. 1	xs:sequence
0 .. unbounded	ReferenceGroup
1 .. 1	xs:sequence
0 .. 1	Reference
required	Type
optional	Identifier
0 .. 1	Parties
1 .. 1	xs:sequence
0 .. unbounded	Party
1 .. 1	xs:sequence
0 .. 1	PartyDetails

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

DSV public

Occurrence	Element/Attribute
required	Role
1 .. 1	xs:sequence
0 .. 1	Id
0 .. 1	Assignor
0 .. 1	PartyName
0 .. 1	AddressLine1
0 .. 1	AddressLine2
0 .. 1	AddressLine3
0 .. 1	CityName
0 .. 1	State
0 .. 1	PostCode
0 .. 1	CountryCode
0 .. unbounded	Contact
required	Type
1 .. 1	xs:sequence
0 .. 1	Name
0 .. 1	Phone
0 .. 1	Mobile
0 .. 1	Fax
0 .. 1	Email
0 .. 1	GoodsItems
1 .. 1	xs:sequence
0 .. unbounded	GoodsItem
1 .. 1	xs:sequence
0 .. 1	Item
1 .. 1	xs:sequence
0 .. 1	ItemNumber
0 .. 1	PackageQty
0 .. 1	PackageType
0 .. 1	Measurements
1 .. 1	xs:sequence
0 .. unbounded	Measurement
required	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Measure
0 .. 1	Dimensions
1 .. 1	xs:sequence
0 .. unbounded	Dimension
required	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Length
0 .. 1	Width
0 .. 1	Height
0 .. 1	NumberOfUnits
0 .. 1	Packagelds
1 .. 1	xs:sequence
0 .. unbounded	Packageld
1 .. 1	xs:sequence
1 .. 1	InstructionCode
	Marks

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group



Occurrence	Element/Attribute
0 .. 1	
1 .. 1	xs:sequence
1 .. unbounded	ShippingMark
0 .. unbounded	GoodsIdentities
required	Type
1 .. 1	xs:sequence
1 .. unbounded	GoodsIdentifier
0 .. 1	EquipmentUnits
1 .. 1	xs:sequence
0 .. unbounded	EquipmentUnit
1 .. 1	xs:sequence
0 .. 1	EquipmentType
1 .. 1	xs:sequence
0 .. 1	Type
0 .. 1	UnitId
0 .. 1	SizeTypeCode
0 .. 1	ISOCODE
0 .. 1	NumberOfUnits
0 .. 1	SealIds
1 .. 1	xs:sequence
0 .. unbounded	Seal
1 .. 1	xs:sequence
0 .. 1	SealId
0 .. 1	SealParty

Guideline

Element/Attribute	Annotation
DSV_BookingConfirmationMessage	
xs:sequence	Occurrence 1 .. 1
Header	Occurrence 1 .. 1 Type Header General Notes MESSAGE HEADER Examples <Header> <Messageld>98235909</Messageld> <SenderId>Sender Identification</SenderId> <ReceiverId>Receiver Identification</ReceiverId> <DocumentDate Type="IssueDate" Format="DateTimeSec" > <DateTime>20250925161900</DateTime> </DocumentDate> <DocumentCode>BookingConfirmation</DocumentCode> <Function>New</Function> <Version>2.0</Version> </Header>
xs:sequence	Occurrence 1 .. 1
Messageld	Occurrence 1 .. 1 Type xs:string General Notes MESSAGE IDENTIFIER
SenderId	Occurrence 1 .. 1 Type xs:string General Notes SENDER IDENTIFICATION Mutually agreed
ReceiverId	Occurrence 1 .. 1 Type xs:string General Notes RECEIVER IDENTIFICATION Mutually agreed
DocumentDate	Occurrence 1 .. 1 Type Date General Notes DOCUMENT / MESSAGE DATE
<i>Type</i>	Type xs:string Use required General Notes DATE TYPE
<i>Format</i>	Applicable Codes IssueDate Document Issued Date Type xs:string Use required General Notes DATE FORMAT Applicable Codes Date CCYYMMDD DateTime CCYYMMDDHHMM DateTimeSec CCYYMMDDHHMMSS
xs:sequence	Occurrence 1 .. 1
DateTime	Occurrence 0 .. 1 Type xs:string General Notes MESSAGE / DOCUMENT DATE
DocumentCode	Occurrence 1 .. 1 Type xs:string General Notes DOCUMENT CODE

Bold = Element, *Italic* = Attribute, Grey = Group

DSV_public

Element/Attribute	Annotation
	Applicable Codes BookingConfirmation Booking Confirmation Message Occurrence 1 .. 1 Type xs:string General Notes MESSAGE FUNCTION
Function	
	Applicable Codes Delete New Update
Version	Occurrence 1 .. 1 Type xs:string General Notes MESSAGE VERSION
	Applicable Codes 2.0 Version 2.0
BookingConfirmation	Occurrence 1 .. 1 Type BookingConfirmation
xs:sequence	Occurrence 1 .. 1
BookingId	Occurrence 0 .. 1 Type xs:string General Notes BOOKING IDENTIFIER Examples <BookingId>BookingNo</BookingId>
Dates	Occurrence 0 .. 1 Type DateList General Notes BOOKING DATES Examples <Dates> <Date Type="OrderReceived" Format="DateTimeSec" > <DateTime>20250905061200</DateTime> </Date> <Date Type="Collection" Format="DateTimeSec" > <DateTime>20250912000000</DateTime> </Date> <Date Type="DeliveryRequested" Format="DateTimeSec" > <DateTime>20250913000000</DateTime> </Date> </Dates>
xs:sequence	Occurrence 1 .. 1
Date	Occurrence 0 .. unbounded Type Date General Notes BOOKING DATE
Type	Type xs:string Use required General Notes DATE TYPE Applicable Codes Collection Collection date/time, earliest DeliveryRequested Delivery Requested date/time EstimatedCollection Shipment date/time, promised for EstimatedDelivery Delivery date/time, estimated OrderReceived Order Received date/time RequestedCollection Shipment date/time, requested ScheduledCollection Goods collection or pick-up date/ time, planned ScheduledDelivery Delivery date/time, 1st schedule

Element/Attribute	Annotation
<i>Format</i>	Type xs:string Use required General Notes DATE FORMAT Applicable Codes DateTimeInterval YYYYMMDDHHMM- YYYYMMDDHHMM DateTimeSec CCYYMMDDHHMMSS
<i>xs:sequence</i>	Occurrence 1 .. 1
DateTime	Occurrence 0 .. 1 Type xs:string General Notes DATE/TIME
FreeTextData	Occurrence 0 .. 1 Type FreeTextList General Notes BOOKING CONFIRMATION FREETEXT Examples <FreeTextData> <FreeText Type="PickupInstructions"> <TextLine1>Pickup Text Line 1</TextLine1> <TextLine2>Pickup Text Line 2</TextLine2> <TextLine3>Pickup Text Line 3</TextLine3> <TextLine4>Pickup Text Line 4</TextLine4> <TextLine5>Pickup Text Line 5</TextLine5> </FreeText> </FreeTextData>
<i>xs:sequence</i>	Occurrence 1 .. 1
FreeText	Occurrence 0 .. unbounded Type FreeText
<i>Type</i>	Type xs:string Use required General Notes BOOKING CONFIRMATION FREE TEXT TYPE Applicable Codes AdditionalDetails Additional Details ConsignmentDetails Consignment Details (Status, RegDate, Remarks, Originater) ConsignmentRemarks Consignment Remarks DeliveryInstructions Delivery Instructions DeliveryRemarks Delivery Remarks GeneralInformation General information NatureOfCargo Nature of Cargo PickupInstructions Pickup Instructions SpecialHandling Special Handling SpecialInstructions Special Instructions
<i>xs:sequence</i>	Occurrence 1 .. 1
TextLine1	Occurrence 0 .. 1 Type xs:string General Notes FREE TEXT LINE 1
TextLine2	Occurrence 0 .. 1 Type xs:string General Notes FREE TEXT LINE 2
TextLine3	Occurrence 0 .. 1 Type xs:string General Notes FREE TEXT LINE 3
TextLine4	Occurrence 0 .. 1 Type xs:string

Element/Attribute	Annotation														
	General Notes FREE TEXT LINE 4														
TextLine5	Occurrence 0 .. 1 Type xs:string General Notes FREE TEXT LINE 5														
ControlTotals	Occurrence 0 .. 1 Type ControlTotalList General Notes CONTROL TOTALS Examples <ControlTotals> <ControlTotal Type="NumberOfPackages" Uom="PCE" > <Quantity>17</Quantity> </ControlTotal> <ControlTotal Type="GrossWeight" Uom="KGM" > <Quantity>5123</Quantity> </ControlTotal> <ControlTotal Type="Volume" Uom="MTQ" > <Quantity>49.685</Quantity> </ControlTotal> </ControlTotals>														
xs:sequence	Occurrence 1 .. 1														
ControlTotal	Occurrence 0 .. unbounded Type ControlTotal General Notes CONTROL TOTAL														
Type	Type xs:string Use required General Notes CONTROL TOTAL TYPE <table> <tr> <th colspan="2">Applicable Codes</th></tr> <tr> <td>GrossWeight</td><td>Gross Weight</td></tr> <tr> <td>LoadingMeters</td><td>Loading Meters</td></tr> <tr> <td>NetWeight</td><td>Net Weight</td></tr> <tr> <td>NumberOfPackages</td><td>Number Of Packages</td></tr> <tr> <td>PalletSpaces</td><td>Pallet Spaces</td></tr> <tr> <td>Volume</td><td>Volume</td></tr> </table>	Applicable Codes		GrossWeight	Gross Weight	LoadingMeters	Loading Meters	NetWeight	Net Weight	NumberOfPackages	Number Of Packages	PalletSpaces	Pallet Spaces	Volume	Volume
Applicable Codes															
GrossWeight	Gross Weight														
LoadingMeters	Loading Meters														
NetWeight	Net Weight														
NumberOfPackages	Number Of Packages														
PalletSpaces	Pallet Spaces														
Volume	Volume														
Uom	Type xs:string General Notes UNIT OF MEASURE <table> <tr> <th colspan="2">Applicable Codes</th></tr> <tr> <td>KGM</td><td>Kilograms</td></tr> <tr> <td>MTQ</td><td>Cubic meters</td></tr> <tr> <td>MTR</td><td>Linear meters</td></tr> <tr> <td>PCE</td><td>Pieces</td></tr> <tr> <td>PKG</td><td>Packages</td></tr> </table>	Applicable Codes		KGM	Kilograms	MTQ	Cubic meters	MTR	Linear meters	PCE	Pieces	PKG	Packages		
Applicable Codes															
KGM	Kilograms														
MTQ	Cubic meters														
MTR	Linear meters														
PCE	Pieces														
PKG	Packages														
xs:sequence	Occurrence 1 .. 1														
Quantity	Occurrence 0 .. 1 Type xs:string General Notes CONTROL TOTAL QUANTITY														
TermsOfDelivery	Occurrence 0 .. 1 Type TermsGroup General Notes TERMS OF DELIVERY Examples <TermsOfDelivery> <Terms> <TermCode>DAP</TermCode> <Codeld>IncoTerms</Codeld>														

Element/Attribute	Annotation
	Examples </Terms> <Location Type="NamedPlace" > <LocationIdentification> <LocationName>Copenhagen</LocationName> </LocationIdentification> </Location> </TermsOfDelivery>
xs:sequence	Occurrence 1 .. 1
Terms	Occurrence 0 .. 1
	Type Terms
	General Notes TERMS
xs:sequence	Occurrence 1 .. 1
TermsCode	Occurrence 0 .. 1
	Type xs:string
	General Notes TERM CODE
CodeId	Occurrence 0 .. 1
	Type xs:string
	General Notes CODE IDENTIFIER
	Applicable Codes CombiTerms Combi Terms IncoTerms INCO Terms
Location	Occurrence 0 .. unbounded
	Type Location
	General Notes LOCATION
Type	Type xs:string
	Use required
	General Notes TYPE OF LOCATION
	Applicable Codes NamedPlace Term Named Place
xs:sequence	Occurrence 1 .. 1
LocationIdentification	Occurrence 1 .. unbounded
	Type LocationIdentification
xs:sequence	Occurrence 1 .. 1
LocationIdentifier	Occurrence 0 .. 1
	Type xs:string
	General Notes LOCATION IDENTIFICATION
LocationName	Occurrence 0 .. 1
	Type xs:string
	General Notes LOCATION NAME
References	Occurrence 0 .. 1
	Type ReferenceGroupList
	General Notes BOOKING REFERENCES
	Examples <References> <ReferenceGroup> <Reference Type="ShipperReference" >128359-5</Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="ExternalReference" >C0354581883</Reference> </ReferenceGroup> </References>

Element/Attribute	Annotation
xs:sequence ReferenceGroup	Occurrence 1 .. 1 Occurrence 0 .. unbounded Type ReferenceGroup General Notes REFERENCE GROUPS
xs:sequence Reference	Occurrence 1 .. 1 Occurrence 0 .. 1 Type Reference General Notes BOOKING REFERENCE VALUE
Type	Type xs:string Use required General Notes REFERENCE TYPE Predefined Types listed, additional reference types to be agreed
Applicable Codes	
	ExternalReference External Booking Reference OnSightAuthorizationCode On sight authorization code OrderReference Order Reference RoadWaybill Road Waybill number, SIS ShipmentReference Shipment reference number ShipperReference Shipper Reference
TransportStages	Occurrence 0 .. 1 Type TransportStageList General Notes TRANSPORT STAGES
xs:sequence TransportStage	Occurrence 1 .. 1 Occurrence 0 .. unbounded Type TransportStage
xs:sequence Stage	Occurrence 1 .. 1 Occurrence 0 .. 1 Type Stage Examples <Stage Type="MainCarriage"> <ModeOfTransport>Sea</ModeOfTransport> </Stage>
Type	Type xs:string Use required
Applicable Codes	
	MainCarriage Main Carriage
xs:sequence ModeOfTransport	Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string General Notes MODE OF TRANSPORT: Air Sea Road
Applicable Codes	
	Air Air transportation Rail Rail transportation Road Road transportation Sea Sea transportation
Dates	Occurrence 0 .. 1 Type DateList General Notes TRANSPORTATION DATES

Element/Attribute	Annotation
	Examples <Dates> <Date Type="ScheduledDeparture" Format="Date" > <DateTime>20250912</DateTime> </Date> <Date Type="ScheduledArrival" Format="DateTimeSec" > <DateTime>20250922235959</DateTime> </Date> <Date Type="ScheduledShipmentDeparture" Format="DateTimeSec" > <DateTime>20250911000000</DateTime> </Date> <Date Type="ScheduledShipmentArrival" Format="DateTime" > <DateTime>202509212230</DateTime> </Date> </Dates>
xs:sequence	Occurrence 1 .. 1
Date	Occurrence 0 .. unbounded Type Date General Notes TRANSPORTATION DATE
<i>Type</i>	Type xs:string Use required General Notes TRANSPORTATION DATE TYPE
	Applicable Codes EstimatedDelivery Delivery date/time, estimated EstimatedDeparture Estimated Time of Departure ScheduledArrival Scheduled Arrival ScheduledDeparture Scheduled Departure ScheduledShipmentArrival Scheduled Shipment Arrival ScheduledShipmentDeparture Scheduled Shipment Departure
<i>Format</i>	Type xs:string Use required General Notes TRANSPORTATION DATE FORMAT
	Applicable Codes Date CCYYMMDD DateTime CCYYMMDDHHMM DateTimeInterval CCYYMMDDHHMM- CCYYMMDDHHMM DateTimeSec CCYYMMDDHHMMSS
xs:sequence	Occurrence 1 .. 1
DateTime	Occurrence 0 .. 1 Type xs:string General Notes TRANSPORTATION DATE/TIME
Locations	Occurrence 0 .. 1 Type LocationGroupList General Notes TRANSPORTATION LOCATIONS
	Examples <Locations> <Location Type="Departure" > <LocationIdentification Type="UN"> <LocationIdentifier>DKCPH</LocationIdentifier> <LocationName>Copenhagen</LocationName> </LocationIdentification> </Location> <Location Type="Destination" >

Element/Attribute	Annotation
	Examples <LocationIdentification Type = "UN"> <LocationIdentifier>GBLON</LocationIdentifier> <LocationName>London</LocationName> </LocationIdentification> </Location> <Location Type="PlaceOfLoading" > <LocationIdentification Type = "IATA"> <LocationIdentifier>LHR</LocationIdentifier> <LocationName>Heathrow</LocationName> </LocationIdentification> </Location> </Locations>
xs:sequence	Occurrence 1 .. 1
LocationGroup	Occurrence 0 .. unbounded Type LocationGroup
xs:sequence	Occurrence 1 .. 1
Location	Occurrence 0 .. 1 Type Location
Type	Type xs:string Use required General Notes TRANSPORTATION LOCATION TYPE
	Applicable Codes
	Departure Place of Departure
	Destination Destination
	PlaceOfLoading Place of Loading
	PlaceOfUnloading Place of Unloading
xs:sequence	Occurrence 1 .. 1
LocationIdentification	Occurrence 1 .. unbounded Type LocationIdentification
Type	Type xs:string General Notes LOCATION IDENTIFIER TYPE
	Applicable Codes
	IATA IATA airport code
	UN UN Location code
xs:sequence	Occurrence 1 .. 1
LocationIdentifier	Occurrence 0 .. 1 Type xs:string General Notes LOCATION IDENTIFIER
LocationName	Occurrence 0 .. 1 Type xs:string General Notes LOCATION NAME
References	Occurrence 0 .. 1 Type ReferenceGroupList General Notes TRANSPORTATION STAGE REFERENCES
	Examples <References> <ReferenceGroup> <Reference Type="MasterBill">Master1</Reference> </ReferenceGroup> </References>
xs:sequence	Occurrence 1 .. 1
ReferenceGroup	Occurrence 0 .. unbounded Type ReferenceGroup

Element/Attribute	Annotation
xs:sequence Reference	Occurrence 1 .. 1 Occurrence 0 .. 1 Type Reference General Notes TRANSPORTATION STAGE REFERENCE
Type	Type xs:string Use required General Notes TRANSPORTATION STAGE REFERENCE TYPE
Identifier	Applicable Codes CargoManifestNo Cargo manifest number, Transport Id DeliveryAgreement Delivery Agreement HouseBill House bill of lading number MasterBill Master bill of lading number VehicleId Vehicle identification number (VIN)
Parties	Type xs:string Use optional General Notes TRANSPORTATION STAGE REFERENCE IDENTIFIER
Parties	Occurrence 0 .. 1 Type PartiesList General Notes SHIPMENT PARTY INFORMATION
xs:sequence Party	Occurrence 1 .. 1 Occurrence 0 .. unbounded Type Party
xs:sequence PartyDetails	Occurrence 1 .. 1 Occurrence 0 .. 1 Type PartyDetails General Notes PARTY DETAILS
PartyDetails	Examples <PartyDetails Role="Consignor"> <Id>ConsignorID</Id> <Assignor>Consignor</Assignor> <PartyName>Consignor Name</PartyName> <AddressLine1>Consignor Addr Line 1</AddressLine1> <AddressLine2>Consignor Addr Line 2</AddressLine2> <AddressLine3>Consignor Addr Line 3</AddressLine3> <CityName>Consignor City</CityName> <State>Consignor State</State> <PostCode>PostCd</PostCode> <CountryCode>DK</CountryCode> </PartyDetails>
Role	Type xs:string Use required General Notes PARTY ROLE
	Applicable Codes AcceptingParty Accepting Party Agent Agent Buyer Buyer Carrier Carrier Party Consignee Consignee Party Consignor Consignor Party Consolidator Consolidator Deconsolidator Deconsolidator Delivery Delivery Party DeliveryAgent Delivery Agent DeliveryLocalCartage Delivery Local Cartage



Element/Attribute	Annotation
Applicable Codes	
Despatch	Despatch Party
Forwarder	Forwarder
FreightForwarder	Freight Forwarder
FreightPayer	Freight/charges Payer
Notify	Notify Party
OrderingCustomer	Ordering Customer
PickupAgent	Pickup Agent
PickupLocalCartage	Pickup Local Cartage
ShipFrom	Ship From
ShipTo	Ship To
Supplier	Supplier
xs:sequence	Occurrence 1 .. 1
Id	Occurrence 0 .. 1
	Type xs:string
	General Notes PARTY IDENTIFIER
Assignor	Occurrence 0 .. 1
	Type xs:string
	General Notes PARTY ASSIGNOR
Applicable Codes	
Consignor	Consignor assigned
DSV	DSV assigned
GS1	GS1 assigned
PartyName	Occurrence 0 .. 1
	Type xs:string
	General Notes PARTY NAME
AddressLine1	Occurrence 0 .. 1
	Type xs:string
	General Notes PARTY ADDRESS LINE1
AddressLine2	Occurrence 0 .. 1
	Type xs:string
	General Notes PARTY ADDRESS LINE2
AddressLine3	Occurrence 0 .. 1
	Type xs:string
	General Notes PARTY ADDRESS LINE3
CityName	Occurrence 0 .. 1
	Type xs:string
	General Notes PARTY CITY NAME
State	Occurrence 0 .. 1
	Type xs:string
	General Notes PARTY STATE
PostCode	Occurrence 0 .. 1
	Type xs:string
	General Notes PARTY POSTCODE
CountryCode	Occurrence 0 .. 1
	Type xs:string
	General Notes PARTY COUNTRY CODE
Contact	Occurrence 0 .. unbounded
	Type Contact
	General Notes PARTY CONTACT DETAILS

Element/Attribute	Annotation
	Examples <Contact Type="InformationContact"> <Name>Contact name</Name> <Phone>Contact Phone</Phone> <Mobile>Contact Mobile</Mobile> <Fax>Contact Fax</Fax> <Email>Contact Email</Email> </Contact>
Type	Type xs:string Use required General Notes CONTACT TYPE
	Applicable Codes InformationContact Party Information Contact
xs:sequence	Occurrence 1 .. 1
Name	Occurrence 0 .. 1 Type xs:string General Notes CONTACT NAME
Phone	Occurrence 0 .. 1 Type xs:string General Notes CONTACT PHONE
Mobile	Occurrence 0 .. 1 Type xs:string General Notes CONTACT MOBILE
Fax	Occurrence 0 .. 1 Type xs:string General Notes CONTACT FAX
Email	Occurrence 0 .. 1 Type xs:string General Notes CONTACT EMAIL
GoodsItems	Occurrence 0 .. 1 Type GoodsItemList General Notes SHIPMENT LINE ITEMS
xs:sequence	Occurrence 1 .. 1
GoodsItem	Occurrence 0 .. unbounded Type GoodsItem
xs:sequence	Occurrence 1 .. 1
Item	Occurrence 0 .. 1 Type Item General Notes SHIPMENT LINE ITEM
	Examples <Item> <ItemNumber>1</ItemNumber> <PackageQty>1</PackageQty> <PackageType>CLL</PackageType> </Item>
xs:sequence	Occurrence 1 .. 1
ItemNumber	Occurrence 0 .. 1 Type xs:string General Notes SHIPMENT ITEM NUMBER
PackageQty	Occurrence 0 .. 1 Type xs:string

Element/Attribute	Annotation
	General Notes SHIPMENT PACKAGE QUANTITY
PackageType	Occurrence 0 .. 1 Type xs:string General Notes SHIPMENT PACKAGE TYPE
Measurements	Occurrence 0 .. 1 Type MeasurementList Examples <Measurements> <Measurement Type="GrossWeight" Uom="KGM" > <Measure>1</Measure> </Measurement> <Measurement Type="NetWeight" Uom="KGM" > <Measure>1</Measure> </Measurement> <Measurement Type="LoadingMeters" Uom="MTR" > <Measure>13.5</Measure> </Measurement> <Measurement Type="PalletSpaces" Uom="PLL" > <Measure>1</Measure> </Measurement> </Measurements>
xs:sequence	Occurrence 1 .. 1
Measurement	Occurrence 0 .. unbounded Type Measurement
<i>Type</i>	Type xs:string Use required General Notes MEASUREMENT TYPE
	Applicable Codes
	GrossWeight Line Item Gross Weight LoadingMeters Line Item Loading Meters NetWeight Line Item Net Weight PalletSpaces Line Item Pallet Spaces Volume Line Item Volume
<i>Uom</i>	Type xs:string General Notes MEASUREMENT UNIT OF MEASURE
	Applicable Codes
	KGM Kilograms MTQ Cubic Meters MTR Linear Meters PLL Pallets
xs:sequence	Occurrence 1 .. 1
Measure	Occurrence 0 .. 1 Type xs:string General Notes MEASUREMENT VALUE
Dimensions	Occurrence 0 .. 1 Type DimensionsList General Notes LINE ITEM DIMENSIONS Examples <Dimensions> <Dimension Type="Gross" Uom="CMT" > <Length>90</Length> <Width>90</Width> <Height>255</Height> <NumberOfUnits>1</NumberOfUnits> </Dimensions>

Element/Attribute	Annotation
	Examples </Dimension>
xs:sequence	Occurrence 1 .. 1
Dimension	Occurrence 0 .. unbounded
	Type Dimension
Type	Type xs:string
	Use required
	General Notes DIMENSION TYPE
	Applicable Codes
	Gross Line Item Gross Dimensions
	Type xs:string
	General Notes DIMENSIONS UNIT OF MEASURE
	Applicable Codes
	CMT Centimeters
	MTR Meters
xs:sequence	Occurrence 1 .. 1
Length	Occurrence 0 .. 1
	Type xs:string
	General Notes DIMENSION LENGTH
Width	Occurrence 0 .. 1
	Type xs:string
	General Notes DIMENSION WIDTH
Height	Occurrence 0 .. 1
	Type xs:string
	General Notes DIMENSION HEIGHT
NumberOfUnits	Occurrence 0 .. 1
	Type xs:string
	General Notes DIMENSION NUMBER OF UNITS
Packagelds	Occurrence 0 .. 1
	Type Packagelds
	General Notes PACKAGE IDENTIFICATION AND MARKINGS
	Examples <Packagelds> <Packageld> <InstructionCode>PackageMarks</InstructionCode> <Marks> <ShippingMark>Package1</ShippingMark> <ShippingMark>Package2</ShippingMark> <ShippingMark>Package3</ShippingMark> </Marks> </Packageld> <GoodsIdentities Type="SerialNumber"> <GoodsIdentifier>12345678912345678900</GoodsIdentifier> <GoodsIdentifier>78945612332145698712</GoodsIdentifier> <GoodsIdentifier>85296374125814736979</GoodsIdentifier> </GoodsIdentities> <GoodsIdentities Type="SSCC"> <GoodsIdentifier>SSCC Code</GoodsIdentifier> <GoodsIdentifier>SSCC Code</GoodsIdentifier> <GoodsIdentifier>SSCC Code</GoodsIdentifier> </GoodsIdentities> </Packagelds>
xs:sequence	Occurrence 1 .. 1

Element/Attribute	Annotation
Packageld	Occurrence 0 .. unbounded Type Packageld General Notes PACKAGE MARKS & NUMBERS
xs:sequence	Occurrence 1 .. 1
InstructionCode	Occurrence 1 .. 1 Type xs:string General Notes PACKAGE MARKS TYPE
Marks	Applicable Codes PackageMarks Package Marks and Numbers Occurrence 0 .. 1 Type Marks
xs:sequence	Occurrence 1 .. 1
ShippingMark	Occurrence 1 .. unbounded Type xs:string General Notes PACKAGE MARK
GoodsIdentities	Occurrence 0 .. unbounded Type GoodsIdentity General Notes PACKAGE BAR CODES
<i>Type</i>	Type xs:string Use required General Notes TYPE OF IDENTIFIER
xs:sequence	Occurrence 1 .. 1
GoodsIdentifier	Occurrence 1 .. unbounded Type xs:string General Notes GOODS IDENTIFIER SSCC codes should not include the leading "00" qualifier, length of value should be 18 characters
EquipmentUnits	Occurrence 0 .. 1 Type EquipmentUnitList General Notes EQUIPMENT INFORMATION
xs:sequence	Occurrence 1 .. 1
EquipmentUnit	Occurrence 0 .. unbounded Type EquipmentUnit General Notes EQUIPMENT UNIT DETAILS Examples For containerized sea freight: <pre> <EquipmentUnit> <EquipmentType> <Type>Container</Type> <UnitId>MSCU1234567</UnitId> <SizeTypeCode>40GP</SizeTypeCode> </EquipmentType> <SealIds> <Seal> <SealId>Seal1</SealId> <SealParty>Shipper</SealParty> </Seal> </SealIds> </EquipmentUnit> </pre>

Element/Attribute	Annotation
	Examples For EUR pallet road freight: <pre> <EquipmentUnit> <EquipmentType> <Type>EFP</Type> </EquipmentType> <NumberOfUnits>3</NumberOfUnits> </EquipmentUnit> </pre>
xs:sequence	Occurrence 1 .. 1
EquipmentType	Occurrence 0 .. 1 Type EquipmentType General Notes EQUIPMENT TYPE INFORMATION
xs:sequence	Occurrence 1 .. 1
Type	Occurrence 0 .. 1 Type xs:string General Notes EQUIPMENT TYPE
	Applicable Codes
	Container Shipping Container EFP Euro Flat Pallet EUR Euro Pallet
UnitId	Occurrence 0 .. 1 Type xs:string General Notes SHIPPING CONTAINER NUMBER
SizeTypeCode	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER SIZE AND TYPE DSV specified Container Type for Shipping Container
	Applicable Codes
	20GP 20 ft General Purpose 20RE 20 ft Reefer 40GP 40 ft General Purpose 40HC 40 ft High Cube 40NOR 40 ft high Cube, self powered Reefer 40RE 40 ft Reefer 40REHC 40 ft High Cube Reefer
ISOCODE	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER ISO SIZE AND TYPE
	Applicable Codes
	22G1 20 ft General Purpose 22R1 20 ft Reefer 42G1 40 ft General Purpose 42R1 40 ft Reefer 45G1 40 ft High cube 45R1 40 ft High cube Reefer 45R9 40 ft High cube, self powered Reefer
NumberOfUnits	Occurrence 0 .. 1 Type xs:decimal General Notes NUMBER OF UNITS
SealIds	Occurrence 0 .. 1 Type SealList General Notes SEAL IDS



Element/Attribute	Annotation
xs:sequence	Occurrence 1 .. 1
Seal	Occurrence 0 .. unbounded
	Type Seal
xs:sequence	Occurrence 1 .. 1
SealId	Occurrence 0 .. 1
	Type xs:string
	General Notes SEAL NUMBER
SealParty	Occurrence 0 .. 1
	Type xs:string
	General Notes SEALING PARTY
Applicable Codes	
Shipper	Shipper Sealing Party