



Message Implementation Guideline

DSV_LocalTransportBookingMessage

Model: DSV LOCALTRANSPORTBOOKING XML
Version: v2.0
Issue date: 2026-08-28
Author: DSV A/S, EDI

3 Structure.....	2
4 Guideline	34

Structure

Occurrence	Element/Attribute
	DSV_LocalTransportBookingMessage
1 .. 1	xs:sequence
1 .. 1	Header
1 .. 1	xs:sequence
1 .. 1	MessageId
1 .. 1	SenderId
1 .. 1	ReceiverId
1 .. 1	DocumentDate
required	<i>Type</i>
required	<i>Format</i>
1 .. 1	xs:sequence
0 .. 1	DateTime
1 .. 1	DocumentCode
1 .. 1	Function
1 .. 1	Version
1 .. 1	LocalTransportBooking
1 .. 1	xs:sequence
0 .. 1	Bookings
1 .. 1	xs:sequence
0 .. unbounded	BookingDetails
1 .. 1	xs:sequence
1 .. 1	BookingId
0 .. 1	References
1 .. 1	xs:sequence
0 .. unbounded	ReferenceGroup
1 .. 1	xs:sequence
0 .. 1	Reference
required	<i>Type</i>
optional	<i>Identifier</i>
optional	<i>CustomFieldType</i>
0 .. 1	Date
required	<i>Type</i>
required	<i>Format</i>
1 .. 1	xs:sequence
0 .. 1	DateTime
0 .. 1	Dates
1 .. 1	xs:sequence
0 .. unbounded	Date
required	<i>Type</i>
required	<i>Format</i>
1 .. 1	xs:sequence
0 .. 1	DateTime
0 .. 1	Type
0 .. 1	Direction
0 .. 1	TransportMode
0 .. 1	FreeTextData
1 .. 1	xs:sequence
0 .. unbounded	FreeText
required	<i>Type</i>

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

DSV public

Occurrence	Element/Attribute
1 .. 1	xs:sequence
0 .. 1	DescriptionCode
0 .. 1	TextLine1
0 .. 1	TextLine2
0 .. 1	TextLine3
0 .. 1	TextLine4
0 .. 1	TextLine5
0 .. 1	Flags
1 .. 1	xs:sequence
0 .. unbounded	Flag
	<i>Type</i>
0 .. 1	TransportServices
1 .. 1	xs:sequence
0 .. unbounded	TransportService
1 .. 1	xs:sequence
0 .. 1	ServiceCode
0 .. 1	Parties
1 .. 1	xs:sequence
0 .. unbounded	Party
1 .. 1	xs:sequence
0 .. 1	PartyDetails
required	<i>Role</i>
1 .. 1	xs:sequence
0 .. 1	Id
0 .. 1	Assignor
0 .. 1	PartyName
0 .. 1	AddressLine1
0 .. 1	AddressLine2
0 .. 1	AddressLine3
0 .. 1	CityName
0 .. 1	State
0 .. 1	PostCode
0 .. 1	CountryCode
0 .. 1	Locations
1 .. 1	xs:sequence
0 .. unbounded	LocationGroup
1 .. 1	xs:sequence
0 .. 1	Location
required	<i>Type</i>
1 .. 1	xs:sequence
1 .. unbounded	LocationIdentification
	<i>Type</i>
1 .. 1	xs:sequence
0 .. 1	LocationIdentifier
0 .. 1	LocationName
0 .. unbounded	Contact
required	<i>Type</i>
1 .. 1	xs:sequence
0 .. 1	ContactId
0 .. 1	Name
0 .. 1	Phone

Bold = Simple Element, Bold on grey background = Complex Element, *Italic* = Attribute, Grey = Group

DSV public

Occurrence	Element/Attribute
0 .. 1	Mobile
0 .. 1	Fax
0 .. 1	Email
0 .. 1	References
1 .. 1	xs:sequence
0 .. unbounded	ReferenceGroup
1 .. 1	xs:sequence
0 .. 1	Reference
required	Type
optional	Identifier
optional	CustomFieldType
0 .. 1	Date
required	Type
required	Format
1 .. 1	xs:sequence
0 .. 1	DateTime
0 .. 1	Locations
1 .. 1	xs:sequence
0 .. unbounded	LocationGroup
1 .. 1	xs:sequence
0 .. 1	Location
required	Type
1 .. 1	xs:sequence
1 .. unbounded	LocationIdentification
	Type
1 .. 1	xs:sequence
0 .. 1	LocationIdentifier
0 .. 1	LocationName
0 .. unbounded	Milestones
1 .. 1	xs:sequence
0 .. unbounded	Milestone
1 .. 1	xs:sequence
0 .. 1	Sequence
0 .. 1	Code
0 .. 1	Description
0 .. 1	Dates
1 .. 1	xs:sequence
0 .. unbounded	Date
required	Type
required	Format
1 .. 1	xs:sequence
0 .. 1	DateTime
0 .. 1	Instructions
1 .. 1	xs:sequence
0 .. unbounded	Instruction
1 .. 1	xs:sequence
0 .. 1	Sequence
0 .. 1	Type
0 .. 1	StatusCode
0 .. 1	FreeTextData
1 .. 1	xs:sequence

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

DSV public

Occurrence	Element/Attribute
0 .. unbounded required	FreeText
1 .. 1	Type
0 .. 1	xs:sequence
0 .. 1	DescriptionCode
0 .. 1	TextLine1
0 .. 1	TextLine2
0 .. 1	TextLine3
0 .. 1	TextLine4
0 .. 1	TextLine5
0 .. 1	Parties
1 .. 1	xs:sequence
0 .. unbounded	Party
1 .. 1	xs:sequence
0 .. 1 required	PartyDetails
1 .. 1	Role
0 .. 1	xs:sequence
0 .. 1	Id
0 .. 1	Assignor
0 .. 1	PartyName
0 .. 1	AddressLine1
0 .. 1	AddressLine2
0 .. 1	AddressLine3
0 .. 1	CityName
0 .. 1	State
0 .. 1	PostCode
0 .. 1	CountryCode
0 .. 1	Locations
1 .. 1	xs:sequence
0 .. unbounded	LocationGroup
1 .. 1	xs:sequence
0 .. 1 required	Location
1 .. 1	Type
1 .. 1	xs:sequence
1 .. unbounded	LocationIdentification
1 .. 1	Type
0 .. 1	xs:sequence
0 .. 1	LocationIdentifier
0 .. 1	LocationName
0 .. unbounded required	Contact
1 .. 1	Type
0 .. 1	xs:sequence
0 .. 1	ContactId
0 .. 1	Name
0 .. 1	Phone
0 .. 1	Mobile
0 .. 1	Fax
0 .. 1	Email
0 .. 1	References
1 .. 1	xs:sequence
0 .. unbounded	ReferenceGroup
1 .. 1	xs:sequence

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

DSV public

Occurrence	Element/Attribute
0 .. 1 required optional optional	Reference Type Identifier CustomFieldType
0 .. 1 required required 1 .. 1 0 .. 1	Date Type Format xs:sequence DateTime
0 .. 1 1 .. 1	PackageLines xs:sequence
0 .. unbounded 1 .. 1	PackageLine xs:sequence
1 .. 1 1 .. 1 1 .. 1 0 .. 1	Package xs:sequence PackageQuantity PackageCode
0 .. 1 1 .. 1	References xs:sequence
0 .. unbounded 1 .. 1 0 .. 1 required optional optional	ReferenceGroup xs:sequence Reference Type Identifier CustomFieldType
0 .. 1 required required 1 .. 1 0 .. 1	Date Type Format xs:sequence DateTime
0 .. 1 1 .. 1	Dates xs:sequence
0 .. unbounded required required 1 .. 1 0 .. 1	Date Type Format xs:sequence DateTime
0 .. 1 1 .. 1	Container xs:sequence
0 .. 1 1 .. 1 0 .. 1 0 .. 1 0 .. 1 0 .. 1 0 .. 1 0 .. 1	EquipmentType xs:sequence Type UnitId SizeTypeCode ISOCODE PackingMode EquipmentSizeDescription
0 .. 1 1 .. 1	Measurements xs:sequence
0 .. unbounded required	Measurement Type

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

Occurrence	Element/Attribute
1 .. 1	<i>Uom</i>
0 .. 1	<i>xs:sequence</i>
0 .. 1	Measure
1 .. 1	<i>xs:sequence</i>
0 .. unbounded required	Dimensions
1 .. 1	<i>xs:sequence</i>
0 .. unbounded required	Dimension
1 .. 1	<i>Type</i>
0 .. 1	<i>Uom</i>
0 .. 1	<i>xs:sequence</i>
0 .. 1	Length
0 .. 1	Width
0 .. 1	Height
0 .. 1	References
1 .. 1	<i>xs:sequence</i>
0 .. unbounded	ReferenceGroup
1 .. 1	<i>xs:sequence</i>
0 .. 1	Reference
required	<i>Type</i>
optional	<i>Identifier</i>
optional	<i>CustomFieldType</i>
0 .. 1	Date
required	<i>Type</i>
required	<i>Format</i>
1 .. 1	<i>xs:sequence</i>
0 .. 1	DateTime
0 .. 1	Dates
1 .. 1	<i>xs:sequence</i>
0 .. unbounded	Date
required	<i>Type</i>
required	<i>Format</i>
1 .. 1	<i>xs:sequence</i>
0 .. 1	DateTime
0 .. 1	TransportMovements
1 .. 1	<i>xs:sequence</i>
0 .. unbounded	TransportMovement
optional	<i>Type</i>
1 .. 1	<i>xs:sequence</i>
0 .. 1	Description
0 .. 1	SealIds
1 .. 1	<i>xs:sequence</i>
0 .. unbounded	Seal
1 .. 1	<i>xs:sequence</i>
0 .. 1	SealId
0 .. 1	FreeTextData
1 .. 1	<i>xs:sequence</i>
0 .. unbounded	FreeText
required	<i>Type</i>
1 .. 1	<i>xs:sequence</i>
0 .. 1	DescriptionCode
0 .. 1	TextLine1
0 .. 1	TextLine2

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

Occurrence	Element/Attribute
0 .. 1	TextLine3
0 .. 1	TextLine4
0 .. 1	TextLine5
0 .. 1 required	TemperatureControl
	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Fixed
0 .. 1	HumidityPercentage
0 .. 1 required	RangeDetails
	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Minimum
0 .. 1	Maximum
0 .. 1	GoodsItems
1 .. 1	xs:sequence
0 .. unbounded	GoodsItem
1 .. 1	xs:sequence
0 .. 1	Item
1 .. 1	xs:sequence
0 .. 1	Sequence
0 .. 1	ItemNumber
0 .. 1	PackageQty
0 .. 1	PackageType
0 .. 1	HandlingInstructions
1 .. 1	xs:sequence
0 .. unbounded optional	HandlingInstruction
1 .. 1	Type
0 .. 1	xs:sequence
0 .. 1	Code
0 .. 1	Description
0 .. 1 required	TemperatureControl
	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Fixed
0 .. 1	HumidityPercentage
0 .. 1 required	RangeDetails
	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Minimum
0 .. 1	Maximum
0 .. 1	Locations
1 .. 1	xs:sequence
0 .. unbounded	LocationGroup
1 .. 1	xs:sequence
0 .. 1 required	Location
1 .. 1	Type
	xs:sequence

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

DSV public

Occurrence	Element/Attribute
1 .. unbounded	LocationIdentification
	<i>Type</i>
1 .. 1	xs:sequence
0 .. 1	LocationIdentifier
0 .. 1	LocationName
0 .. 1	MonetaryAmounts
1 .. 1	xs:sequence
0 .. unbounded required	MonetaryAmount
	<i>Type</i>
1 .. 1	xs:sequence
0 .. 1	Amount
0 .. 1	Currency
0 .. 1	ProductIds
1 .. 1	xs:sequence
0 .. unbounded required	ProductId
	<i>Type</i>
1 .. 1	xs:sequence
0 .. 1	ItemId
0 .. 1	ItemType
0 .. 1	FreeTextData
1 .. 1	xs:sequence
0 .. unbounded required	FreeText
	<i>Type</i>
1 .. 1	xs:sequence
0 .. 1	DescriptionCode
0 .. 1	TextLine1
0 .. 1	TextLine2
0 .. 1	TextLine3
0 .. 1	TextLine4
0 .. 1	TextLine5
0 .. 1	Measurements
1 .. 1	xs:sequence
0 .. unbounded required	Measurement
	<i>Type</i>
	<i>Uom</i>
1 .. 1	xs:sequence
0 .. 1	Measure
0 .. 1	Dimensions
1 .. 1	xs:sequence
0 .. unbounded required	Dimension
	<i>Type</i>
	<i>Uom</i>
1 .. 1	xs:sequence
0 .. 1	Length
0 .. 1	Width
0 .. 1	Height
0 .. 1	Quantities
1 .. 1	xs:sequence
0 .. unbounded required	Quantity
	<i>Type</i>
	<i>Uom</i>

Bold = Simple Element, Bold on grey background = Complex Element, *Italic* = Attribute, Grey = Group

DSV public

Occurrence	Element/Attribute
1 .. 1	xs:sequence
0 .. 1	Quantity
0 .. 1	Packagelds
1 .. 1	xs:sequence
0 .. unbounded	Packageld
1 .. 1	xs:sequence
1 .. 1	InstructionCode
0 .. 1	Marks
1 .. 1	xs:sequence
1 .. unbounded	ShippingMark
0 .. 1	References
1 .. 1	xs:sequence
0 .. unbounded	ReferenceGroup
1 .. 1	xs:sequence
0 .. 1	Reference
required	<i>Type</i>
optional	<i>Identifier</i>
0 .. unbounded	GoodsIdentities
required	<i>Type</i>
1 .. 1	xs:sequence
1 .. unbounded	GoodsIdentifier
0 .. 1	DangerousGoodsDetails
1 .. 1	xs:sequence
0 .. unbounded	DangerousGoodsDetail
1 .. 1	xs:sequence
0 .. 1	DangerousGoods
1 .. 1	xs:sequence
0 .. 1	Regulation
0 .. 1	HazardClass
0 .. 1	AdditionalHazardClass
0 .. 1	HazardVersionId
0 .. 1	UNDGNumber
0 .. 1	FlashPointDescription
0 .. 1	FlashPointTemperature
	<i>FlashpointUom</i>
0 .. 1	DangerLevelCode
0 .. 1	EMSNumber
0 .. 1	MFAGNumber
0 .. 1	TremCardNumber
0 .. 1	UpperPlate
0 .. 1	LowerPlate
0 .. 1	Labels
1 .. 1	xs:sequence
1 .. 4	Label
0 .. 1	PackingInstruction
0 .. 1	TransportMeansCode
0 .. 1	TunnelCode
0 .. 1	FreeTextData
1 .. 1	xs:sequence
0 .. unbounded	FreeText
required	<i>Type</i>

Bold = Simple Element, Bold on grey background = Complex Element, *Italic* = Attribute, Grey = Group

DSV public

Occurrence	Element/Attribute
1 .. 1	xs:sequence
0 .. 1	DescriptionCode
0 .. 1	TextLine1
0 .. 1	TextLine2
0 .. 1	TextLine3
0 .. 1	TextLine4
0 .. 1	TextLine5
0 .. 1	Measurements
1 .. 1	xs:sequence
0 .. unbounded required	Measurement
	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Measure
0 .. 1	Quantities
1 .. 1	xs:sequence
0 .. unbounded required	Quantity
	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Quantity
0 .. 1 required	Contact
	Type
1 .. 1	xs:sequence
0 .. 1	ContactId
0 .. 1	Name
0 .. 1	Phone
0 .. 1	Mobile
0 .. 1	Fax
0 .. 1	Email
0 .. 1	Flags
1 .. 1	xs:sequence
0 .. unbounded	Flag
	Type
0 .. 1	CodeDescriptions
1 .. 1	xs:sequence
0 .. unbounded optional	CodeDescription
	Type
1 .. 1	xs:sequence
0 .. 1	Code
0 .. 1	Description
0 .. 1	GoodsItems
1 .. 1	xs:sequence
0 .. unbounded	GoodsItem
1 .. 1	xs:sequence
0 .. 1	Item
1 .. 1	xs:sequence
0 .. 1	Sequence
0 .. 1	ItemNumber
0 .. 1	PackageQty
0 .. 1	PackageType

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

DSV public

Occurrence	Element/Attribute
0 .. 1	HandlingInstructions
1 .. 1	xs:sequence
0 .. unbounded	HandlingInstruction
optional	Type
1 .. 1	xs:sequence
0 .. 1	Code
0 .. 1	Description
0 .. 1	TemperatureControl
required	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Fixed
0 .. 1	HumidityPercentage
0 .. 1	RangeDetails
required	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Minimum
0 .. 1	Maximum
0 .. 1	Locations
1 .. 1	xs:sequence
0 .. unbounded	LocationGroup
1 .. 1	xs:sequence
0 .. 1	Location
required	Type
1 .. 1	xs:sequence
1 .. unbounded	LocationIdentification
1 .. 1	Type
0 .. 1	xs:sequence
0 .. 1	LocationIdentifier
0 .. 1	LocationName
0 .. 1	MonetaryAmounts
1 .. 1	xs:sequence
0 .. unbounded	MonetaryAmount
required	Type
1 .. 1	xs:sequence
0 .. 1	Amount
0 .. 1	Currency
0 .. 1	ProductIds
1 .. 1	xs:sequence
0 .. unbounded	ProductId
required	Type
1 .. 1	xs:sequence
0 .. 1	ItemId
0 .. 1	ItemType
0 .. 1	FreeTextData
1 .. 1	xs:sequence
0 .. unbounded	FreeText
required	Type
1 .. 1	xs:sequence
0 .. 1	DescriptionCode

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

DSV public

Occurrence	Element/Attribute
0 .. 1	TextLine1
0 .. 1	TextLine2
0 .. 1	TextLine3
0 .. 1	TextLine4
0 .. 1	TextLine5
0 .. 1	Measurements
1 .. 1	xs:sequence
0 .. unbounded required	Measurement
	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Measure
0 .. 1	Dimensions
1 .. 1	xs:sequence
0 .. unbounded required	Dimension
	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Length
0 .. 1	Width
0 .. 1	Height
0 .. 1	Quantities
1 .. 1	xs:sequence
0 .. unbounded required	Quantity
	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Quantity
0 .. 1	Packagelds
1 .. 1	xs:sequence
0 .. unbounded	Packageld
1 .. 1	xs:sequence
1 .. 1	InstructionCode
0 .. 1	Marks
1 .. 1	xs:sequence
1 .. unbounded	ShippingMark
0 .. 1	References
1 .. 1	xs:sequence
0 .. unbounded	ReferenceGroup
1 .. 1	xs:sequence
0 .. 1	Reference
required	Type
optional	Identifier
0 .. unbounded required	GoodsIdentities
1 .. 1	Type
1 .. unbounded	xs:sequence
	GoodsIdentifier
0 .. 1	DangerousGoodsDetails
1 .. 1	xs:sequence
0 .. unbounded	DangerousGoodsDetail
1 .. 1	xs:sequence

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

DSV public

Occurrence	Element/Attribute
0 .. 1	DangerousGoods
1 .. 1	xs:sequence
0 .. 1	Regulation
0 .. 1	HazardClass
0 .. 1	AdditionalHazardClass
0 .. 1	HazardVersionId
0 .. 1	UNDGNumber
0 .. 1	FlashPointDescription
0 .. 1	FlashPointTemperature
	FlashpointUom
0 .. 1	DangerLevelCode
0 .. 1	EMSNumber
0 .. 1	MFAGNumber
0 .. 1	TremCardNumber
0 .. 1	UpperPlate
0 .. 1	LowerPlate
0 .. 1	Labels
1 .. 1	xs:sequence
1 .. 4	Label
0 .. 1	PackingInstruction
0 .. 1	TransportMeansCode
0 .. 1	TunnelCode
0 .. 1	FreeTextData
1 .. 1	xs:sequence
0 .. unbounded required	FreeText
	Type
1 .. 1	xs:sequence
0 .. 1	DescriptionCode
0 .. 1	TextLine1
0 .. 1	TextLine2
0 .. 1	TextLine3
0 .. 1	TextLine4
0 .. 1	TextLine5
0 .. 1	Measurements
1 .. 1	xs:sequence
0 .. unbounded required	Measurement
	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Measure
0 .. 1	Quantities
1 .. 1	xs:sequence
0 .. unbounded required	Quantity
	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Quantity
0 .. 1	Contact
required	Type
1 .. 1	xs:sequence
0 .. 1	ContactId
0 .. 1	Name

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

DSV public

Occurrence	Element/Attribute
0 .. 1	Phone
0 .. 1	Mobile
0 .. 1	Fax
0 .. 1	Email
0 .. 1	Dates
1 .. 1	xs:sequence
0 .. unbounded	Date
required	Type
required	Format
1 .. 1	xs:sequence
0 .. 1	DateTime
0 .. 1	References
1 .. 1	xs:sequence
0 .. unbounded	ReferenceGroup
1 .. 1	xs:sequence
0 .. 1	Reference
required	Type
optional	Identifier
optional	CustomFieldType
0 .. 1	Date
required	Type
required	Format
1 .. 1	xs:sequence
0 .. 1	DateTime
0 .. 1	TransportMovements
1 .. 1	xs:sequence
0 .. unbounded	TransportMovement
optional	Type
1 .. 1	xs:sequence
0 .. 1	Description
0 .. 1	RelatedShipments
1 .. 1	xs:sequence
0 .. unbounded	Shipment
1 .. 1	xs:sequence
0 .. 1	ShipmentId
optional	Type
0 .. 1	Dates
1 .. 1	xs:sequence
0 .. unbounded	Date
required	Type
required	Format
1 .. 1	xs:sequence
0 .. 1	DateTime
0 .. 1	TransportServices
1 .. 1	xs:sequence
0 .. unbounded	ServiceGroup
1 .. 1	xs:sequence
0 .. 1	TransportService
1 .. 1	xs:sequence
0 .. 1	ServiceCode
0 .. 1	PriorityCode

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

DSV public

Occurrence	Element/Attribute
0 .. 1	MonetaryAmounts
1 .. 1	xs:sequence
0 .. unbounded	MonetaryAmount
required	Type
1 .. 1	xs:sequence
0 .. 1	Amount
0 .. 1	Currency
0 .. 1	FreeTextData
1 .. 1	xs:sequence
0 .. unbounded	FreeText
required	Type
1 .. 1	xs:sequence
0 .. 1	DescriptionCode
0 .. 1	TextLine1
0 .. 1	TextLine2
0 .. 1	TextLine3
0 .. 1	TextLine4
0 .. 1	TextLine5
0 .. 1	ControlTotals
1 .. 1	xs:sequence
0 .. unbounded	ControlTotal
required	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Quantity
0 .. 1	Documents
1 .. 1	xs:sequence
0 .. unbounded	Document
1 .. 1	xs:sequence
0 .. 1	DocumentCode
0 .. 1	DocumentCopies
0 .. 1	DocumentOriginals
0 .. 1	Locations
1 .. 1	xs:sequence
0 .. unbounded	LocationGroup
1 .. 1	xs:sequence
0 .. 1	Location
required	Type
1 .. 1	xs:sequence
1 .. unbounded	LocationIdentification
	Type
1 .. 1	xs:sequence
0 .. 1	LocationIdentifier
0 .. 1	TermsOfDelivery
1 .. 1	xs:sequence
0 .. 1	Terms
1 .. 1	xs:sequence
0 .. 1	TermsCode
0 .. 1	Codeld
0 .. unbounded	Location
required	Type

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

DSV public

Occurrence	Element/Attribute
1 .. 1	xs:sequence
1 .. unbounded	LocationIdentification
	Type
1 .. 1	xs:sequence
0 .. 1	LocationIdentifier
0 .. 1	LocationName
0 .. 1	References
1 .. 1	xs:sequence
0 .. unbounded	ReferenceGroup
1 .. 1	xs:sequence
0 .. 1	Reference
required	Type
optional	Identifier
optional	CustomFieldType
0 .. 1	Date
required	Type
required	Format
1 .. 1	xs:sequence
0 .. 1	DateTime
0 .. 1	Requirements
1 .. 1	xs:sequence
0 .. unbounded	Requirement
1 .. 1	xs:sequence
0 .. 1	GovernmentalRequirements
1 .. 1	xs:sequence
0 .. 1	TransportMovementCode
0 .. 1	ChargeMethodology
1 .. 1	xs:sequence
0 .. unbounded	PaymentInstructions
1 .. 1	xs:sequence
0 .. 1	PaymentInstruction
1 .. 1	xs:sequence
0 .. 1	PaymentCode
0 .. 1	TransportStages
1 .. 1	xs:sequence
0 .. unbounded	TransportStage
1 .. 1	xs:sequence
0 .. 1	Stage
required	Type
1 .. 1	xs:sequence
0 .. 1	ModeOfTransport
0 .. 1	TransportId
0 .. 1	CarrierId
0 .. 1	CarrierName
0 .. 1	TransportType
0 .. 1	TransportMeansName
0 .. 1	TransportMeansNationality
0 .. 1	Dates
1 .. 1	xs:sequence
0 .. unbounded	Date
required	Type

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

DSV public

Occurrence	Element/Attribute
required	<i>Format</i>
1 .. 1	xs:sequence
0 .. 1	DateTime
0 .. 1	TransportServices
1 .. 1	xs:sequence
0 .. unbounded	TransportService
1 .. 1	xs:sequence
0 .. 1	ServiceCode
0 .. 1	PriorityCode
0 .. 1	Locations
1 .. 1	xs:sequence
0 .. unbounded	LocationGroup
1 .. 1	xs:sequence
0 .. 1	Location
required	<i>Type</i>
1 .. 1	xs:sequence
1 .. unbounded	LocationIdentification
1 .. 1	<i>Type</i>
0 .. 1	xs:sequence
0 .. 1	LocationIdentifier
0 .. 1	LocationName
0 .. 1	References
1 .. 1	xs:sequence
0 .. unbounded	ReferenceGroup
1 .. 1	xs:sequence
0 .. 1	Reference
required	<i>Type</i>
optional	<i>Identifier</i>
optional	<i>CustomFieldType</i>
0 .. 1	Date
required	<i>Type</i>
required	<i>Format</i>
1 .. 1	xs:sequence
0 .. 1	DateTime
0 .. 1	FreeTextData
1 .. 1	xs:sequence
0 .. unbounded	FreeText
required	<i>Type</i>
1 .. 1	xs:sequence
0 .. 1	DescriptionCode
0 .. 1	TextLine1
0 .. 1	TextLine2
0 .. 1	TextLine3
0 .. 1	TextLine4
0 .. 1	TextLine5
0 .. 1	CodeDescriptions
1 .. 1	xs:sequence
0 .. unbounded	CodeDescription
optional	<i>Type</i>
1 .. 1	xs:sequence
0 .. 1	Code

Bold = Simple Element, Bold on grey background = Complex Element, *Italic* = Attribute, Grey = Group

DSV public

Occurrence	Element/Attribute
0 .. 1	Description
0 .. 1	Parties
1 .. 1	xs:sequence
0 .. unbounded	Party
1 .. 1	xs:sequence
0 .. 1	PartyDetails
required	Role
1 .. 1	xs:sequence
0 .. 1	Id
0 .. 1	Assignor
0 .. 1	PartyName
0 .. 1	AddressLine1
0 .. 1	AddressLine2
0 .. 1	AddressLine3
0 .. 1	CityName
0 .. 1	State
0 .. 1	PostCode
0 .. 1	CountryCode
0 .. 1	Locations
1 .. 1	xs:sequence
0 .. unbounded	LocationGroup
1 .. 1	xs:sequence
0 .. 1	Location
required	Type
1 .. 1	xs:sequence
1 .. unbounded	LocationIdentification
1 .. 1	Type
0 .. 1	xs:sequence
0 .. 1	LocationIdentifier
0 .. 1	LocationName
0 .. unbounded	Contact
required	Type
1 .. 1	xs:sequence
0 .. 1	ContactId
0 .. 1	Name
0 .. 1	Phone
0 .. 1	Mobile
0 .. 1	Fax
0 .. 1	Email
0 .. 1	References
1 .. 1	xs:sequence
0 .. unbounded	ReferenceGroup
1 .. 1	xs:sequence
0 .. 1	Reference
required	Type
optional	Identifier
optional	CustomFieldType
0 .. 1	Date
required	Type
required	Format
1 .. 1	xs:sequence
0 .. 1	DateTime

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

DSV public

Occurrence	Element/Attribute
0 .. 1	GoodsItems
1 .. 1	xs:sequence
0 .. unbounded	GoodsItem
1 .. 1	xs:sequence
0 .. 1	Item
1 .. 1	xs:sequence
0 .. 1	Sequence
0 .. 1	ItemNumber
0 .. 1	PackageQty
0 .. 1	PackageType
0 .. 1	HandlingInstructions
1 .. 1	xs:sequence
0 .. unbounded	HandlingInstruction
optional	Type
1 .. 1	xs:sequence
0 .. 1	Code
0 .. 1	Description
0 .. 1	TemperatureControl
required	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Fixed
0 .. 1	HumidityPercentage
0 .. 1	RangeDetails
required	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Minimum
0 .. 1	Maximum
0 .. 1	Locations
1 .. 1	xs:sequence
0 .. unbounded	LocationGroup
1 .. 1	xs:sequence
0 .. 1	Location
required	Type
1 .. 1	xs:sequence
1 .. unbounded	LocationIdentification
	Type
1 .. 1	xs:sequence
0 .. 1	LocationIdentifier
0 .. 1	MonetaryAmounts
1 .. 1	xs:sequence
0 .. unbounded	MonetaryAmount
required	Type
1 .. 1	xs:sequence
0 .. 1	Amount
0 .. 1	Currency
0 .. 1	ProductIds
1 .. 1	xs:sequence
0 .. unbounded	ProductId
required	Type

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

DSV public

Occurrence	Element/Attribute
1 .. 1	xs:sequence
0 .. 1	ItemId
0 .. 1	ItemType
0 .. 1	FreeTextData
1 .. 1	xs:sequence
0 .. unbounded	FreeText
required	Type
1 .. 1	xs:sequence
0 .. 1	DescriptionCode
0 .. 1	TextLine1
0 .. 1	TextLine2
0 .. 1	TextLine3
0 .. 1	TextLine4
0 .. 1	TextLine5
0 .. 1	Measurements
1 .. 1	xs:sequence
0 .. unbounded	Measurement
required	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Measure
0 .. 1	Dimensions
1 .. 1	xs:sequence
0 .. unbounded	Dimension
required	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Length
0 .. 1	Width
0 .. 1	Height
0 .. 1	Quantities
1 .. 1	xs:sequence
0 .. unbounded	Quantity
required	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Quantity
0 .. 1	Packagelds
1 .. 1	xs:sequence
0 .. unbounded	Packageld
1 .. 1	xs:sequence
1 .. 1	InstructionCode
0 .. 1	Marks
1 .. 1	xs:sequence
1 .. unbounded	ShippingMark
0 .. 1	References
1 .. 1	xs:sequence
0 .. unbounded	ReferenceGroup
1 .. 1	xs:sequence
0 .. 1	Reference
required	Type

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

DSV public

Occurrence	Element/Attribute
optional	<i>Identifier</i>
0 .. unbounded	GoodsIdentities
required	<i>Type</i>
1 .. 1	<i>xs:sequence</i>
1 .. unbounded	GoodsIdentifier
0 .. 1	DangerousGoodsDetails
1 .. 1	<i>xs:sequence</i>
0 .. unbounded	DangerousGoodsDetail
1 .. 1	<i>xs:sequence</i>
0 .. 1	DangerousGoods
1 .. 1	<i>xs:sequence</i>
0 .. 1	Regulation
0 .. 1	HazardClass
0 .. 1	AdditionalHazardClass
0 .. 1	HazardVersionId
0 .. 1	UNDGNumber
0 .. 1	FlashPointDescription
0 .. 1	FlashPointTemperature
	<i>FlashpointUom</i>
0 .. 1	DangerLevelCode
0 .. 1	EMSNumber
0 .. 1	MFAGNumber
0 .. 1	TremCardNumber
0 .. 1	UpperPlate
0 .. 1	LowerPlate
0 .. 1	Labels
1 .. 1	<i>xs:sequence</i>
1 .. 4	Label
0 .. 1	PackingInstruction
0 .. 1	TransportMeansCode
0 .. 1	TunnelCode
0 .. 1	FreeTextData
1 .. 1	<i>xs:sequence</i>
0 .. unbounded	FreeText
required	<i>Type</i>
1 .. 1	<i>xs:sequence</i>
0 .. 1	DescriptionCode
0 .. 1	TextLine1
0 .. 1	TextLine2
0 .. 1	TextLine3
0 .. 1	TextLine4
0 .. 1	TextLine5
0 .. 1	Measurements
1 .. 1	<i>xs:sequence</i>
0 .. unbounded	Measurement
required	<i>Type</i>
	<i>Uom</i>
1 .. 1	<i>xs:sequence</i>
0 .. 1	Measure
0 .. 1	Quantities
1 .. 1	<i>xs:sequence</i>
	Quantity

Bold = Simple Element, Bold on grey background = Complex Element, *Italic* = Attribute, Grey = Group

Occurrence	Element/Attribute
0 .. unbounded required	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Quantity
0 .. 1 required	Contact
	Type
1 .. 1	xs:sequence
0 .. 1	ContactId
0 .. 1	Name
0 .. 1	Phone
0 .. 1	Mobile
0 .. 1	Fax
0 .. 1	Email
0 .. 1	EquipmentUnits
1 .. 1	xs:sequence
0 .. unbounded	EquipmentUnit
1 .. 1	xs:sequence
0 .. 1	EquipmentType
1 .. 1	xs:sequence
0 .. 1	Type
0 .. 1	UnitId
0 .. 1	SizeTypeCode
0 .. 1	ISOCODE
0 .. 1	PackingMode
0 .. 1	EquipmentSizeDescription
0 .. 1	NumberOfUnits
0 .. 1	Measurements
1 .. 1	xs:sequence
0 .. unbounded required	Measurement
	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Measure
0 .. 1	Dimensions
1 .. 1	xs:sequence
0 .. unbounded required	Dimension
	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Length
0 .. 1	Width
0 .. 1	Height
0 .. 1	SealIds
1 .. 1	xs:sequence
0 .. unbounded	Seal
1 .. 1	xs:sequence
0 .. 1	SealId
0 .. 1	FreeTextData
1 .. 1	xs:sequence
0 .. unbounded	FreeText

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

DSV public

Occurrence	Element/Attribute
required	Type
1 .. 1	xs:sequence
0 .. 1	TextLine1
0 .. 1	References
1 .. 1	xs:sequence
0 .. unbounded	ReferenceGroup
1 .. 1	xs:sequence
0 .. 1	Reference
required	Type
optional	Identifier
optional	CustomFieldType
0 .. 1	Date
required	Type
required	Format
1 .. 1	xs:sequence
0 .. 1	DateTime
0 .. 1	Dates
1 .. 1	xs:sequence
0 .. unbounded	Date
required	Type
required	Format
1 .. 1	xs:sequence
0 .. 1	DateTime
0 .. 1	TransportMovements
1 .. 1	xs:sequence
0 .. unbounded	TransportMovement
optional	Type
1 .. 1	xs:sequence
0 .. 1	Description
0 .. 1	TemperatureControl
required	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Fixed
0 .. 1	HumidityPercentage
0 .. 1	RangeDetails
required	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Minimum
0 .. 1	Maximum
0 .. 1	TransportInformation
1 .. 1	xs:sequence
0 .. unbounded	TransportDetails
1 .. 1	xs:sequence
0 .. 1	TransportId
0 .. 1	TypeOfService
0 .. 1	ModeOfTransport
0 .. 1	MeansOfTransport
1 .. 1	xs:sequence
0 .. 1	ID
0 .. 1	Name

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

DSV public

Occurrence	Element/Attribute
0 .. 1	References
1 .. 1	xs:sequence
0 .. unbounded	ReferenceGroup
1 .. 1	xs:sequence
0 .. 1	Reference
required	Type
0 .. 1	CodeDescriptions
1 .. 1	xs:sequence
0 .. unbounded	CodeDescription
optional	Type
1 .. 1	xs:sequence
0 .. 1	Code
0 .. 1	Description
0 .. 1	Dates
1 .. 1	xs:sequence
0 .. unbounded	Date
required	Type
required	Format
1 .. 1	xs:sequence
0 .. 1	DateTime
0 .. 1	References
1 .. 1	xs:sequence
0 .. unbounded	ReferenceGroup
1 .. 1	xs:sequence
0 .. 1	Reference
required	Type
optional	Identifier
optional	CustomFieldType
0 .. 1	Date
required	Type
required	Format
1 .. 1	xs:sequence
0 .. 1	DateTime
0 .. 1	Parties
1 .. 1	xs:sequence
0 .. unbounded	Party
1 .. 1	xs:sequence
0 .. 1	PartyDetails
required	Role
1 .. 1	xs:sequence
0 .. 1	Id
0 .. 1	Assignor
0 .. 1	PartyName
0 .. 1	AddressLine1
0 .. 1	AddressLine2
0 .. 1	AddressLine3
0 .. 1	CityName
0 .. 1	State
0 .. 1	PostCode
0 .. 1	CountryCode
0 .. 1	Locations

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

DSV public

Occurrence	Element/Attribute
1 .. 1	xs:sequence
0 .. unbounded	LocationGroup
1 .. 1	xs:sequence
0 .. 1	Location
required	Type
1 .. 1	xs:sequence
1 .. unbounded	LocationIdentification
	Type
1 .. 1	xs:sequence
0 .. 1	LocationIdentifier
0 .. 1	LocationName
0 .. unbounded	Contact
required	Type
1 .. 1	xs:sequence
0 .. 1	ContactId
0 .. 1	Name
0 .. 1	Phone
0 .. 1	Mobile
0 .. 1	Fax
0 .. 1	Email
0 .. 1	References
1 .. 1	xs:sequence
0 .. unbounded	ReferenceGroup
1 .. 1	xs:sequence
0 .. 1	Reference
required	Type
optional	Identifier
optional	CustomFieldType
0 .. 1	Date
required	Type
required	Format
1 .. 1	xs:sequence
0 .. 1	DateTime
0 .. 1	Locations
1 .. 1	xs:sequence
0 .. unbounded	LocationGroup
1 .. 1	xs:sequence
0 .. 1	Location
required	Type
1 .. 1	xs:sequence
1 .. unbounded	LocationIdentification
	Type
1 .. 1	xs:sequence
0 .. 1	LocationIdentifier
0 .. 1	LocationName
0 .. 1	CustomsInformation
1 .. 1	xs:sequence
0 .. unbounded	CustomsDetails
1 .. 1	xs:sequence
1 .. 1	DeclarationId
0 .. 1	Quantities

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

DSV public

Occurrence	Element/Attribute
1 .. 1	xs:sequence
0 .. unbounded required	Quantity
	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Quantity
0 .. 1	Measurements
1 .. 1	xs:sequence
0 .. unbounded required	Measurement
	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Measure
0 .. 1	References
1 .. 1	xs:sequence
0 .. unbounded	ReferenceGroup
1 .. 1	xs:sequence
0 .. 1	Reference
required	Type
optional	Identifier
optional	CustomFieldType
0 .. 1	Date
required	Type
required	Format
1 .. 1	xs:sequence
0 .. 1	DateTime
0 .. 1	Parties
1 .. 1	xs:sequence
0 .. unbounded	Party
1 .. 1	xs:sequence
0 .. 1	PartyDetails
required	Role
1 .. 1	xs:sequence
0 .. 1	Id
0 .. 1	Assignor
0 .. 1	PartyName
0 .. 1	AddressLine1
0 .. 1	AddressLine2
0 .. 1	AddressLine3
0 .. 1	CityName
0 .. 1	State
0 .. 1	PostCode
0 .. 1	CountryCode
0 .. 1	Locations
1 .. 1	xs:sequence
0 .. unbounded	LocationGroup
1 .. 1	xs:sequence
0 .. 1	Location
required	Type
1 .. 1	xs:sequence
1 .. unbounded	LocationIdentification

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

Occurrence	Element/Attribute
1 .. 1	Type
0 .. 1	xs:sequence
0 .. 1	LocationIdentifier
0 .. 1	LocationName
0 .. unbounded	Contact
required	Type
1 .. 1	xs:sequence
0 .. 1	ContactId
0 .. 1	Name
0 .. 1	Phone
0 .. 1	Mobile
0 .. 1	Fax
0 .. 1	Email
0 .. 1	References
1 .. 1	xs:sequence
0 .. unbounded	ReferenceGroup
1 .. 1	xs:sequence
0 .. 1	Reference
required	Type
optional	Identifier
optional	CustomFieldType
0 .. 1	Date
required	Type
required	Format
1 .. 1	xs:sequence
0 .. 1	DateTime
0 .. 1	Dates
1 .. 1	xs:sequence
0 .. unbounded	Date
required	Type
required	Format
1 .. 1	xs:sequence
0 .. 1	DateTime
0 .. 1	TransportStages
1 .. 1	xs:sequence
0 .. unbounded	TransportStage
1 .. 1	xs:sequence
0 .. 1	Stage
required	Type
1 .. 1	xs:sequence
0 .. 1	ModeOfTransport
0 .. 1	TransportId
0 .. 1	CarrierId
0 .. 1	CarrierName
0 .. 1	TransportType
0 .. 1	TransportMeansName
0 .. 1	TransportMeansNationality
0 .. 1	Dates
1 .. 1	xs:sequence
0 .. unbounded	Date
required	Type
required	Format

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

DSV public

Occurrence	Element/Attribute
1 .. 1	xs:sequence
0 .. 1	DateTime
0 .. 1	TransportServices
1 .. 1	xs:sequence
0 .. unbounded	TransportService
1 .. 1	xs:sequence
0 .. 1	ServiceCode
0 .. 1	PriorityCode
0 .. 1	Locations
1 .. 1	xs:sequence
0 .. unbounded	LocationGroup
1 .. 1	xs:sequence
0 .. 1	Location
required	Type
1 .. 1	xs:sequence
1 .. unbounded	LocationIdentification
	Type
1 .. 1	xs:sequence
0 .. 1	LocationIdentifier
0 .. 1	LocationName
0 .. 1	References
1 .. 1	xs:sequence
0 .. unbounded	ReferenceGroup
1 .. 1	xs:sequence
0 .. 1	Reference
required	Type
optional	Identifier
optional	CustomFieldType
0 .. 1	Date
required	Type
required	Format
1 .. 1	xs:sequence
0 .. 1	DateTime
0 .. 1	FreeTextData
1 .. 1	xs:sequence
0 .. unbounded	FreeText
required	Type
1 .. 1	xs:sequence
0 .. 1	DescriptionCode
0 .. 1	TextLine1
0 .. 1	TextLine2
0 .. 1	TextLine3
0 .. 1	TextLine4
0 .. 1	TextLine5
0 .. 1	CodeDescriptions
1 .. 1	xs:sequence
0 .. unbounded	CodeDescription
optional	Type
1 .. 1	xs:sequence
0 .. 1	Code
0 .. 1	Description

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

DSV public

Occurrence	Element/Attribute
0 .. 1	FreeTextData
1 .. 1	xs:sequence
0 .. unbounded	FreeText
required	Type
1 .. 1	xs:sequence
0 .. 1	DescriptionCode
0 .. 1	TextLine1
0 .. 1	TextLine2
0 .. 1	TextLine3
0 .. 1	TextLine4
0 .. 1	TextLine5
0 .. 1	GoodsItems
1 .. 1	xs:sequence
0 .. unbounded	GoodsItem
1 .. 1	xs:sequence
0 .. 1	Item
1 .. 1	xs:sequence
0 .. 1	Sequence
0 .. 1	ItemNumber
0 .. 1	PackageQty
0 .. 1	PackageType
0 .. 1	HandlingInstructions
1 .. 1	xs:sequence
0 .. unbounded	HandlingInstruction
optional	Type
1 .. 1	xs:sequence
0 .. 1	Code
0 .. 1	Description
0 .. 1	TemperatureControl
required	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Fixed
0 .. 1	HumidityPercentage
0 .. 1	RangeDetails
required	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Minimum
0 .. 1	Maximum
0 .. 1	Locations
1 .. 1	xs:sequence
0 .. unbounded	LocationGroup
1 .. 1	xs:sequence
0 .. 1	Location
required	Type
1 .. 1	xs:sequence
1 .. unbounded	LocationIdentification
	Type
1 .. 1	xs:sequence
0 .. 1	LocationIdentifier

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

DSV public

Occurrence	Element/Attribute
0 .. 1	LocationName
0 .. 1	MonetaryAmounts
1 .. 1	xs:sequence
0 .. unbounded	MonetaryAmount
required	Type
1 .. 1	xs:sequence
0 .. 1	Amount
0 .. 1	Currency
0 .. 1	ProductIds
1 .. 1	xs:sequence
0 .. unbounded	ProductId
required	Type
1 .. 1	xs:sequence
0 .. 1	ItemId
0 .. 1	ItemType
0 .. 1	FreeTextData
1 .. 1	xs:sequence
0 .. unbounded	FreeText
required	Type
1 .. 1	xs:sequence
0 .. 1	DescriptionCode
0 .. 1	TextLine1
0 .. 1	TextLine2
0 .. 1	TextLine3
0 .. 1	TextLine4
0 .. 1	TextLine5
0 .. 1	Measurements
1 .. 1	xs:sequence
0 .. unbounded	Measurement
required	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Measure
0 .. 1	Dimensions
1 .. 1	xs:sequence
0 .. unbounded	Dimension
required	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Length
0 .. 1	Width
0 .. 1	Height
0 .. 1	Quantities
1 .. 1	xs:sequence
0 .. unbounded	Quantity
required	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Quantity
0 .. 1	Packagelds
1 .. 1	xs:sequence

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

Occurrence	Element/Attribute
0 .. unbounded	Packageld
1 .. 1	xs:sequence
1 .. 1	InstructionCode
0 .. 1	Marks
1 .. 1	xs:sequence
1 .. unbounded	ShippingMark
0 .. 1	References
1 .. 1	xs:sequence
0 .. unbounded	ReferenceGroup
1 .. 1	xs:sequence
0 .. 1	Reference
required	Type
optional	Identifier
0 .. unbounded	GoodsIdentities
required	Type
1 .. 1	xs:sequence
1 .. unbounded	GoodsIdentifier
0 .. 1	DangerousGoodsDetails
1 .. 1	xs:sequence
0 .. unbounded	DangerousGoodsDetail
1 .. 1	xs:sequence
0 .. 1	DangerousGoods
1 .. 1	xs:sequence
0 .. 1	Regulation
0 .. 1	HazardClass
0 .. 1	AdditionalHazardClass
0 .. 1	HazardVersionId
0 .. 1	UNDGNumber
0 .. 1	FlashPointDescription
0 .. 1	FlashPointTemperature
	FlashpointUom
0 .. 1	DangerLevelCode
0 .. 1	EMSNumber
0 .. 1	MFAGNumber
0 .. 1	TremCardNumber
0 .. 1	UpperPlate
0 .. 1	LowerPlate
0 .. 1	Labels
1 .. 1	xs:sequence
1 .. 4	Label
0 .. 1	PackingInstruction
0 .. 1	TransportMeansCode
0 .. 1	TunnelCode
0 .. 1	FreeTextData
1 .. 1	xs:sequence
0 .. unbounded	FreeText
required	Type
1 .. 1	xs:sequence
0 .. 1	DescriptionCode
0 .. 1	TextLine1
0 .. 1	TextLine2

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

DSV public



Occurrence	Element/Attribute	
0 .. 1		TextLine3
0 .. 1		TextLine4
0 .. 1		TextLine5
0 .. 1		Measurements
1 .. 1		xs:sequence
0 .. unbounded required		Measurement
1 .. 1		Type
		Uom
0 .. 1		xs:sequence
0 .. 1		Measure
0 .. 1		Quantities
1 .. 1		xs:sequence
0 .. unbounded required		Quantity
1 .. 1		Type
		Uom
0 .. 1		xs:sequence
0 .. 1		Quantity
0 .. 1 required		Contact
1 .. 1		Type
0 .. 1		xs:sequence
0 .. 1		ContactId
0 .. 1		Name
0 .. 1		Phone
0 .. 1		Mobile
0 .. 1		Fax
0 .. 1		Email

Guideline

Element/Attribute	Annotation
DSV_LocalTransportBookingMessage	
xs:sequence	Occurrence 1 .. 1
Header	Occurrence 1 .. 1 Type Header General Notes MESSAGE HEADER Examples <Header> <Messageld>12485236</Messageld> <SenderId>SenderIdIdentification</SenderId> <ReceiverId>ReceiverIdentification</ReceiverId> <DocumentDate Type="IssueDate" Format="DateTimeSec"> <DateTime>202302121300</DateTime> </DocumentDate> <DocumentCode>DSV_LocalTransportBookingMessage</DocumentCode> <Function>New</Function> <Version>2.0</Version> </Header>
xs:sequence	Occurrence 1 .. 1
Messageld	Occurrence 1 .. 1 Type xs:string General Notes MESSAGE IDENTIFIER
SenderId	Occurrence 1 .. 1 Type xs:string General Notes SENDER IDENTIFICATION Mutually agreed
ReceiverId	Occurrence 1 .. 1 Type xs:string General Notes RECEIVER IDENTIFICATION Mutually agreed
DocumentDate	Occurrence 1 .. 1 Type Date
<i>Type</i>	Type xs:string Use required General Notes DOCUMENT / MESSAGE DATE TYPE Applicable Codes IssueDate Document Issued Date
<i>Format</i>	Type xs:string Use required General Notes DOCUMENT / MESSAGE DATE FORMAT Applicable Codes DateTimeSec CCYYMMDDHHMMSS
xs:sequence	Occurrence 1 .. 1
DateTime	Occurrence 0 .. 1 Type xs:string General Notes DOCUMENT / MESSAGE DATE/TIME
DocumentCode	Occurrence 1 .. 1 Type xs:string General Notes DOCUMENT TYPE Applicable Codes DSV_LocalTransportBookingMess

Bold = Element, *Italic* = Attribute, **Grey** = Group

DSV public

DSV LOCALTRANSPORTBOOKING XML; v2.0

Issue date: 2026-08-28

Print date: 2026-08-28

Generated by GEFEG.FX

Page: 34 / 145

Element/Attribute	Annotation
Function	Occurrence 1 .. 1 Type xs:string General Notes DOCUMENT/MESSAGE FUNCTION Applicable Codes Delete Delete New New Update Update
Version	Occurrence 1 .. 1 Type xs:string General Notes MESSAGE VERSION Applicable Codes 2.0
LocalTransportBooking	Occurrence 1 .. 1 Type LocalTransportBooking
xs:sequence	Occurrence 1 .. 1
Bookings	Occurrence 0 .. 1 Type LTMBBookingDetailsList General Notes BOOKINGS
xs:sequence	Occurrence 1 .. 1
BookingDetails	Occurrence 0 .. unbounded Type LTMBBookingDetails General Notes BOOKING DETAILS
xs:sequence	Occurrence 1 .. 1
BookingId	Occurrence 1 .. 1 Type xs:string General Notes BOOKING IDENTIFIER
References	Occurrence 0 .. 1 Type ReferenceGroupList General Notes BOOKING REFERENCES Examples <References> <ReferenceGroup> <Reference Type="TransportReference">TrnspRef</Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="RatingTransportMode">LSE</Reference> </ReferenceGroup> </References>
xs:sequence	Occurrence 1 .. 1
ReferenceGroup	Occurrence 0 .. unbounded Type ReferenceGroup
xs:sequence	Occurrence 1 .. 1
Reference	Occurrence 0 .. 1 Type Reference General Notes BOOKING REFERENCE
Type	Type xs:string Use required General Notes BOOKING REFERENCE TYPE Applicable Codes RatingTransportMode ReferenceNumber TransportReference

Element/Attribute	Annotation
Identifier	Type xs:string Use optional
CustomFieldType	Type xs:string Use optional General Notes CUSTOM FIELD TYPE Use to be agreed Applicable Codes Boolean Boolean indicator DateTime Date/Time with format YYYY-MM-DDTHH:MM:SS Decimal Decimal value Integer Integer value String Character string
Date	Occurrence 0 .. 1 Type Date General Notes REFERENCE DATE
Type	Type xs:string Use required General Notes BOOKING REFERENCE DATE TYPE Applicable Codes ReferenceDate Reference Date
Format	Type xs:string Use required General Notes BOOKING REFERENCE DATE FORMAT Applicable Codes DateTimeSec CCYYMMDDHHMMSS
- xs:sequence - DateTime	Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string General Notes BOOKING REFERENCE DATE/TIME
Dates	Occurrence 0 .. 1 Type DateList General Notes BOOKING DATES Examples <Dates> <Date Type="CreationDate" Format="DateTime"> <DateTime>202302130900</DateTime> </Date> </Dates>
- xs:sequence - Date	Occurrence 1 .. 1 Occurrence 0 .. unbounded Type Date
Type	Type xs:string Use required General Notes BOOKING DATE TYPE Applicable Codes CreationDate
Format	Type xs:string Use required General Notes BOOKING DATE FORMAT Applicable Codes DateTimeInterval CCYYMMDDHHMM-

Element/Attribute	Annotation
	Applicable Codes CCYYMMDDHHMM CCYYMMDDHHMMSS
xs:sequence DateTime	DateTimeSec Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string General Notes BOOKING DATE/TIME
Type	Occurrence 0 .. 1 Type xs:string General Notes BOOKING TYPE Applicable Codes EFDS IFCD ILDV
Direction	Occurrence 0 .. 1 Type xs:string General Notes BOOKING DIRECTION Applicable Codes DST Destination ORG Origin
TransportMode	Occurrence 0 .. 1 Type xs:string General Notes TRANSPORT MODE Applicable Codes Air Sea
FreeTextData	Occurrence 0 .. 1 Type FreeTextList General Notes BOOKING FREE TEXT DATA Examples <FreeTextData> <FreeText Type="HandlingInstructions"> <TextLine1>HandlingInstructions Text Line 1</TextLine1> <TextLine2>HandlingInstructions Text Line 2</TextLine2> <TextLine3>HandlingInstructions Text Line 3</TextLine3> <TextLine4>HandlingInstructions Text Line 4</TextLine4> <TextLine5>HandlingInstructions Text Line 5</TextLine5> </FreeText> <FreeText Type="GoodsDescription"> <TextLine1>Goods Description Line 1</TextLine1> </FreeText> <FreeText Type="Customs Instruction Notes"> <TextLine1>Customs Instruction Line 1</TextLine1> </FreeText> </FreeTextData>
xs:sequence FreeText	Occurrence 1 .. 1 Occurrence 0 .. unbounded Type FreeText
Type	Type xs:string Use required General Notes BOOKING FREE TEXT TYPE Applicable Codes BookingNotes CustomsInstructionNotes DeliveryInstructions
	Booking Notes Customs Instruction Notes Delivery Instructions

Bold = Element, Italic = Attribute, Grey = Group
 DSV public

DSV LOCALTRANSPORTBOOKING XML; v2.0
 Issue date: 2026-08-28
Print date: 2026-08-28

Generated by GEFEG.FX
 Page: 38 / 145

Element/Attribute	Annotation
Parties	Occurrence 0 .. 1 Type PartiesList General Notes BOOKING PARTIES
xs:sequence	Occurrence 1 .. 1
Party	Occurrence 0 .. unbounded Type Party
xs:sequence	Occurrence 1 .. 1
PartyDetails	Occurrence 0 .. 1 Type PartyDetails Examples <PartyDetails Role="OrderingCustomer"> <Id>OrderingCustomerID</Id> <PartyName>Ordering Customer Name</PartyName> <AddressLine1>Ordering Customer Addr Line 1</AddressLine1> <AddressLine2>Ordering Customer Addr Line 2</AddressLine2> <AddressLine3>Ordering Customer Addr Line 3</AddressLine3> <CityName>Ordering Customer City</CityName> <State>Ordering Customer State</State> <PostCode>PostCd</PostCode> <CountryCode>DK</CountryCode> </PartyDetails>
Role	Type xs:string Use required General Notes BOOKING PARTY ROLE Applicable Codes ContainerYardEmptyReturn MessageSender OrderingCustomer
xs:sequence	Occurrence 1 .. 1
Id	Occurrence 0 .. 1 Type xs:string General Notes BOOKING PARTY IDENTIFIER
Assignor	Occurrence 0 .. 1 Type xs:string General Notes BOOKING PARTY IDENTIFIER ASSIGNOR
PartyName	Occurrence 0 .. 1 Type xs:string General Notes BOOKING PARTY NAME
AddressLine1	Occurrence 0 .. 1 Type xs:string General Notes BOOKING PARTY ADDRESS LINE 1
AddressLine2	Occurrence 0 .. 1 Type xs:string General Notes BOOKING PARTY ADDRESS LINE 2
AddressLine3	Occurrence 0 .. 1 Type xs:string General Notes BOOKING PARTY ADDRESS LINE 3
CityName	Occurrence 0 .. 1 Type xs:string General Notes BOOKING PARTY CITY
State	Occurrence 0 .. 1 Type xs:string

Element/Attribute	Annotation
	General Notes BOOKING PARTY STATE/PROVINCE
PostCode	Occurrence 0 .. 1 Type xs:string General Notes BOOKING PARTY POST CODE
CountryCode	Occurrence 0 .. 1 Type xs:string General Notes BOOKING PARTY ISO COUNTRY CODE
Locations	Occurrence 0 .. 1 Type LocationGroupList General Notes BOOKING PARTY LOCATIONS Examples <Locations> <LocationGroup> <Location Type="PhysicalLocation"> <LocationIdentification Type="UN"> <LocationIdentifier>DKHOR</LocationIdentifier> </LocationIdentification> </Location> </LocationGroup> </Locations>
xs:sequence	Occurrence 1 .. 1
LocationGroup	Occurrence 0 .. unbounded Type LocationGroup
xs:sequence	Occurrence 1 .. 1
Location	Occurrence 0 .. 1 Type Location
Type	Type xs:string Use required General Notes BOOKING PARTY LOCATION TYPE
Applicable Codes	
PhysicalLocation	Party Physical Location
xs:sequence	Occurrence 1 .. 1
LocationIdentification	Occurrence 1 .. unbounded Type LocationIdentification General Notes BOOKING PARTY LOCATION IDENTIFICATION TYPE
Type	Type xs:string
Applicable Codes	
Country	Country
Latitude	Latitude
Longitude	Longitude
UN	UN Location Code
xs:sequence	Occurrence 1 .. 1
LocationIdentifier	Occurrence 0 .. 1 Type xs:string General Notes BOOKING PARTY LOCATION IDENTIFIER
LocationName	Occurrence 0 .. 1 Type xs:string General Notes BOOKING PARTY LOCATION NAME
Contact	Occurrence 0 .. unbounded Type Contact General Notes BOOKING PARTY CONTACT

Element/Attribute	Annotation
	Examples <Contact Type="InformationContact"> <Name>Contact name</Name> <Phone>Contact Phone</Phone> <Mobile>Contact Mobile</Mobile> <Fax>Contact Fax</Fax> <Email>Contact Email</Email> </Contact>
Type	Type xs:string Use required General Notes BOOKING PARTY CONTACT TYPE
	Applicable Codes InformationContact Information Contact
xs:sequence	Occurrence 1 .. 1
ContactId	Occurrence 0 .. 1 Type xs:string General Notes BOOKING PARTY CONTACT IDENTIFIER
Name	Occurrence 0 .. 1 Type xs:string General Notes BOOKING PARTY CONTACT NAME
Phone	Occurrence 0 .. 1 Type xs:string General Notes BOOKING PARTY CONTACT PHONE
Mobile	Occurrence 0 .. 1 Type xs:string General Notes BOOKING PARTY CONTACT MOBILE
Fax	Occurrence 0 .. 1 Type xs:string General Notes BOOKING PARTY CONTACT FAX
Email	Occurrence 0 .. 1 Type xs:string General Notes BOOKING PARTY CONTACT EMAIL
References	Occurrence 0 .. 1 Type ReferenceGroupList General Notes BOOKING PARTY REFERENCES Examples <References> <ReferenceGroup> <Reference Type="VAT" Identifier="DK">1234567890</Reference> </ReferenceGroup> </References>
xs:sequence	Occurrence 1 .. 1
ReferenceGroup	Occurrence 0 .. unbounded Type ReferenceGroup
xs:sequence	Occurrence 1 .. 1
Reference	Occurrence 0 .. 1 Type Reference
Type	Type xs:string Use required General Notes BOOKING PARTY REFERENCE TYPE

Element/Attribute	Annotation
	Applicable Codes
	VAT VAT Registration Number
Identifier	Type xs:string Use optional
CustomFieldType	Type xs:string Use optional
	Applicable Codes
	Boolean Boolean indicator
	DateTime Date/Time with format YYYY-MM-DDTHH:MM:SS
	Decimal Decimal value
	Integer Integer value
	String Character string
Date	Occurrence 0 .. 1 Type Date General Notes BOOKING PARTY REFERENCE DATE
Type	Type xs:string Use required
	Applicable Codes
	ReferenceDate Reference Date
Format	Type xs:string Use required
	Applicable Codes
	DateTimeSec CCYYMMDDHHMMSS
xs:sequence	Occurrence 1 .. 1
DateTime	Occurrence 0 .. 1 Type xs:string General Notes BOOKING REFERENCE DATE/TIME
Locations	Occurrence 0 .. 1 Type LocationGroupList General Notes BOOKING LOCATIONS Examples <Locations> <Location Type=""> <LocationIdentification Type=""> <LocationIdentifier></LocationIdentifier> </LocationIdentification> <LocationIdentification Type=""> <LocationIdentifier></LocationIdentifier> </LocationIdentification> </Location> </Locations>
xs:sequence	Occurrence 1 .. 1
LocationGroup	Occurrence 0 .. unbounded Type LocationGroup
xs:sequence	Occurrence 1 .. 1
Location	Occurrence 0 .. 1 Type Location
Type	Type xs:string Use required General Notes BOOKING LOCATION TYPE
xs:sequence	Occurrence 1 .. 1
LocationIdentification	Occurrence 1 .. unbounded Type LocationIdentification
Type	Type xs:string

Element/Attribute	Annotation
	General Notes BOOKING LOCATION IDENTIFICATION TYPE
	Applicable Codes
	AddressId Address Identification Code
	IATA IATA Code
	ISOCountry ISO Country Code
	UN UN Location Code
xs:sequence	Occurrence 1 .. 1
LocationIdentifier	Occurrence 0 .. 1 Type xs:string General Notes BOOKING LOCATION IDENTIFIER
LocationName	Occurrence 0 .. 1 Type xs:string General Notes BOOKING LOCATION NAME
Milestones	Occurrence 0 .. unbounded Type MilestoneList General Notes BOOKING MILESTONES Examples <Milestones> <Milestone> <Sequence>1</Sequence> <Code>ARV</Code> <Description>Arrived</Description> <Dates> <Date Type="ActualDate" Format="DateTimeSec"> <DateTime>20230301232323</DateTime> </Date> </Dates> </Milestone> </Milestones>
xs:sequence	Occurrence 1 .. 1
Milestone	Occurrence 0 .. unbounded Type Milestone
xs:sequence	Occurrence 1 .. 1
Sequence	Occurrence 0 .. 1 Type xs:string General Notes BOOKING MILESTONE SEQUENCE
Code	Occurrence 0 .. 1 Type xs:string General Notes BOOKING MILESTONE CODE
Description	Occurrence 0 .. 1 Type xs:string General Notes BOOKING MILESTONE DESCRIPTION
Dates	Occurrence 0 .. 1 Type DateList General Notes BOOKING MILESTONE DATES
xs:sequence	Occurrence 1 .. 1
Date	Occurrence 0 .. unbounded Type Date
Type	Type xs:string Use required General Notes BOOKING MILESTONE DATE TYPE

Element/Attribute	Annotation
	Applicable Codes ActualDate OriginalScheduledDate ScheduledDate
<i>Format</i>	Type xs:string Use required General Notes BOOKING MILESTONE DATE FORMAT
<i>xs:sequence</i>	Applicable Codes DateTimeSec CCYYMMDDHHMMSS
DateTime	Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string General Notes BOOKING MILESTONE DATE/TIME
Instructions	Occurrence 0 .. 1 Type InstructionList General Notes INSTRUCTIONS
<i>xs:sequence</i>	Occurrence 1 .. 1
Instruction	Occurrence 0 .. unbounded Type Instruction
<i>xs:sequence</i>	Occurrence 1 .. 1
Sequence	Occurrence 0 .. 1 Type xs:string General Notes INSTRUCTION SEQUENCE
Type	Occurrence 0 .. 1 Type xs:string General Notes INSTRUCTION TYPE
	Applicable Codes DLV Delivery PIC Pickup
StatusCode	Occurrence 0 .. 1 Type xs:string General Notes INSTRUCTION STATUS CODE
	Applicable Codes AVL
FreeTextData	Occurrence 0 .. 1 Type FreeTextList General Notes INSTRUCTION FREE TEXT DATA Examples <FreeTextData> <FreeText Type="Notes"> <TextLine1>Notes Text Line 1</TextLine1> <TextLine2>Notes Text Line 2</TextLine2> <TextLine3>Notes Text Line 3</TextLine3> <TextLine4>Notes Text Line 4</TextLine4> <TextLine5>Notes Text Line 5</TextLine5> </FreeText> </FreeTextData>
<i>xs:sequence</i>	Occurrence 1 .. 1
FreeText	Occurrence 0 .. unbounded Type FreeText
<i>Type</i>	Type xs:string Use required General Notes INSTRUCTION FREE TEXT DATA TYPE

Bold = Element, Italic = Attribute, Grey = Group
DSV public

DSV LOCALTRANSPORTBOOKING XML; v2.0
Issue date: 2026-08-28
Print date: 2026-08-28

Generated by GEFEG.FX
Page: 45 / 14

Element/Attribute		Annotation
Assignor PartyName AddressLine1 AddressLine2 AddressLine3 CityName State PostCode CountryCode	Assignor	Occurrence 0 .. 1 Type xs:string General Notes INSTRUCTION PARTY IDENTIFIER ASSIGNOR
	PartyName	Occurrence 0 .. 1 Type xs:string General Notes INSTRUCTION PARTY NAME
	AddressLine1	Occurrence 0 .. 1 Type xs:string General Notes INSTRUCTION PARTY ADDRESS LINE 1
	AddressLine2	Occurrence 0 .. 1 Type xs:string General Notes INSTRUCTION PARTY ADDRESS LINE 2
	AddressLine3	Occurrence 0 .. 1 Type xs:string General Notes INSTRUCTION PARTY ADDRESS LINE 3
	CityName	Occurrence 0 .. 1 Type xs:string General Notes INSTRUCTION PARTY CITY
	State	Occurrence 0 .. 1 Type xs:string General Notes INSTRUCTION PARTY STATE/PROVINCE
	PostCode	Occurrence 0 .. 1 Type xs:string General Notes INSTRUCTION PARTY POSTAL CODE
	CountryCode	Occurrence 0 .. 1 Type xs:string General Notes INSTRUCTION PARTY ISO COUNTRY CODE
	Locations	Occurrence 0 .. 1 Type LocationGroupList General Notes INSTRUCTION PARTY LOCATIONS Examples <Locations> <LocationGroup> <Location Type="PhysicalLocation"> <LocationIdentification Type="UN"> <LocationIdentifier>DKHOR</LocationIdentifier> <LocationName>Horsens</LocationName> </LocationIdentification> </Location> </LocationGroup> </Locations>
xs:sequence LocationGroup xs:sequence Location Type	LocationGroup	Occurrence 1 .. 1 Occurrence 0 .. unbounded Type LocationGroup
	Location	Occurrence 1 .. 1 Occurrence 0 .. 1 Type Location
	Type	Type xs:string Use required General Notes INSTRUCTION PARTY LOCATION TYPE

Element/Attribute	Annotation
	Applicable Codes
	PhysicalLocation Party Physical Location
xs:sequence	Occurrence 1 .. 1
LocationIdentification	Occurrence 1 .. unbounded
	Type LocationIdentification
Type	Type xs:string
	General Notes INSTRUCTION PARTY LOCATION IDENTIFICATION TYPE
	Applicable Codes
	Country Country
	Latitude Latitude
	Longitude Longitude
	UN UN Location Code
xs:sequence	Occurrence 1 .. 1
LocationIdentifier	Occurrence 0 .. 1
	Type xs:string
	General Notes INSTRUCTION PARTY LOCATION IDENTIFIER
LocationName	Occurrence 0 .. 1
	Type xs:string
	General Notes INSTRUCTION PARTY LOCATION NAME
Contact	Occurrence 0 .. unbounded
	Type Contact
	General Notes INSTRUCTION PARTY CONTACT
	Examples
	<Contact Type="InformationContact">
	<Name>Contact name</Name>
	<Phone>Contact Phone</Phone>
	<Mobile>Contact Mobile</Mobile>
	<Fax>Contact Fax</Fax>
	<Email>Contact Email</Email>
	</Contact>
Type	Type xs:string
	Use required
	General Notes INSTRUCTION PARTY CONTACT TYPE
	Applicable Codes
	InformationContact Information Contact
xs:sequence	Occurrence 1 .. 1
ContactId	Occurrence 0 .. 1
	Type xs:string
	General Notes INSTRUCTION PARTY CONTACT IDENTIFIER
Name	Occurrence 0 .. 1
	Type xs:string
	General Notes INSTRUCTION PARTY CONTACT NAME
Phone	Occurrence 0 .. 1
	Type xs:string
	General Notes INSTRUCTION PARTY CONTACT PHONE
Mobile	Occurrence 0 .. 1
	Type xs:string
	General Notes INSTRUCTION PARTY CONTACT MOBILE
Fax	Occurrence 0 .. 1
	Type xs:string

Element/Attribute	Annotation
	General Notes INSTRUCTION PARTY CONTACT FAX
Email	Occurrence 0 .. 1 Type xs:string General Notes INSTRUCTION PARTY CONTACT EMAIL
References	Occurrence 0 .. 1 Type ReferenceGroupList General Notes INSTRUCTION PARTY REFERENCES Examples <References> <ReferenceGroup> <Reference Type="VAT" Identifier="DK">1234567890</Reference> </ReferenceGroup> </References>
xs:sequence	Occurrence 1 .. 1
ReferenceGroup	Occurrence 0 .. unbounded Type ReferenceGroup
xs:sequence	Occurrence 1 .. 1
Reference	Occurrence 0 .. 1 Type Reference General Notes INSTRUCTION PARTY REFERENCE
Type	Type xs:string Use required General Notes INSTRUCTION PARTY REFERENCE TYPE Applicable Codes VAT VAT registration Number
Identifier	Type xs:string Use optional
CustomFieldType	Type xs:string Use optional Applicable Codes Boolean Boolean indicator DateTime Date/Time with format YYYY-MM-DDTHH:MM:SS Decimal Decimal value Integer Integer value String Character string
Date	Occurrence 0 .. 1 Type Date General Notes INSTRUCTION PARTY REFERENCE DATE
Type	Type xs:string Use required General Notes INSTRUCTION PARTY REFERENCE DATE TYPE Applicable Codes ReferenceDate Reference Date
Format	Type xs:string Use required General Notes INSTRUCTION PARTY REFERENCE DATE FORMAT Applicable Codes DateTimeSec CCYYMMDDHHMMSS
xs:sequence	Occurrence 1 .. 1
DateTime	Occurrence 0 .. 1 Type xs:string

Element/Attribute	Annotation
	General Notes INSTRUCTION PARTY REFERENCE DATE/TIME
PackageLines	Occurrence 0 .. 1 Type PackageLineList General Notes INSTRUCTION PACKAGE LINES
xs:sequence	Occurrence 1 .. 1
PackageLine	Occurrence 0 .. unbounded Type PackageLine
xs:sequence	Occurrence 1 .. 1
Package	Occurrence 1 .. 1 Type Package General Notes INSTRUCTION PACKAGE LINE PACKAGE Examples <Package> <PackageQuantity>1</PackageQuantity> <PackageCode>PKG</PackageCode> </Package>
xs:sequence	Occurrence 1 .. 1
PackageQuantity	Occurrence 1 .. 1 Type xs:string General Notes INSTRUCTION PACKAGE LINE PACKAGE QUANTITY
PackageCode	Occurrence 0 .. 1 Type xs:string General Notes INSTRUCTION PACKAGE LINE PACKAGE CODE Applicable Codes PKG
References	Occurrence 0 .. 1 Type ReferenceGroupList General Notes INSTRUCTION PACKAGE LINE REFERENCES Examples <References> <ReferenceGroup> <Reference Type="ReferenceNumber">RefNo</Reference> </ReferenceGroup> </References>
xs:sequence	Occurrence 1 .. 1
ReferenceGroup	Occurrence 0 .. unbounded Type ReferenceGroup
xs:sequence	Occurrence 1 .. 1
Reference	Occurrence 0 .. 1 Type Reference General Notes INSTRUCTION PACKAGE LINE REFERENCE
Type	Type xs:string Use required General Notes INSTRUCTION PACKAGE LINE REFERENCE TYPE Applicable Codes ReferenceNumber
Identifier	Type xs:string Use optional
CustomFieldType	Type xs:string Use optional General Notes CUSTOM FIELD TYPE

Element/Attribute	Annotation
	Use to be agreed
	Applicable Codes
	Boolean Boolean indicator
	DateTime Date/Time with format YYYY-MM-DDTHH:MM:SS
	Decimal Decimal value
	Integer Integer value
	String Character string
Date	Occurrence 0 .. 1
	Type Date
	General Notes INSTRUCTION PACKAGE LINE REFERENCE DATE
Type	Type xs:string
	Use required
	General Notes INSTRUCTION PACKAGE LINE REFERENCE DATE TYPE
Format	Applicable Codes
	ReferenceDate Reference Date
	Type xs:string
	Use required
	General Notes INSTRUCTION PACKAGE LINE REFERENCE DATE FORMAT
xs:sequence	Applicable Codes
	DateTimeSec CCYYMMDDHHMMSS
DateTime	Occurrence 1 .. 1
	Occurrence 0 .. 1
	Type xs:string
	General Notes INSTRUCTION PACKAGE LINE REFERENCE DATE/ TIME
Dates	Occurrence 0 .. 1
	Type DateList
	General Notes INSTRUCTION PACKAGE LINE DATES
	Examples
	<Dates>
	<Date Type="Estimated" Format="DateTimeSec">
	<DateTime>20230213090000</DateTime>
	</Date>
	</Dates>
xs:sequence	Occurrence 1 .. 1
Date	Occurrence 0 .. unbounded
	Type Date
Type	Type xs:string
	Use required
	General Notes INSTRUCTION PACKAGE LINE DATE TYPE
Format	Applicable Codes
	Estimated
	RequiredFrom
	RequiredTo
	Type xs:string
	Use required
	General Notes INSTRUCTION PACKAGE LINE DATE FORMAT
	Applicable Codes
	DateTimeInterval CCYYMMDDHHMM-CCYYMMDDHHMM

Bold = Element, Italic = Attribute, Grey = Group
 DSV public

DSV LOCALTRANSPORTBOOKING XML; v2.0
 Issue date: 2026-08-28
Print date: 2026-08-28

Generated by GEFEG.FX
 Page: 51 / 145

Element/Attribute	Annotation
	Examples </Measurement> </Measurements>
xs:sequence	Occurrence 1 .. 1
Measurement	Occurrence 0 .. unbounded
	Type Measurement
Type	Type xs:string
	Use required
	General Notes CONTAINER MEASUREMENT TYPE
	Applicable Codes
	GrossWeight Container Gross Weight
	Volume Container Volume
	Weight Container Weight
Uom	Type xs:string
	General Notes CONTAINER MEASUREMENT UNIT OF MEASURE
	Applicable Codes
	KGM Kilograms
	MTQ Cubic meters
xs:sequence	Occurrence 1 .. 1
Measure	Occurrence 0 .. 1
	Type xs:string
	General Notes CONTAINER MEASURE
Dimensions	Occurrence 0 .. 1
	Type DimensionsList
	General Notes CONTAINER DIMENSIONS
	Examples <Dimensions> <Dimension Type="Container" Uom="MTR"> <Length>10.2</Length> <Width>1.5</Width> <Height>1.2</Height> </Dimension> </Dimensions>
xs:sequence	Occurrence 1 .. 1
Dimension	Occurrence 0 .. unbounded
	Type Dimension
Type	Type xs:string
	Use required
	General Notes CONTAINER DIMENSION TYPE
	Applicable Codes
	Container Container Dimensions
Uom	Type xs:string
	General Notes CONTAINER DIMENSION UNIT OF MEASURE
xs:sequence	Occurrence 1 .. 1
Length	Occurrence 0 .. 1
	Type xs:string
	General Notes CONTAINER DIMENSION LENGTH
Width	Occurrence 0 .. 1
	Type xs:string
	General Notes CONTAINER DIMENSION WIDTH
Height	Occurrence 0 .. 1
	Type xs:string

Element/Attribute	Annotation
	General Notes CONTAINER DIMENSION HEIGHT
References	Occurrence 0 .. 1 Type ReferenceGroupList General Notes CONTAINER REFERENCES Examples <References> <ReferenceGroup> <Reference Type="TransportMode">Sea</Reference> </ReferenceGroup> </References>
xs:sequence	Occurrence 1 .. 1
ReferenceGroup	Occurrence 0 .. unbounded Type ReferenceGroup
xs:sequence	Occurrence 1 .. 1
Reference	Occurrence 0 .. 1 Type Reference General Notes CONTAINER REFERENCE
<i>Type</i>	Type xs:string Use required General Notes CONTAINER REFERENCE TYPE Applicable Codes TransportMode Transport Mode
<i>Identifier</i>	Type xs:string Use optional
<i>CustomFieldType</i>	Type xs:string Use optional General Notes CUSTOM FIELD TYPE Use to be agreed Applicable Codes Boolean Boolean indicator DateTime Date/Time with format YYYY-MM-DDTHH:MM:SS Decimal Decimal value Integer Integer value String Character string
Date	Occurrence 0 .. 1 Type Date General Notes CONTAINER REFERENCE DATE
<i>Type</i>	Type xs:string Use required General Notes CONTAINER REFERENCE DATE TYPE Applicable Codes ReferenceDate Reference Date
<i>Format</i>	Type xs:string Use required General Notes CONTAINER REFERENCE DATE FORMAT Applicable Codes DateTimeSec CCYYMMDDHHMMSS
xs:sequence	Occurrence 1 .. 1
DateTime	Occurrence 0 .. 1 Type xs:string

Element/Attribute	Annotation
	General Notes CONTAINER REFERENCE DATE/TIME
Dates	Occurrence 0 .. 1 Type DateList General Notes CONTAINER DATES
xs:sequence	Occurrence 1 .. 1
Date	Occurrence 0 .. unbounded Type Date
<i>Type</i>	Type xs:string Use required General Notes CONTAINER DATE TYPE
<i>Format</i>	Type xs:string Use required General Notes CONTAINER DATE FORMAT
	Applicable Codes DateTimeInterval CCYYMMDDHHMM-CCYYMMDDHHMM DateTimeSec CCYYMMDDHHMMSS
xs:sequence	Occurrence 1 .. 1
DateTime	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER DATE/TIME
TransportMovements	Occurrence 0 .. 1 Type TransportMovementList General Notes CONTAINER TRANSPORT MOVEMENTS
	Examples <TransportMovements> <TransportMovement Type="DeliveryMode"> <Description>FCL</Description> </TransportMovement> <TransportMovement Type="PackingMode"> <Description>LCL</Description> </TransportMovement> </TransportMovements>
xs:sequence	Occurrence 1 .. 1
TransportMovement	Occurrence 0 .. unbounded Type CodeDescription
<i>Type</i>	Type xs:string Use optional General Notes CONTAINER TRANSPORT MOVEMENT TYPE
	Applicable Codes DeliveryMode Delivery Mode PackingMode Packing Mode
xs:sequence	Occurrence 1 .. 1
Description	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER TRANSPORT MOVEMENT DESCRIPTION
SealIds	Occurrence 0 .. 1 Type SealList General Notes CONTAINER SEAL IDENTIFICATION
	Examples <SealIds>

Element/Attribute	Annotation
	Examples <Seal> <SealId>ABCD1234</SealId> </Seal> <Seal> <SealId>WXYZ9876</SealId> </Seal> </SealIds>
xs:sequence	Occurrence 1 .. 1
Seal	Occurrence 0 .. unbounded Type Seal
xs:sequence	Occurrence 1 .. 1
SealId	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER SEAL NO
FreeTextData	Occurrence 0 .. 1 Type FreeTextList General Notes CONTAINER FREE TEXT DATA
	Examples <FreeTextData> <FreeText Type="TemperatureControlInstructions"> <TextLine1>Temp Control Instr Line 1</TextLine1> <TextLine2>Temp Control Instr Line 2</TextLine2> </FreeText> </FreeTextData>
xs:sequence	Occurrence 1 .. 1
FreeText	Occurrence 0 .. unbounded Type FreeText
Type	Type xs:string Use required General Notes CONTAINER FREE TEXT TYPE
	Applicable Codes TemperatureControlInstructions Temperature Control Instructions
xs:sequence	Occurrence 1 .. 1
DescriptionCode	Occurrence 0 .. 1 Type xs:string
TextLine1	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER FREE TEXT LINE 1
TextLine2	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER FREE TEXT LINE 2
TextLine3	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER FREE TEXT LINE 3
TextLine4	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER FREE TEXT LINE 4
TextLine5	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER FREE TEXT LINE 5

Element/Attribute	Annotation
TemperatureControl	Occurrence 0 .. 1 Type TemperatureControl General Notes CONTAINER TEMPERATURE CONTROL Examples <TemperatureControl Type="Container" Uom="CEL"> <Fixed>10</Fixed> <HumidityPercentage>12</HumidityPercentage> </TemperatureControl>
Type	Type xs:string Use required General Notes CONTAINER TEMPERATURE CONTROL TYPE Applicable Codes Container
Uom	Type xs:string General Notes CONTAINER TEMPERATURE CONTROL UNIT OF MEASURE
xs:sequence	Occurrence 1 .. 1
Fixed	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER FIXED TEMPERATURE
HumidityPercentage	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER HUMIDITY PERCENTAGE
RangeDetails	Occurrence 0 .. 1 Type RangeDetails General Notes CONTAINER TEMPERATURE RANGE Examples <RangeDetails Type="Container" Uom="CEL"> <Minimum>-2</Minimum> <Maximum>3</Maximum> </RangeDetails>
Type	Type xs:string Use required General Notes CONTAINER TEMPERATURE RANGE TYPE Applicable Codes Container
Uom	Type xs:string General Notes CONTAINER TEMPERATURE RANGE UNIT OF MEASURE Applicable Codes CEL Celsius
xs:sequence	Occurrence 1 .. 1
Minimum	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER TEMPERATURE MINIMUM
Maximum	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER TEMPERATURE MAXIMUM
GoodsItems	Occurrence 0 .. 1 Type GoodsItemList

Element/Attribute	Annotation
	General Notes CONTAINER GOODS ITEMS
xs:sequence	Occurrence 1 .. 1
GoodsItem	Occurrence 0 .. unbounded Type GoodsItem
xs:sequence	Occurrence 1 .. 1
Item	Occurrence 0 .. 1 Type Item General Notes CONTAINER GOODS ITEMS ITEM
	Examples <Item> <Sequence>1</Sequence> <ItemNumber>10</ItemNumber> <PackageQty>20</PackageQty> <PackageType>CTN</PackageType> </Item>
xs:sequence	Occurrence 1 .. 1
Sequence	Occurrence 0 .. 1 Type xs:string
ItemNumber	Occurrence 0 .. 1 Type xs:string
PackageQty	Occurrence 0 .. 1 Type xs:string
PackageType	Occurrence 0 .. 1 Type xs:string
HandlingInstructions	Occurrence 0 .. 1 Type HandlingInstructions General Notes CONTAINER GOODS ITEM HANDLING INSTRUCTIONS
	Examples <HandlingInstructions> <HandlingInstruction> <Code>Stacked</Code> <Description>6</Description> </HandlingInstruction> </HandlingInstructions>
xs:sequence	Occurrence 1 .. 1
HandlingInstruction	Occurrence 0 .. unbounded Type CodeDescription
Type	Type xs:string Use optional General Notes CONTAINER GOODS ITEM HANDLING INSTRUCTION TYPE
	Applicable Codes
	Stackability
xs:sequence	Occurrence 1 .. 1
Code	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER GOODS ITEM HANDLING INSTRUCTION CODE
	Applicable Codes
	NotStacked
	Stacked
Description	Occurrence 0 .. 1 Type xs:string

Element/Attribute		Annotation
TemperatureControl Type Uom xs:sequence Fixed HumidityPercentage RangeDetails Type Uom xs:sequence Minimum Maximum	Occurrence Type General Notes Examples Type Use General Notes Applicable Codes Type General Notes Occurrence Occurrence Type General Notes Occurrence Type General Notes Occurrence Type General Notes Occurrence Type General Notes Occurrence Type General Notes Occurrence Type General Notes	0 .. 1 TemperatureControl CONTAINER GOODS ITEM TEMPERATURE CONTROL <TemperatureControl Type="Temperature" Uom="CEL"> <Fixed>10</Fixed> <HumidityPercentage>12</HumidityPercentage> </TemperatureControl>
		xs:string required CONTAINER GOODS ITEM TEMPERATURE CONTROL TYPE
		xs:string CONTAINER GOODS ITEM TEMPERATURE CONTROL UNIT OF MEASURE
		1 .. 1
		0 .. 1 xs:string CONTAINER GOODS ITEM FIXED TEMPERATURE
		0 .. 1 xs:string CONTAINER GOODS ITEM HUMIDITY PERCENTAGE
		0 .. 1 RangeDetails CONTAINER GOODS ITEM TEMPERATURE RANGE <RangeDetails Type="TemperatureRange" Uom="CEL"> <Minimum>-2</Minimum> <Maximum>3</Maximum> </RangeDetails>
		xs:string required CONTAINER GOODS ITEM TEMPERATURE RANGE TYPE
		xs:string CONTAINER GOODS ITEM TEMPERATURE RANGE UNIT OF MEASURE
		1 .. 1
		0 .. 1 xs:string CONTAINER GOODS ITEM TEMPERATURE RANGE MINIMUM
		0 .. 1 xs:string CONTAINER GOODS ITEM TEMPERATURE RANGE MAXIMUM

Element/Attribute	Annotation
Locations	Occurrence 0 .. 1 Type LocationGroupList General Notes CONTAINER GOODS ITEM LOCATIONS Examples <Locations> <LocationGroup> <Location Type="CountryOfOrigin"> <LocationIdentification Type="ISOCountry"> <LocationIdentifier>DK</LocationIdentifier> </LocationIdentification> </Location> </LocationGroup> </Locations>
xs:sequence	Occurrence 1 .. 1
LocationGroup	Occurrence 0 .. unbounded Type LocationGroup
xs:sequence	Occurrence 1 .. 1
Location	Occurrence 0 .. 1 Type Location
Type	Type xs:string Use required General Notes CONTAINER GOODS ITEM LOCATION TYPE Applicable Codes CountryOfOrigin Goods Item Country of Origin
xs:sequence	Occurrence 1 .. 1
LocationIdentification	Occurrence 1 .. unbounded Type LocationIdentification
Type	Type xs:string General Notes CONTAINER GOODS ITEM LOCATION IDENTIFICATION TYPE Applicable Codes ISOCountry ISO Country Code
xs:sequence	Occurrence 1 .. 1
LocationIdentifier	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER GOODS ITEM LOCATION IDENTIFIER
LocationName	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER GOODS ITEM LOCATION IDENTIFICATION NAME
MonetaryAmounts	Occurrence 0 .. 1 Type MonetaryAmountList General Notes CONTAINER GOODS ITEM MONETARY AMOUNTS Examples <MonetaryAmounts> <MonetaryAmount Type="InvoiceValue"> <Amount>1000.01</Amount> <Currency>EUR</Currency> </MonetaryAmount> </MonetaryAmounts>
xs:sequence	Occurrence 1 .. 1
MonetaryAmount	Occurrence 0 .. unbounded Type MonetaryAmount

Element/Attribute	Annotation
Type	Type Use General Notes xs:string required CONTAINER GOODS ITEM MONETARY AMOUNT TYPE
	Applicable Codes InvoiceValue Goods Item Invoice Value
xs:sequence Amount Currency	Occurrence Type Occurrence Type 1 .. 1 xs:string 0 .. 1 xs:string
ProductIds	Occurrence Type General Notes 0 .. 1 ProductIdsList CONTAINER GOODS ITEM PRODUCT IDENTIFICATION
	Examples <ProductIds> <ProductId Type="ProductId"> <ItemId>CommCd</ItemId> <ItemType>CommodityCode</ItemType> </ProductId> <ProductId Type="ProductId"> <ItemId>HmzCd</ItemId> <ItemType>HarmonizedCode</ItemType> </ProductId> </ProductIds>

Element/Attribute	Annotation
	Examples <TextLine2>Comment Text Line 2</TextLine2> <TextLine3>Comment Text Line 3</TextLine3> <TextLine4>Comment Text Line 4</TextLine4> <TextLine5>Comment Text Line 5</TextLine5> </FreeText> </FreeTextData>
xs:sequence	Occurrence 1 .. 1
FreeText	Occurrence 0 .. unbounded
	Type FreeText
Type	Type xs:string
	Use required
	General Notes CONTAINER GOODS ITEM FREE TEXT DATA TYPE
	Applicable Codes
	Comments Goods Item Comments
	NatureOfGoods Goods Item Nature of Goods
	TemperatureControlInstructions Goods Item Temperature Control Instructions
xs:sequence	Occurrence 1 .. 1
DescriptionCode	Occurrence 0 .. 1
	Type xs:string
TextLine1	Occurrence 0 .. 1
	Type xs:string
	General Notes CONTAINER GOODS ITEM FREE TEXT DATA LINE 1
TextLine2	Occurrence 0 .. 1
	Type xs:string
	General Notes CONTAINER GOODS ITEM FREE TEXT DATA LINE 2
TextLine3	Occurrence 0 .. 1
	Type xs:string
	General Notes CONTAINER GOODS ITEM FREE TEXT DATA LINE 3
TextLine4	Occurrence 0 .. 1
	Type xs:string
	General Notes CONTAINER GOODS ITEM FREE TEXT DATA LINE 4
TextLine5	Occurrence 0 .. 1
	Type xs:string
	General Notes CONTAINER GOODS ITEM FREE TEXT DATA LINE 5
Measurements	Occurrence 0 .. 1
	Type MeasurementList
	General Notes CONTAINER GOODS ITEM MEASUREMENTS
	Examples <Measurements> <Measurement Type="GrossWeight" Uom="KG"> <Measure>1110.01</Measure> </Measurement> <Measurement Type="Volume" Uom="M3"> <Measure>20.02</Measure> </Measurement> </Measurements>
xs:sequence	Occurrence 1 .. 1
Measurement	Occurrence 0 .. unbounded
	Type Measurement
Type	Type xs:string
	Use required

Element/Attribute	Annotation
	General Notes CONTAINER GOODS ITEM MEASUREMENT TYPE Applicable Codes ChargeableWeight GrossWeight LoadingMeters NetWeight Volume
Uom	Type xs:string General Notes CONTAINER GOODS ITEM MEASUREMENT UNIT OF MEASURE Applicable Codes KG Kilograms KGM Kilograms M3 Cubic meters MTQ Cubic meters MTR Linear meters
xs:sequence	Occurrence 1 .. 1
Measure	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER GOODS ITEM MEASUREMENT
Dimensions	Occurrence 0 .. 1 Type DimensionsList General Notes CONTAINER GOODS ITEM DIMENSIONS Examples <Dimensions> <Dimension Type="Gross" Uom="MTR"> <Length>10.2</Length> <Width>1.5</Width> <Height>1.2</Height> </Dimension> </Dimensions>
xs:sequence	Occurrence 1 .. 1
Dimension	Occurrence 0 .. unbounded Type Dimension
Type	Type xs:string Use required General Notes CONTAINER GOODS ITEM DIMENSION TYPE Applicable Codes Gross Gross Dimensions
Uom	Type xs:string General Notes CONTAINER GOODS ITEM DIMENSION UNIT OF MEASURE Applicable Codes CM Centimetres MTR Meters
xs:sequence	Occurrence 1 .. 1
Length	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER GOODS ITEM DIMENSION LENGTH
Width	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER GOODS ITEM DIMENSION WIDTH

Element/Attribute	Annotation
Height	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER GOODS ITEM DIMENSION HEIGHT
Quantities	Occurrence 0 .. 1 Type QuantitiesList General Notes CONTAINER GOODS ITEM QUANTITIES Examples <Quantities> <Quantity Type="NumberOfPallets"> <Quantity>5</Quantity> </Quantity> </Quantities>
xs:sequence	Occurrence 1 .. 1
Quantity	Occurrence 0 .. unbounded Type Quantity
Type	Type xs:string Use required General Notes CONTAINER GOODS ITEM QUANTITY TYPE Applicable Codes NumberOfPallets Number of Pallets PalletSpaces Pallet Spaces
Uom	Type xs:string General Notes CONTAINER GOODS ITEM QUANTITY UNIT OF MEASURE
xs:sequence	Occurrence 1 .. 1
Quantity	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER GOODS ITEM QUANTITY
Packagelds	Occurrence 0 .. 1 Type Packagelds General Notes CONTAINER GOODS ITEM PACKAGE IDENTIFICATION
xs:sequence	Occurrence 1 .. 1
Packageld	Occurrence 0 .. unbounded Type Packageld Examples <Packageld> <InstructionCode>PackageMarks</InstructionCode> <Marks> <ShippingMark>Mark1</ShippingMark> <ShippingMark>Mark2</ShippingMark> </Marks> </Packageld>
xs:sequence	Occurrence 1 .. 1
InstructionCode	Occurrence 1 .. 1 Type xs:string General Notes CONTAINER GOODS ITEM PACKAGE INSTRUCTION CODE Applicable Codes PackageMarks Package Marks
Marks	Occurrence 0 .. 1 Type Marks

Element/Attribute	Annotation
xs:sequence ShippingMark	Occurrence 1 .. 1 Occurrence 1 .. unbounded Type xs:string General Notes CONTAINER GOODS ITEM PACKAGE SHIPPING MARK
References	Occurrence 0 .. 1 Type ReferenceGroupList General Notes CONTAINER GOODS ITEM PACKAGE REFERENCES Examples <References> <ReferenceGroup> <Reference Type="">RefNo</Reference> </ReferenceGroup> </References>
xs:sequence ReferenceGroup	Occurrence 1 .. 1 Occurrence 0 .. unbounded Type ReferenceGroup
xs:sequence Reference	Occurrence 1 .. 1 Occurrence 0 .. 1 Type Reference General Notes CONTAINER GOODS ITEM PACKAGE REFERENCE
Type	Type xs:string Use required General Notes CONTAINER GOODS ITEM PACKAGE REFERENCE TYPE
Identifier	Type xs:string Use optional
GoodsIdentities	Occurrence 0 .. unbounded Type GoodsIdentity General Notes CONTAINER GOODS ITEM PACKAGE GOODS IDENTITIES Examples <GoodsIdentities Type=""> <GoodsIdentifier>1234567890</GoodsIdentifier> <GoodsIdentifier>0987</GoodsIdentifier> </GoodsIdentities>
Type	Type xs:string Use required General Notes CONTAINER GOODS ITEM PACKAGE GOODS IDENTITY TYPE Applicable Codes SSCC SerialNumber
xs:sequence GoodsIdentifier	Occurrence 1 .. 1 Occurrence 1 .. unbounded Type xs:string General Notes CONTAINER GOODS ITEM PACKAGE GOODS IDENTIFIER
DangerousGoodsDetails	Occurrence 0 .. 1 Type DangerousGoodsDetailList General Notes CONTAINER GOODS ITEM DANGEROUS GOODS DETAILS

Element/Attribute	Annotation
xs:sequence DangerousGoodsDetail	Occurrence 1 .. 1
	Occurrence 0 .. unbounded
	Type DangerousGoodsDetail
xs:sequence DangerousGoods	Occurrence 1 .. 1
	Occurrence 0 .. 1
	Type DangerousGoods
	Examples <DangerousGoods> <Regulation>ADR</Regulation> <HazardClass>9</HazardClass> <AdditionalHazardClass>3</AdditionalHazardClass> <HazardVersionId>5</HazardVersionId> <UNDGNumber>3082</UNDGNumber> <FlashPointDescription>FlashDesc</FlashPointDescription> <FlashPointTemperature FlashpointUom="CEL">10</FlashPointTemperature> <DangerLevelCode>III</DangerLevelCode> <EMSNumber>EMS No</EMSNumber> <MFAGNumber>MFAG No</MFAGNumber> <TremCardNumber>Trem No</TremCardNumber> <UpperPlate>Upper</UpperPlate> <LowerPlate>Lower</LowerPlate> <Labels> <Label>Lab1</Label> </Labels> <TunnelCode>E</TunnelCode> </DangerousGoods>
xs:sequence Regulation	Occurrence 1 .. 1
	Occurrence 0 .. 1
	Type xs:string
	General Notes CONTAINER GOODS ITEM DANGEROUS GOODS REGULATION
	Applicable Codes ADR European Road DG Agreement IMO IMO IMDG Code
HazardClass	Occurrence 0 .. 1
	Type xs:string
	General Notes CONTAINER GOODS ITEM DANGEROUS GOODS HAZARD CLASS
AdditionalHazardClass	Occurrence 0 .. 1
	Type xs:string
	General Notes CONTAINER GOODS ITEM DANGEROUS GOODS ADDITIONAL HAZARD CLASS
HazardVersionId	Occurrence 0 .. 1
	Type xs:string
	General Notes CONTAINER GOODS ITEM DANGEROUS GOODS HAZARD VERSION
UNDGNumber	Occurrence 0 .. 1
	Type xs:string
	General Notes CONTAINER GOODS ITEM DANGEROUS GOODS UNDG NO
FlashPointDescription	Occurrence 0 .. 1
	Type xs:string
	General Notes CONTAINER GOODS ITEM DANGEROUS GOODS FLASH POINT DESCRIPTION

Element/Attribute		Annotation
	FlashPointTemperature	Occurrence 0 .. 1 Type extension (xs:string) General Notes CONTAINER GOODS ITEM DANGEROUS GOODS FLASH POINT TEMPERATURE
	<i>FlashpointUom</i>	Type xs:string
	DangerLevelCode	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER GOODS ITEM DANGEROUS GOODS DANGER LEVEL CODE
	Applicable Codes	
	I	Packing group I (High)
	EMSNumber	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER GOODS ITEM DANGEROUS GOODS EMS NUMBER
	MFAGNumber	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER GOODS ITEM DANGEROUS GOODS MFAG NUMBER
	TremCardNumber	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER GOODS ITEM DANGEROUS GOODS TREM CARD NUMBER
	UpperPlate	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER GOODS ITEM DANGEROUS GOODS UPPER PLATE
	LowerPlate	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER GOODS ITEM DANGEROUS GOODS LOWER PLATE
	Labels	Occurrence 0 .. 1 General Notes CONTAINER GOODS ITEM DANGEROUS GOODS LABELS
	<i>xs:sequence</i>	Occurrence 1 .. 1
	Label	Occurrence 1 .. 4 Type xs:string
	PackingInstruction	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER GOODS ITEM DANGEROUS GOODS PACKING INSTRUCTION
	TransportMeansCode	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER GOODS ITEM DANGEROUS GOODS TRANSPORT MEANS CODE
	TunnelCode	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER GOODS ITEM DANGEROUS GOODS TUNNEL CODE

Element/Attribute	Annotation
FreeTextData	Occurrence 0 .. 1 Type FreeTextList General Notes CONTAINER GOODS ITEM DANGEROUS GOODS FREE TEXT DATA Examples <FreeTextData> <FreeText Type="MarinePollutant"> <TextLine>MP</TextLine> </FreeText> <FreeText Type="PSN"> <TextLine>Proper Shipping Name</TextLine> </FreeText> <FreeText Type="TechnicalName"> <TextLine>Technical Name</TextLine> </FreeText> <FreeText Type="IntTechnicalName"> <TextLine>Int Technical Name</TextLine> </FreeText> </FreeTextData>
xs:sequence	Occurrence 1 .. 1
FreeText	Occurrence 0 .. unbounded Type FreeText
Type	Type xs:string Use required General Notes CONTAINER GOODS ITEM DANGEROUS GOODS FREE TEXT TYPE
Applicable Codes	
IntTechnicalName	International Technical Name
LimitedQuantity	Limited Quantity
MarinePollutant	Marine Pollutant
PSN	Proper Shipping Name
Remarks	Remarks
TechnicalName	Technical Name
xs:sequence	Occurrence 1 .. 1
DescriptionCode	Occurrence 0 .. 1 Type xs:string General Notes Only used for Type = "PSN" and Type = "Remarks"
TextLine1	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER GOODS ITEM DANGEROUS GOODS FREE TEXT LINE 1
TextLine2	Occurrence 0 .. 1 Type xs:string General Notes Only used for Type = "PSN" and Type = "Remarks" General Notes CONTAINER GOODS ITEM DANGEROUS GOODS FREE TEXT LINE 2
TextLine3	Occurrence 0 .. 1 Type xs:string General Notes Only used for Type = "PSN" and Type = "Remarks" General Notes CONTAINER GOODS ITEM DANGEROUS GOODS FREE TEXT LINE 3
TextLine4	Occurrence 0 .. 1 Type xs:string

Element/Attribute	Annotation
	General Notes Only used for Type = "PSN" and Type = "Remarks" General Notes CONTAINER GOODS ITEM DANGEROUS GOODS FREE TEXT LINE 4
TextLine5	Occurrence 0 .. 1 Type xs:string General Notes Only used for Type = "PSN" and Type = "Remarks" General Notes CONTAINER GOODS ITEM DANGEROUS GOODS FREE TEXT LINE 5
Measurements	Occurrence 0 .. 1 Type MeasurementList General Notes CONTAINER GOODS ITEM DANGEROUS GOODS MEASUREMENTS Examples <Measurements> <Measurement Type="NetWeight" Uom="KGM"> <Measure>5.01</Measure> </Measurement> <Measurement Type="ExplosiveWeight" Uom="KGM"> <Measure>2.02</Measure> </Measurement> <Measurement Type="GrossWeight" Uom="KGM"> <Measure>6.06</Measure> </Measurement> </Measurements>
xs:sequence	Occurrence 1 .. 1
Measurement	Occurrence 0 .. unbounded Type Measurement
Type	Type xs:string Use required General Notes CONTAINER GOODS ITEM DANGEROUS GOODS MEASUREMENT TYPE Applicable Codes ExplosiveWeight GrossWeight NetWeight
Uom	Type xs:string General Notes CONTAINER GOODS ITEM DANGEROUS GOODS MEASUREMENT UNTI OF MEASURE Applicable Codes KGM Kilograms
xs:sequence	Occurrence 1 .. 1
Measure	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER GOODS ITEM DANGEROUS GOODS MEASUREME
Quantities	Occurrence 0 .. 1 Type QuantitiesList General Notes CONTAINER GOODS ITEM DANGEROUS GOODS QUANTITIES Examples <Quantities> <Quantity Type="NumberOfPackages" Uom="PKG"> <Quantity>3</Quantity>

Element/Attribute	Annotation
	Examples </Quantity> </Quantities>
xs:sequence	Occurrence 1 .. 1
Quantity	Occurrence 0 .. unbounded Type Quantity
<i>Type</i>	Type xs:string Use required General Notes CONTAINER GOODS ITEM DANGEROUS GOODS QUANTITY TYPE
	Applicable Codes LimitedQuantity Limited Quantity NumberOfPackages Number of Packages
<i>Uom</i>	Type xs:string General Notes CONTAINER GOODS ITEM DANGEROUS GOODS QUANTITY UNIT OF MEASURE
xs:sequence	Occurrence 1 .. 1
Quantity	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER GOODS ITEM DANGEROUS GOODS QUANTITY
Contact	Occurrence 0 .. 1 Type Contact General Notes CONTAINER GOODS ITEM DANGEROUS GOODS CONTACT
	Examples <Contact Type="InformationContact"> <Name>Contact name</Name> <Phone>Contact Phone</Phone> <Mobile>Contact Mobile</Mobile> <Fax>Contact Fax</Fax> <Email>Contact Email</Email> </Contact>
<i>Type</i>	Type xs:string Use required General Notes CONTAINER GOODS ITEM DANGEROUS GOODS CONTACT TYPE
	Applicable Codes InformationContact Information Contact
xs:sequence	Occurrence 1 .. 1
ContactId	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER GOODS ITEM DANGEROUS GOODS CONTACT IDENTIFIER
Name	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER GOODS ITEM DANGEROUS GOODS CONTACT NAME
Phone	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER GOODS ITEM DANGEROUS GOODS CONTACT NAME

Element/Attribute		Annotation
	Mobile	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER GOODS ITEM DANGEROUS GOODS CONTACT MOBILE
	Fax	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER GOODS ITEM DANGEROUS GOODS CONTACT FAX
	Email	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER GOODS ITEM DANGEROUS GOODS CONTACT MOBILE
	Flags	Occurrence 0 .. 1 Type FlagList General Notes INSTRUCTION PACKAGE LINE CONTAINER FLAGS Examples <Flags> <Flag Type="IsHazardous">true</Flag> <Flag Type="RequiresRefrigeration">false</Flag> </Flags>
	xs:sequence	Occurrence 1 .. 1
	Flag	Occurrence 0 .. unbounded Type Flag
	Type	Type xs:string General Notes INSTRUCTION PACKAGE LINE CONTAINER FLAG TYPE
	CodeDescriptions	Applicable Codes IsHazardous Is Hazardous RequiresRefrigeration Requires Refrigeration
		Occurrence 0 .. 1 Type CodeDescriptionList General Notes INSTRUCTION PACKAGE LINE CONTAINER CODE DESCRIPTIONS
	xs:sequence	Occurrence 1 .. 1
	CodeDescription	Occurrence 0 .. unbounded Type CodeDescription
	Type	Type xs:string Use optional General Notes INSTRUCTION PACKAGE LINE CONTAINER CODE DESCRIPTION TYPE
		Applicable Codes CategoryCode
	xs:sequence	Occurrence 1 .. 1
	Code	Occurrence 0 .. 1 Type xs:string General Notes INSTRUCTION PACKAGE LINE CONTAINER CODE DESCRIPTIONS CODE
	Description	Occurrence 0 .. 1 Type xs:string General Notes INSTRUCTION PACKAGE LINE CONTAINER CODE DESCRIPTION

Element/Attribute	Annotation
GoodsItems	Occurrence 0 .. 1 Type GoodsItemList General Notes INSTRUCTION PACKAGE LINE GOODS ITEMS
xs:sequence	Occurrence 1 .. 1
GoodsItem	Occurrence 0 .. unbounded Type GoodsItem
xs:sequence	Occurrence 1 .. 1
Item	Occurrence 0 .. 1 Type Item General Notes INSTRUCTION PACKAGE LINE GOODS ITEM Examples <Item> <Sequence>1</Sequence> <ItemNumber>10</ItemNumber> <PackageQty>20</PackageQty> <PackageType>CTN</PackageType> </Item>
xs:sequence	Occurrence 1 .. 1
Sequence	Occurrence 0 .. 1 Type xs:string
ItemNumber	Occurrence 0 .. 1 Type xs:string
PackageQty	Occurrence 0 .. 1 Type xs:string
PackageType	Occurrence 0 .. 1 Type xs:string Applicable Codes CTN PLT
HandlingInstructions	Occurrence 0 .. 1 Type HandlingInstructions General Notes INSTRUCTION PACKAGE LINE GOODS ITEM HANDLING INSTRUCTIONS Examples <HandlingInstructions> <HandlingInstruction> <Code>Stacked</Code> <Description>6</Description> </HandlingInstruction> </HandlingInstructions>
xs:sequence	Occurrence 1 .. 1
HandlingInstruction	Occurrence 0 .. unbounded Type CodeDescription
Type	Type xs:string Use optional General Notes INSTRUCTION PACKAGE LINE GOODS ITEM HANDLING INSTRUCTION TYPE Applicable Codes Stackability
xs:sequence	Occurrence 1 .. 1
Code	Occurrence 0 .. 1 Type xs:string
Description	Occurrence 0 .. 1 Type xs:string

Element/Attribute	Annotation
TemperatureControl	Occurrence 0 .. 1 Type TemperatureControl General Notes INSTRUCTION PACKAGE LINE GOODS ITEM TEMPERATURE CONTROL Examples <pre><TemperatureControl Type="Temperature" Uom="CEL"> <Fixed>10</Fixed> <HumidityPercentage>12</HumidityPercentage> </TemperatureControl></pre>
Type	Type xs:string Use required General Notes INSTRUCTION PACKAGE LINE GOODS ITEM TEMPERATURE CONTROL TYPE Applicable Codes Temperature
Uom	Type xs:string
xs:sequence	Occurrence 1 .. 1
Fixed	Occurrence 0 .. 1 Type xs:string General Notes INSTRUCTION PACKAGE LINE GOODS ITEM FIXED TEMPERATURE
HumidityPercentage	Occurrence 0 .. 1 Type xs:string General Notes INSTRUCTION PACKAGE LINE GOODS ITEM HUMIDITY PERCENTAGE
RangeDetails	Occurrence 0 .. 1 Type RangeDetails General Notes INSTRUCTION PACKAGE LINE GOODS ITEM TEMPERATURE RANGE Examples <pre><RangeDetails Type="TemperatureRange" Uom="CEL"> <Minimum>-2</Minimum> <Maximum>3</Maximum> </RangeDetails></pre>
Type	Type xs:string Use required General Notes INSTRUCTION PACKAGE LINE GOODS ITEM TEMPERATURE RANGE TYPE Applicable Codes TemperatureRange
Uom	Type xs:string
xs:sequence	Occurrence 1 .. 1
Minimum	Occurrence 0 .. 1 Type xs:string General Notes INSTRUCTION PACKAGE LINE GOODS ITEM TEMPERATURE RANGE MINIMUM
Maximum	Occurrence 0 .. 1 Type xs:string General Notes INSTRUCTION PACKAGE LINE GOODS ITEM TEMPERATURE RANGE MAXIMUM
Locations	Occurrence 0 .. 1 Type LocationGroupList

Element/Attribute	Annotation
	General Notes INSTRUCTION PACKAGE LINE GOODS ITEM LOCATIONS Examples <Locations> <LocationGroup> <Location Type="CountryOfOrigin"> <LocationIdentification Type="ISOCountry"> <LocationIdentifier>DK</LocationIdentifier> </LocationIdentification> </Location> </LocationGroup> </Locations>
xs:sequence	Occurrence 1 .. 1
LocationGroup	Occurrence 0 .. unbounded Type LocationGroup
xs:sequence	Occurrence 1 .. 1
Location	Occurrence 0 .. 1 Type Location
Type	Type xs:string Use required General Notes INSTRUCTION PACKAGE LINE GOODS ITEM LOCATION TYPE
xs:sequence	Occurrence 1 .. 1
LocationIdentification	Occurrence 1 .. unbounded Type LocationIdentification
Type	Type xs:string General Notes INSTRUCTION PACKAGE LINE GOODS ITEM LOCATION IDENTIFICATION TYPE
xs:sequence	Occurrence 1 .. 1
LocationIdentifier	Occurrence 0 .. 1 Type xs:string General Notes INSTRUCTION PACKAGE LINE GOODS ITEM LOCATION IDENTIFIER
LocationName	Occurrence 0 .. 1 Type xs:string General Notes INSTRUCTION PACKAGE LINE GOODS ITEM LOCATION NAME
MonetaryAmounts	Occurrence 0 .. 1 Type MonetaryAmountList General Notes INSTRUCTION PACKAGE LINE GOODS ITEM MONETARY AMOUNTS Examples <MonetaryAmounts> <MonetaryAmount Type="InvoiceValue"> <Amount>1000.01</Amount> <Currency>EUR</Currency> </MonetaryAmount> </MonetaryAmounts>
xs:sequence	Occurrence 1 .. 1

Element/Attribute		Annotation
MonetaryAmount Type xs:sequence Amount Currency ProductIds xs:sequence ProductId Type xs:sequence ItemId ItemType	Occurrence Type Type Use General Notes Applicable Codes InvoiceValue Occurrence Occurrence Type General Notes Occurrence Type General Notes Occurrence Type General Notes Examples Occurrence Occurrence Type Use General Notes Applicable Codes ProductId Occurrence Occurrence Type General Notes Occurrence Type General Notes Applicable Codes CommodityCode HarmonizedCode	0 .. unbounded MonetaryAmount xs:string required INSTRUCTION PACKAGE LINE GOODS ITEM MONETARY AMOUNT TYPE Goods Item Invoice Value 1 .. 1 0 .. 1 xs:string INSTRUCTION PACKAGE LINE GOODS ITEM MONETARY AMOUNT 0 .. 1 xs:string INSTRUCTION PACKAGE LINE GOODS ITEM MONETARY AMOUNT CURRENCY 0 .. 1 ProductIdsList INSTRUCTION PACKAGE LINE GOODS ITEM PRODUCT IDS <ProductIds> <ProductId Type="ProductId"> <ItemId>CommCd</ItemId> <ItemType>CommodityCode</ItemType> </ProductId> <ProductId Type="ProductId"> <ItemId>HmzCd</ItemId> <ItemType>HarmonizedCode</ItemType> </ProductId> </ProductIds> 1 .. 1 0 .. unbounded ProductId xs:string required INSTRUCTION PACKAGE LINE GOODS ITEM PRODUCT IDENTIFICATION TYPE Product Identification 1 .. 1 0 .. 1 xs:string INSTRUCTION PACKAGE LINE GOODS ITEM PRODUCT IDENTIFICATION 0 .. 1 xs:string INSTRUCTION PACKAGE LINE GOODS ITEM PRODUCT IDENTIFICATION TYPE CommodityCode HarmonizedCode

Element/Attribute		Annotation										
FreeTextData		Occurence0 .. 1 TypeFreeTextList General NotesINSTRUCTION PACKAGE LINE GOODS ITEM FREE TEXT DATA Examples<FreeTextData><FreeText Type="Comments"><TextLine1>Comment Text Line 1</TextLine1><TextLine2>Comment Text Line 2</TextLine2><TextLine3>Comment Text Line 3</TextLine3><TextLine4>Comment Text Line 4</TextLine4><TextLine5>Comment Text Line 5</TextLine5></FreeText></FreeTextData>										
xs:sequence		Occurence1 .. 1										
FreeText		Occurence0 .. unbounded TypeFreeText Typexs:string Userequired General NotesINSTRUCTION PACKAGE LINE GOODS ITEM FREE TEXT DATA TYPE										
Type												
		Applicable Codes <table><tr><td>Comments</td><td>Goods Item Comments</td></tr><tr><td>GoodsDescription</td><td>Goods Description</td></tr><tr><td>MarksAndNumbers</td><td>Marks and Numbers</td></tr><tr><td>NatureOfGoods</td><td>Goods Item Nature of Goods</td></tr><tr><td>TemperatureControllInstructions</td><td>Goods Item Temperature Control Instructions</td></tr></table>	Comments	Goods Item Comments	GoodsDescription	Goods Description	MarksAndNumbers	Marks and Numbers	NatureOfGoods	Goods Item Nature of Goods	TemperatureControllInstructions	Goods Item Temperature Control Instructions
Comments	Goods Item Comments											
GoodsDescription	Goods Description											
MarksAndNumbers	Marks and Numbers											
NatureOfGoods	Goods Item Nature of Goods											
TemperatureControllInstructions	Goods Item Temperature Control Instructions											
xs:sequence		Occurence1 .. 1										
DescriptionCode		Occurence0 .. 1 Typexs:string										
TextLine1		Occurence0 .. 1 Typexs:string General NotesINSTRUCTION PACKAGE LINE GOODS ITEM FREE TEXT DATA LINE 1										
TextLine2		Occurence0 .. 1 Typexs:string General NotesINSTRUCTION PACKAGE LINE GOODS ITEM FREE TEXT DATA LINE 2										
TextLine3		Occurence0 .. 1 Typexs:string General NotesINSTRUCTION PACKAGE LINE GOODS ITEM FREE TEXT DATA LINE 3										
TextLine4		Occurence0 .. 1 Typexs:string General NotesINSTRUCTION PACKAGE LINE GOODS ITEM FREE TEXT DATA LINE 4										
TextLine5		Occurence0 .. 1 Typexs:string General NotesINSTRUCTION PACKAGE LINE GOODS ITEM FREE TEXT DATA LINE 5										
Measurements		Occurence0 .. 1 TypeMeasurementList General NotesINSTRUCTION PACKAGE LINE GOODS ITEM										

Element/Attribute	Annotation
	MEASUREMENTS Examples <Measurements> <Measurement Type="GrossWeight" Uom="KG"> <Measure>1110.01</Measure> </Measurement> <Measurement Type="Volume" Uom="M3"> <Measure>20.02</Measure> </Measurement> </Measurements>
xs:sequence	Occurrence 1 .. 1
Measurement	Occurrence 0 .. unbounded
	Type Measurement
Type	Type xs:string
	Use required
	General Notes INSTRUCTION PACKAGE LINE GOODS ITEM MEASUREMENT TYPE
	Applicable Codes
	ChargeableWeight
	GrossWeight
	LoadingMeters
	NetWeight
	Volume
Uom	Type xs:string
	Applicable Codes
	KG Kilograms
	KGM Kilograms
	M3 Cubic meters
	MTQ Cubic meters
	MTR Linear meters
xs:sequence	Occurrence 1 .. 1
Measure	Occurrence 0 .. 1
	Type xs:string
	Occurrence 0 .. 1
Dimensions	Type DimensionsList
	General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DIMENSIONS
	Examples
	<Dimensions>
	<Dimension Type="Gross" Uom="MTR">
	<Length>10.2</Length>
	<Width>1.5</Width>
	<Height>1.2</Height>
	</Dimension>
	</Dimensions>
xs:sequence	Occurrence 1 .. 1
Dimension	Occurrence 0 .. unbounded
	Type Dimension
Type	Type xs:string
	Use required
	General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DIMENSION TYPE
	Applicable Codes
	Gross Gross Dimensions
Uom	Type xs:string

Element/Attribute	Annotation
	General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DIMENSION UNIT OF MEASURE
	Applicable Codes
	CM Centimetres MTR Meters
xs:sequence	Occurrence 1 .. 1
Length	Occurrence 0 .. 1 Type xs:string General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DIMENSION LENGTH
Width	Occurrence 0 .. 1 Type xs:string General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DIMENSION WIDTH
Height	Occurrence 0 .. 1 Type xs:string General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DIMENSION HEIGHT
Quantities	Occurrence 0 .. 1 Type QuantitiesList General Notes INSTRUCTION PACKAGE LINE GOODS ITEM QUANTITIES Examples <Quantities> <Quantity Type="NumberOfPallets"> <Quantity>5</Quantity> </Quantity> </Quantities>
xs:sequence	Occurrence 1 .. 1
Quantity	Occurrence 0 .. unbounded Type Quantity
Type	Type xs:string Use required General Notes INSTRUCTION PACKAGE LINE GOODS ITEM QUANTITY TYPE
	Applicable Codes
	NumberOfPallets Number of Pallets PalletSpaces Pallet Spaces
Uom	Type xs:string
xs:sequence	Occurrence 1 .. 1
Quantity	Occurrence 0 .. 1 Type xs:string
Packagelds	Occurrence 0 .. 1 Type Packagelds General Notes INSTRUCTION PACKAGE LINE GOODS ITEM PACKAGE IDS
xs:sequence	Occurrence 1 .. 1
Packageld	Occurrence 0 .. unbounded Type Packageld General Notes INSTRUCTION PACKAGE LINE GOODS ITEM PACKAGE IDENTIFICATION Examples <Packageld>

Element/Attribute	Annotation
	Examples <InstructionCode>PackageMarks</InstructionCode> <Marks> <ShippingMark>Mark1</ShippingMark> <ShippingMark>Mark2</ShippingMark> </Marks> </PackageId>
xs:sequence	Occurrence 1 .. 1
InstructionCode	Occurrence 1 .. 1 Type xs:string Applicable Codes PackageMarks Package Marks
Marks	Occurrence 0 .. 1 Type Marks
xs:sequence	Occurrence 1 .. 1
ShippingMark	Occurrence 1 .. unbounded Type xs:string
References	Occurrence 0 .. 1 Type ReferenceGroupList General Notes INSTRUCTION PACKAGE LINE GOODS ITEM PACKAGE IDENTIFICATION REFERENCES Examples <References> <ReferenceGroup> <Reference Type="">RefNo</Reference> </ReferenceGroup> </References>
xs:sequence	Occurrence 1 .. 1
ReferenceGroup	Occurrence 0 .. unbounded Type ReferenceGroup
xs:sequence	Occurrence 1 .. 1
Reference	Occurrence 0 .. 1 Type Reference
<i>Type</i>	Type xs:string Use required General Notes INSTRUCTION PACKAGE LINE GOODS ITEM PACKAGE IDENTIFICATION REFERENCE TYPE
<i>Identifier</i>	Type xs:string Use optional
GoodsIdentities	Occurrence 0 .. unbounded Type GoodsIdentity General Notes INSTRUCTION PACKAGE LINE GOODS ITEM PACKAGE IDENTIFICATION GOODS IDENTITIES Examples <GoodsIdentities Type=""> <GoodsIdentifier>1234567890</GoodsIdentifier> <GoodsIdentifier>0987</GoodsIdentifier> </GoodsIdentities>
<i>Type</i>	Type xs:string Use required General Notes INSTRUCTION PACKAGE LINE GOODS ITEM PACKAGE IDENTIFICATION GOODS IDENTITY TYPE Applicable Codes SSCC

Element/Attribute		Annotation
		Applicable Codes
		SerialNumber
xs:sequence		Occurrence 1 .. 1
GoodsIdentifier		Occurrence 1 .. unbounded
		Type xs:string
		General Notes INSTRUCTION PACKAGE LINE GOODS ITEM PACKAGE IDENTIFICATION GOODS IDENTIFIER
DangerousGoodsDetails		Occurrence 0 .. 1
		Type DangerousGoodsDetailList
		General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DANGEROUS GOODS DETAILS
xs:sequence		Occurrence 1 .. 1
DangerousGoodsDetail		Occurrence 0 .. unbounded
		Type DangerousGoodsDetail
xs:sequence		Occurrence 1 .. 1
DangerousGoods		Occurrence 0 .. 1
		Type DangerousGoods
		Examples
		<pre> <DangerousGoods> <Regulation>ADR</Regulation> <HazardClass>9</HazardClass> <AdditionalHazardClass>3</AdditionalHazardClass> <HazardVersionId>5</HazardVersionId> <UNDGNumber>3082</UNDGNumber> <FlashPointDescription>FlashDesc</FlashPointDescription> <FlashPointTemperature FlashpointUom="CEL">10</FlashPointTemperature> <DangerLevelCode>III</DangerLevelCode> <EMSNumber>EMS No</EMSNumber> <MFAGNumber>MFAG No</MFAGNumber> <TremCardNumber>Trem No</TremCardNumber> <UpperPlate>Upper</UpperPlate> <LowerPlate>Lower</LowerPlate> <Labels> <Label>Lab1</Label> </Labels> <TunnelCode>E</TunnelCode> </DangerousGoods> </pre>
xs:sequence		Occurrence 1 .. 1
Regulation		Occurrence 0 .. 1
		Type xs:string
		General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DANGEROUS GOODS REGULATION
		Applicable Codes
		ADR European Road DG Agreement
		IMO IMO IMDG Code
HazardClass		Occurrence 0 .. 1
		Type xs:string
		General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DANGEROUS GOODS HAZARD CLASS
AdditionalHazardClass		Occurrence 0 .. 1
		Type xs:string
		General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DANGEROUS GOODS ADDITIONAL HAZARD CLASS

Element/Attribute		Annotation	
	HazardVersionId	Occurrence 0 .. 1 Type xs:string General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DANGEROUS GOODS HAZARD VERSION	
	UNDGNumber	Occurrence 0 .. 1 Type xs:string General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DANGEROUS GOODS UNDG NO	
	FlashPointDescription	Occurrence 0 .. 1 Type xs:string General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DANGEROUS GOODS FLASHPOINT DESCRIPTION	
	FlashPointTemperature	Occurrence 0 .. 1 Type extension (xs:string) General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DANGEROUS GOODS FLASHPOINT TEMPERATURE	
	<i>FlashpointUom</i>	Type xs:string	
	DangerLevelCode	Occurrence 0 .. 1 Type xs:string General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DANGEROUS GOODS DANGER LEVEL CODE	
		Applicable Codes	
		I	Packing group I (High)
		II	Packing group II (Medium)
		III	Packing group III (Low)
	EMSNumber	Occurrence 0 .. 1 Type xs:string General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DANGEROUS GOODS EMS NUMBER	
	MFAGNumber	Occurrence 0 .. 1 Type xs:string General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DANGEROUS GOODS MFAG NO	
	TremCardNumber	Occurrence 0 .. 1 Type xs:string General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DANGEROUS GOODS TREM CARD NO	
	UpperPlate	Occurrence 0 .. 1 Type xs:string General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DANGEROUS GOODS UPPER PLATE	
	LowerPlate	Occurrence 0 .. 1 Type xs:string General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DANGEROUS GOODS LOWER PLATE	
	Labels	Occurrence 0 .. 1 General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DANGEROUS GOODS LABELS	
	<i>xs:sequence</i>	Occurrence 1 .. 1	
	Label	Occurrence 1 .. 4 Type xs:string	

Element/Attribute		Annotation	
	PackingInstruction	Occurence 0 .. 1 Type xs:string General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DANGEROUS GOODS PACKING INSTRUCTION	
	TransportMeansCode	Occurence 0 .. 1 Type xs:string General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DANGEROUS GOODS TRANSPORT MEANS CODE	
	TunnelCode	Occurence 0 .. 1 Type xs:string General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DANGEROUS GOODS TUNNEL CODE	
	FreeTextData	Occurence 0 .. 1 Type FreeTextList General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DANGEROUS GOODS FREE TEXT DATA Examples <FreeTextData> <FreeText Type="MarinePollutant"> <TextLine>MP</TextLine> </FreeText> <FreeText Type="PSN"> <TextLine>Proper Shipping Name</TextLine> </FreeText> <FreeText Type="TechnicalName"> <TextLine>Technical Name</TextLine> </FreeText> <FreeText Type="IntTechnicalName"> <TextLine>Int Technical Name</TextLine> </FreeText> </FreeTextData>	
	xs:sequence	Occurence 1 .. 1	
	FreeText	Occurence 0 .. unbounded Type FreeText	
	Type	Type xs:string Use required General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DANGEROUS GOODS FREE TEXT DATA TYPE Applicable Codes IntTechnicalName International Technical Name LimitedQuantity Limited Quantity MarinePollutant Marine Pollutant PSN Proper Shipping Name Remarks Remarks TechnicalName Technical Name	
	xs:sequence	Occurence 1 .. 1	
	DescriptionCode	Occurence 0 .. 1 Type xs:string General Notes Only used for Type = "PSN" and Type = "Remarks"	
	TextLine1	Occurence 0 .. 1 Type xs:string General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DANGEROUS GOODS FREE TEXT DATA LINE 1	

Element/Attribute		Annotation
	TextLine2	Occurrence 0 .. 1 Type xs:string General Notes Only used for Type = "PSN" and Type = "Remarks" General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DANGEROUS GOODS FREE TEXT DATA LINE 2
	TextLine3	Occurrence 0 .. 1 Type xs:string General Notes Only used for Type = "PSN" and Type = "Remarks" General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DANGEROUS GOODS FREE TEXT DATA LINE 3
	TextLine4	Occurrence 0 .. 1 Type xs:string General Notes Only used for Type = "PSN" and Type = "Remarks" General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DANGEROUS GOODS FREE TEXT DATA LINE 4
	TextLine5	Occurrence 0 .. 1 Type xs:string General Notes Only used for Type = "PSN" and Type = "Remarks" General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DANGEROUS GOODS FREE TEXT DATA LINE 5
	Measurements	Occurrence 0 .. 1 Type MeasurementList General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DANGEROUS GOODS MEASUREMENTS Examples <pre> <Measurements> <Measurement Type="NetWeight" Uom="KGM"> <Measure>5.01</Measure> </Measurement> <Measurement Type="ExplosiveWeight" Uom="KGM"> <Measure>2.02</Measure> </Measurement> <Measurement Type="GrossWeight" Uom="KGM"> <Measure>6.06</Measure> </Measurement> </Measurements> </pre>
	xs:sequence	Occurrence 1 .. 1
	Measurement	Occurrence 0 .. unbounded Type Measurement
	Type	Type xs:string Use required General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DANGEROUS GOODS MEASUREMENT TYPE Applicable Codes ExplosiveWeight GrossWeight NetWeight
	Uom	Type xs:string Applicable Codes KGM Kilograms
	xs:sequence	Occurrence 1 .. 1

Element/Attribute	Annotation
Measure	Occurrence 0 .. 1 Type xs:string
Quantities	Occurrence 0 .. 1 Type QuantitiesList General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DANGEROUS GOODS QUANTITIES Examples <Quantities> <Quantity Type="NumberOfPackages" Uom="PKG"> <Quantity>3</Quantity> </Quantity> </Quantities>
xs:sequence	Occurrence 1 .. 1
Quantity	Occurrence 0 .. unbounded Type Quantity
Type	Type xs:string Use required General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DANGEROUS GOODS QUANTITY TYPE Applicable Codes LimitedQuantity Limited Quantity NumberOfPackages Number of Packages
Uom	Type xs:string
xs:sequence	Occurrence 1 .. 1
Quantity	Occurrence 0 .. 1 Type xs:string
Contact	Occurrence 0 .. 1 Type Contact General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DANGEROUS GOODS CONTACT Examples <Contact Type="InformationContact"> <Name>Contact name</Name> <Phone>Contact Phone</Phone> <Mobile>Contact Mobile</Mobile> <Fax>Contact Fax</Fax> <Email>Contact Email</Email> </Contact>
Type	Type xs:string Use required General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DANGEROUS GOODS CONTACT TYPE Applicable Codes InformationContact Information Contact
xs:sequence	Occurrence 1 .. 1
ContactId	Occurrence 0 .. 1 Type xs:string General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DANGEROUS GOODS CONTACT IDENTIFIER
Name	Occurrence 0 .. 1 Type xs:string General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DANGEROUS GOODS CONTACT NAME

Element/Attribute		Annotation
	Phone	Occurrence 0 .. 1 Type xs:string General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DANGEROUS GOODS CONTACT PHONE
	Mobile	Occurrence 0 .. 1 Type xs:string General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DANGEROUS GOODS CONTACT MOBILE
	Fax	Occurrence 0 .. 1 Type xs:string General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DANGEROUS GOODS CONTACT FAX
	Email	Occurrence 0 .. 1 Type xs:string General Notes INSTRUCTION PACKAGE LINE GOODS ITEM DANGEROUS GOODS CONTACT EMAIL
	Dates	Occurrence 0 .. 1 Type DateList General Notes INSTRUCTION DATES Examples <Dates> <Date Type="" Format="DateTimeSec"> <DateTime>20230213090000</DateTime> </Date> </Dates>
	xs:sequence	Occurrence 1 .. 1
	Date	Occurrence 0 .. unbounded
	<i>Type</i>	Type xs:string
	<i>Format</i>	Use required
		Type xs:string
		Use required
		Applicable Codes
		DateTimeInterval CCYYMMDDHHMM- CCYYMMDDHHMM DateTimeSec CCYYMMDDHHMMSS
	xs:sequence	Occurrence 1 .. 1
	DateTime	Occurrence 0 .. 1
		Type xs:string
	References	Occurrence 0 .. 1
		Type ReferenceGroupList
		General Notes INSTRUCTION REFERENCES Examples <References> <ReferenceGroup> <Reference Type=""></Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type=""></Reference> </ReferenceGroup> </References>
	xs:sequence	Occurrence 1 .. 1

Element/Attribute	Annotation
ReferenceGroup	Occurrence 0 .. unbounded Type ReferenceGroup
xs:sequence	Occurrence 1 .. 1
Reference	Occurrence 0 .. 1 Type Reference General Notes INSTRUCTION REFERENCE
<i>Type</i>	Type xs:string Use required General Notes INSTRUCTION REFERENCE TYPE
<i>Identifier</i>	Type xs:string Use optional General Notes INSTRUCTION REFERENCE IDENTIFIER
<i>CustomFieldType</i>	Type xs:string Use optional General Notes INSTRUCTION CUSTOM FIELD TYPE Use to be agreed
Applicable Codes	
Boolean	Boolean indicator
DateTime	Date/Time with format YYYY-MM-DDTHH:MM:SS
Decimal	Decimal value
Integer	Integer value
String	Character string
Date	Occurrence 0 .. 1 Type Date
<i>Type</i>	Type xs:string Use required General Notes INSTRUCTION REFERENCE DATE TYPE
Applicable Codes	
ReferenceDate	Reference Date
<i>Format</i>	Type xs:string Use required General Notes INSTRUCTION REFERENCE DATE FORMAT
Applicable Codes	
DateTimeSec	CCYYMMDDHHMMSS
xs:sequence	Occurrence 1 .. 1
DateTime	Occurrence 0 .. 1 Type xs:string General Notes INSTRUCTION REFERENCE DATE/TIME
TransportMovements	Occurrence 0 .. 1 Type TransportMovementList General Notes INSTRUCTION TRANSPORT MOVEMENTS Examples <TransportMovements> <TransportMovement Type="DropMode"> <Description>PSL</Description> </TransportMovement> </TransportMovements>
xs:sequence	Occurrence 1 .. 1
TransportMovement	Occurrence 0 .. unbounded Type CodeDescription

Element/Attribute	Annotation
<i>Type</i>	Type xs:string Use optional
<i>xs:sequence</i>	Applicable Codes
Description	DropMode Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string
RelatedShipments	Occurrence 0 .. 1 Type LTMShipmentList General Notes RELATED SHIPMENTS
<i>xs:sequence</i>	Occurrence 1 .. 1
Shipment	Occurrence 0 .. unbounded Type LTMShipment
<i>xs:sequence</i>	Occurrence 1 .. 1
ShipmentId	Occurrence 0 .. 1 Type ShipmentId General Notes SHIPMENT IDENTIFICATION Examples <ShipmentId>ShipId</ShipmentId>
<i>Type</i>	Type xs:string Use optional
Dates	Occurrence 0 .. 1 Type DateList General Notes RELATED SHIPMENT DATES Examples <Dates> <Date Type="RequestedDelivery" Format="DateTimeSec"> <DateTime>20230213090000</DateTime> </Date> <Date Type="ScheduledDelivery" Format="DateTimeSec"> <DateTime>20230213090000</DateTime> </Date> </Dates>
<i>xs:sequence</i>	Occurrence 1 .. 1
Date	Occurrence 0 .. unbounded Type Date
<i>Type</i>	Type xs:string Use required General Notes RELATED SHIPMENT DATE TYPE Applicable Codes ActualCollection Booked EstimatedCollection EstimatedDelivery RequestedCollection RequestedDelivery ScheduledCollection ScheduledDelivery
<i>Format</i>	Type xs:string Use required General Notes RELATED SHIPMENT DATE FORMAT Applicable Codes DateTimeInterval CCYYMMDDHHMM- CCYYMMDDHHMM

Element/Attribute	Annotation
xs:sequence DateTime	Applicable Codes DateTimeSec CCYYMMDDHHMMSS Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string General Notes RELATED SHIPMENT DATE/TIME
	TransportServices Occurrence 0 .. 1 Type ServiceGroupList General Notes RELATED SHIPMENT TRANSPORT SERVICES Examples <TransportServices> <ServiceGroup> <TransportService> <ServiceCode>FCL</ServiceCode> <PriorityCode>STD</PriorityCode> </TransportService> </ServiceGroup> </TransportServices>
	xs:sequence ServiceGroup Occurrence 1 .. 1 Occurrence 0 .. unbounded Type ServiceGroup
	xs:sequence TransportService Occurrence 1 .. 1 Occurrence 0 .. 1 Type TransportService
	xs:sequence ServiceCode Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string General Notes RELATED SHIPMENT TRANSPORT SERVICE CODE Applicable Codes FCL Full Container Load FTL Full Truck Load LCL Less than full Container Load LSE Loose Cargo LTL Less than full Truck Load
PriorityCode	Occurrence 0 .. 1 Type xs:string General Notes RELATED SHIPMENT TRANSPORT PRIORITY CODE
MonetaryAmounts	Occurrence 0 .. 1 Type MonetaryAmountList General Notes RELATED SHIPMENT MONETARY AMOUNTS Examples <MonetaryAmounts> <MonetaryAmount Type="InvoiceValue"> <Amount>1000.01</Amount> <Currency>EUR</Currency> </MonetaryAmount> <MonetaryAmount Type="COD"> <Amount>1000.01</Amount> <Currency>EUR</Currency> </MonetaryAmount> </MonetaryAmounts>
xs:sequence MonetaryAmount	Occurrence 1 .. 1 Occurrence 0 .. unbounded Type MonetaryAmount

Element/Attribute	Annotation
Type	Typexs:string Userequired General NotesRELATED SHIPMENT MONETARY AMOUNT TYPE Applicable Codes CODCash On Delivery InsuranceAmountInsurance Amount InsuranceValueInsurance Value InvoiceValueInvoice Value
xs:sequence Amount Currency	Occurence1 .. 1 Occurence0 .. 1 Typexs:string Occurence0 .. 1 Typexs:string
FreeTextData	Occurence0 .. 1 TypeFreeTextList General NotesRELATED SHIPMENT FREE TEXT DATA Examples <FreeTextData> <FreeText Type="NatureOfCargo"> <TextLine1>General</TextLine1> </FreeText> <FreeText Type="BookingNotes"> <TextLine1>Booking Notes Line 1</TextLine1> <TextLine2>Booking Notes Line 2</TextLine2> <TextLine3>Booking Notes Line 3</TextLine3> <TextLine4>Booking Notes Line 4</TextLine4> <TextLine5>Booking Notes Line 5</TextLine5> </FreeText> </FreeTextData>
xs:sequence FreeText	Occurence1 .. 1 Occurence0 .. unbounded TypeFreeText
Type	Typexs:string Userequired General NotesRELATED SHIPMENT FREE TEXT TYPE Applicable Codes BookingNotes GoodsDescription MarksAndNumbers NatureOfCargo
xs:sequence DescriptionCode TextLine1 TextLine2 TextLine3 TextLine4	Occurence1 .. 1 Occurence0 .. 1 Typexs:string Occurence0 .. 1 Typexs:string General NotesRELATED SHIPMENT FREE TEXT LINE 1 Occurence0 .. 1 Typexs:string General NotesRELATED SHIPMENT FREE TEXT LINE 2 Occurence0 .. 1 Typexs:string General NotesRELATED SHIPMENT FREE TEXT LINE 3 Occurence0 .. 1 Typexs:string

Element/Attribute	Annotation																				
	General Notes RELATED SHIPMENT FREE TEXT LINE 4																				
TextLine5	Occurrence 0 .. 1 Type xs:string General Notes RELATED SHIPMENT FREE TEXT LINE 5																				
ControlTotals	Occurrence 0 .. 1 Type ControlTotalList General Notes RELATED SHIPMENT CONTROL TOTALS Examples <ControlTotals> <ControlTotal Type="NumberOfPackages" Uom="CTN"> <Quantity>500</Quantity> </ControlTotal> <ControlTotal Type="GrossWeight" Uom="KGM"> <Quantity>100.01</Quantity> </ControlTotal> </ControlTotals>																				
xs:sequence	Occurrence 1 .. 1																				
ControlTotal	Occurrence 0 .. unbounded Type ControlTotal																				
Type	Type xs:string Use required General Notes RELATED SHIPMENT CONTROL TOTAL TYPE																				
	Applicable Codes <table> <tr> <td>ChargeableWeight</td><td>Chargeable Weight</td></tr> <tr> <td>GrossWeight</td><td>Gross Weight</td></tr> <tr> <td>LoadingMeters</td><td>Loading Meters</td></tr> <tr> <td>NetWeight</td><td>Net Weight</td></tr> <tr> <td>NumberOfEuroPallets</td><td>Number of Euro Pallets</td></tr> <tr> <td>NumberOfInnerPackages</td><td>Number of Inner Packages</td></tr> <tr> <td>NumberOfPackages</td><td>Number of Packages</td></tr> <tr> <td>PalletSpaces</td><td>Pallet Spaces</td></tr> <tr> <td>TEU</td><td>Twenty ft. equivalent units</td></tr> <tr> <td>Volume</td><td>Volume</td></tr> </table>	ChargeableWeight	Chargeable Weight	GrossWeight	Gross Weight	LoadingMeters	Loading Meters	NetWeight	Net Weight	NumberOfEuroPallets	Number of Euro Pallets	NumberOfInnerPackages	Number of Inner Packages	NumberOfPackages	Number of Packages	PalletSpaces	Pallet Spaces	TEU	Twenty ft. equivalent units	Volume	Volume
ChargeableWeight	Chargeable Weight																				
GrossWeight	Gross Weight																				
LoadingMeters	Loading Meters																				
NetWeight	Net Weight																				
NumberOfEuroPallets	Number of Euro Pallets																				
NumberOfInnerPackages	Number of Inner Packages																				
NumberOfPackages	Number of Packages																				
PalletSpaces	Pallet Spaces																				
TEU	Twenty ft. equivalent units																				
Volume	Volume																				
Uom	Type xs:string Applicable Codes <table> <tr> <td>KG</td><td>Kilograms</td></tr> <tr> <td>M3</td><td>Cubic Meters</td></tr> </table>	KG	Kilograms	M3	Cubic Meters																
KG	Kilograms																				
M3	Cubic Meters																				
xs:sequence	Occurrence 1 .. 1																				
Quantity	Occurrence 0 .. 1 Type xs:string																				
Documents	Occurrence 0 .. 1 Type DocumentList General Notes RELATED SHIPMENT DOCUMENTS Examples <Documents> <Document> <DocumentCode>OBL</DocumentCode> <DocumentCopies>2</DocumentCopies> <DocumentOriginals>2</DocumentOriginals> </Document> </Documents>																				
xs:sequence	Occurrence 1 .. 1																				
Document	Occurrence 0 .. unbounded Type Document																				

Element/Attribute	Annotation
- xs:sequence DocumentCode	Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string General Notes RELATED SHIPMENT DOCUMENT CODE Applicable Codes NMT Non-negotiable maritime transport document OBL Bill of lading original
DocumentCopies	Occurrence 0 .. 1 Type xs:string General Notes RELATED SHIPMENT DOCUMENT COPIES
DocumentOriginals	Occurrence 0 .. 1 Type xs:string General Notes RELATED SHIPMENT DOCUMENT ORIGINALS
Locations	Occurrence 0 .. 1 Type LocationGroupList General Notes RELATED SHIPMENT LOCATIONS Examples <Locations> <Location Type="DSVOrigin"> <LocationIdentification Type="DSVBranch"> <LocationIdentifier>HOR</LocationIdentifier> </LocationIdentification> <LocationIdentification Type="DSVDepartment"> <LocationIdentifier>FIA</LocationIdentifier> </LocationIdentification> </Location> </Locations>
- xs:sequence LocationGroup	Occurrence 1 .. 1 Occurrence 0 .. unbounded Type LocationGroup
- xs:sequence Location	Occurrence 1 .. 1 Occurrence 0 .. 1 Type Location
Type	Type xs:string Use required General Notes RELATED SHIPMENT LOCATION TYPE Applicable Codes DSVOrigin DSV Origin Location
- xs:sequence LocationIdentification	Occurrence 1 .. 1 Occurrence 1 .. unbounded Type LocationIdentification
Type	Type xs:string General Notes RELATED SHIPMENT LOCATION IDENTIFICATION TYPE Applicable Codes DSVBranch DSVDepartment
- xs:sequence LocationIdentifier	Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string General Notes RELATED SHIPMENT LOCATION IDENTIFIER

Element/Attribute	Annotation
TermsOfDelivery	Occurrence 0 .. 1 Type TermsGroup General Notes RELATED SHIPMENT TERMS OF DELIVERY Examples <TermsOfDelivery> <Terms> <TermCode>CIP</TermCode> <CodeId>IncoTerms</CodeId> </Terms> <Location Type="NamedPlace"> <LocationIdentifier Type="UN"> <LocationIdentifier>DKCPH</LocationIdentifier> <LocationName>Copenhagen</LocationName> </LocationIdentifier> </Location> </TermsOfDelivery>
xs:sequence	Occurrence 1 .. 1
Terms	Occurrence 0 .. 1 Type Terms General Notes RELATED SHIPMENT TERM
xs:sequence	Occurrence 1 .. 1
TermsCode	Occurrence 0 .. 1 Type xs:string
CodeId	Occurrence 0 .. 1 Type xs:string
Location	Occurrence 0 .. unbounded Type Location General Notes RELATED SHIPMENT TERMS OF DELIVERY LOCATION
Type	Type xs:string Use required General Notes RELATED SHIPMENT TERMS OF DELIVERY LOCATION TYPE Applicable Codes NamedPlace
xs:sequence	Occurrence 1 .. 1
LocationIdentifier	Occurrence 1 .. unbounded Type LocationIdentifier
Type	Type xs:string General Notes RELATED SHIPMENT TERMS OF DELIVERY LOCATION IDENTIFICATION TYPE Applicable Codes Name UN
xs:sequence	Occurrence 1 .. 1
LocationIdentifier	Occurrence 0 .. 1 Type xs:string
LocationName	Occurrence 0 .. 1 Type xs:string
References	Occurrence 0 .. 1 Type ReferenceGroupList General Notes RELATED SHIPMENT REFERENCES Examples <References>

Element/Attribute	Annotation
	Examples <ReferenceGroup> <Reference Type="OrderReference">1234567</Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="HouseBill">321654987</Reference> </ReferenceGroup> </References>
xs:sequence	Occurrence 1 .. 1
ReferenceGroup	Occurrence 0 .. unbounded Type ReferenceGroup
xs:sequence	Occurrence 1 .. 1
Reference	Occurrence 0 .. 1 Type Reference
<i>Type</i>	Type xs:string Use required General Notes RELATED SHIPMENT REFERENCE TYPE
	Applicable Codes BookingReference CoLoadType Consignee_ShipmentId Consignor_ShipmentId DSV_ShipmentId ExternalReference HouseBill InternationalMasterBill MasterBill OrderReference Originator_ShipmentId ScreeningStatus ServiceLevel ShippedOnBoardType
<i>Identifier</i>	Type xs:string Use optional
<i>CustomFieldType</i>	Type xs:string Use optional
	Applicable Codes Boolean Boolean indicator DateTime Date/Time with format YYYY-MM-DDTHH:MM:SS Decimal Decimal value Integer Integer value String Character string
Date	Occurrence 0 .. 1 Type Date General Notes RELATED SHIPMENT REFERENCE DATE
<i>Type</i>	Type xs:string Use required
	Applicable Codes ReferenceDate Reference Date
<i>Format</i>	Type xs:string Use required
	Applicable Codes DateTimeSec CCYYMMDDHHMMSS
xs:sequence	Occurrence 1 .. 1
DateTime	Occurrence 0 .. 1 Type xs:string

Element/Attribute	Annotation
Requirements	Occurrence 0 .. 1 Type RequirementList General Notes RELATED SHIPMENT REQUIREMENTS Examples <Requirements> <Requirement> <GovernmentalRequirements> <TransportMovementCode>Transit</TransportMovementCode> </GovernmentalRequirements> </Requirement> </Requirements>
xs:sequence	Occurrence 1 .. 1
Requirement	Occurrence 0 .. unbounded Type Requirement
xs:sequence	Occurrence 1 .. 1
GovernmentalRequirements	Occurrence 0 .. 1 Type GovernmentalRequirements
xs:sequence	Occurrence 1 .. 1
TransportMovementCode	Occurrence 0 .. 1 Type xs:string General Notes RELATED SHIPMENT TRANSPORT MOVEMENT CODE
ChargeMethodology	Occurrence 0 .. 1 Type ChargeMethodologyList General Notes RELATED SHIPMENT CHARGE METHODOLOGY Examples <ChargeMethodology> <PaymentInstructions> <PaymentInstruction> <PaymentCode>Prepaid</PaymentCode> </PaymentInstruction> </PaymentInstructions> </ChargeMethodology>
xs:sequence	Occurrence 1 .. 1
PaymentInstructions	Occurrence 0 .. unbounded Type PaymentInstructions
xs:sequence	Occurrence 1 .. 1
PaymentInstruction	Occurrence 0 .. 1 Type PaymentInstruction
xs:sequence	Occurrence 1 .. 1
PaymentCode	Occurrence 0 .. 1 Type xs:string General Notes RELATED SHIPMENT CHARGE PAYMENT CODE
Applicable Codes	
COLLECT	
PREPAID	
TransportStages	Occurrence 0 .. 1 Type LTMTTransportStageList General Notes RELATED SHIPMENT TRANSPORT STAGES
xs:sequence	Occurrence 1 .. 1
TransportStage	Occurrence 0 .. unbounded Type LTMTTransportStage
xs:sequence	Occurrence 1 .. 1

Element/Attribute	Annotation														
Stage	Occurrence 0 .. 1 Type Stage General Notes RELATED SHIPMENT TRANSPORT STAGE Examples <pre><Stage Type="MainCarriage"> <ModeOfTransport>Sea</ModeOfTransport> <TransportId>017W</TransportId> <CarrierId>61616161</CarrierId> <CarrierName>Carrier name</CarrierName> <TransportType>Main</TransportType> <TransportMeansName>Vessel name</TransportMeansName> <TransportMeansNationality>PA</TransportMeansNationality> </Stage></pre>														
Type	Type xs:string Use required General Notes RELATED SHIPMENT TRANSPORT STAGE TYPE Applicable Codes <table> <tr> <td>MainCarriage</td><td>Main Carriage</td></tr> <tr> <td>PlannedLeg</td><td></td></tr> <tr> <td>PlannedLeg1</td><td>Main carriage - first carrier</td></tr> <tr> <td>PlannedLeg2</td><td>Main carriage - second carrier</td></tr> <tr> <td>PlannedLeg3</td><td>Main carriage - third carrier</td></tr> <tr> <td>PlannedLeg4</td><td>Main carriage - fourth carrier</td></tr> <tr> <td>PlannedLeg5</td><td>Main carriage - fifth carrier</td></tr> </table>	MainCarriage	Main Carriage	PlannedLeg		PlannedLeg1	Main carriage - first carrier	PlannedLeg2	Main carriage - second carrier	PlannedLeg3	Main carriage - third carrier	PlannedLeg4	Main carriage - fourth carrier	PlannedLeg5	Main carriage - fifth carrier
MainCarriage	Main Carriage														
PlannedLeg															
PlannedLeg1	Main carriage - first carrier														
PlannedLeg2	Main carriage - second carrier														
PlannedLeg3	Main carriage - third carrier														
PlannedLeg4	Main carriage - fourth carrier														
PlannedLeg5	Main carriage - fifth carrier														
xs:sequence	Occurrence 1 .. 1														
ModeOfTransport	Occurrence 0 .. 1 Type xs:string Applicable Codes <table> <tr> <td>Air</td><td>Air transportation</td></tr> <tr> <td>Rail</td><td>Rail transportation</td></tr> <tr> <td>Road</td><td>Road transportation</td></tr> <tr> <td>Sea</td><td>Sea transportation</td></tr> </table>	Air	Air transportation	Rail	Rail transportation	Road	Road transportation	Sea	Sea transportation						
Air	Air transportation														
Rail	Rail transportation														
Road	Road transportation														
Sea	Sea transportation														
TransportId	Occurrence 0 .. 1 Type xs:string														
CarrierId	Occurrence 0 .. 1 Type xs:string														
CarrierName	Occurrence 0 .. 1 Type xs:string														
TransportType	Occurrence 0 .. 1 Type xs:string Applicable Codes <table> <tr> <td>Flight1</td><td>First flight</td></tr> <tr> <td>Flight2</td><td>Second flight</td></tr> <tr> <td>Flight3</td><td>Third flight</td></tr> <tr> <td>Flight4</td><td>Fourth flight</td></tr> <tr> <td>Main</td><td>Main Carriage</td></tr> <tr> <td>Other</td><td>Other</td></tr> </table>	Flight1	First flight	Flight2	Second flight	Flight3	Third flight	Flight4	Fourth flight	Main	Main Carriage	Other	Other		
Flight1	First flight														
Flight2	Second flight														
Flight3	Third flight														
Flight4	Fourth flight														
Main	Main Carriage														
Other	Other														
TransportMeansName	Occurrence 0 .. 1 Type xs:string														
TransportMeansNationality	Occurrence 0 .. 1 Type xs:string														
Dates	Occurrence 0 .. 1 Type DateList General Notes RELATED SHIPMENT TRANSPORT STAGE DATES Examples <pre><Dates></pre>														

Element/Attribute	Annotation
	Examples <Date Type="ScheduledArrival" Format="DateTimeSec"> <DateTime>20230213090000</DateTime> </Date> <Date Type="ActualDeparture" Format="DateTimeSec"> <DateTime>20230213090000</DateTime> </Date> </Dates>
xs:sequence	Occurrence 1 .. 1
Date	Occurrence 0 .. unbounded
	Type Date
<i>Type</i>	Type xs:string
	Use required
	General Notes RELATED SHIPMENT TRANSPORT STAGE DATE TYPE
	Applicable Codes
	ActualArrival Actual Time of Arrival
	ActualDelivery Actual Delivery date/time
	ActualDeparture Actual Time of Departure
	EstimatedArrival Estimated Time of Arrival
	EstimatedDelivery Delivery date/time, estimated
	EstimatedDeparture Estimated Time of Departure
	ScheduledArrival Scheduled Time of Arrival
	ScheduledDeparture Scheduled Time of Departure
	ScheduledShipmentArrival Scheduled Shipment Time of Arrival
	ScheduledShipmentDeparture Scheduled Shipment Time of Departure
<i>Format</i>	Type xs:string
	Use required
	Applicable Codes
	DateTimeInterval CCYYMMDDHHMM-CCYYMMDDHHMM
	DateTimeSec CCYYMMDDHHMMSS
xs:sequence	Occurrence 1 .. 1
DateTime	Occurrence 0 .. 1
	Type xs:string
TransportServices	Occurrence 0 .. 1
	Type LTMTTransportServiceList
	General Notes RELATED SHIPMENT TRANSPORT STAGE TRANSPORT SERVICES
	Examples
	<TransportServices> <ServiceGroup> <TransportService> <ServiceCode>FCL</ServiceCode> <PriorityCode>STD</PriorityCode> </TransportService> </ServiceGroup> </TransportServices>
xs:sequence	Occurrence 1 .. 1
TransportService	Occurrence 0 .. unbounded
	Type TransportService
xs:sequence	Occurrence 1 .. 1
ServiceCode	Occurrence 0 .. 1
	Type xs:string
	General Notes RELATED SHIPMENT TRANSPORT STAGE

Element/Attribute	Annotation
	TRANSPORT SERVICE CODE
PriorityCode	Occurrence 0 .. 1 Type xs:string General Notes RELATED SHIPMENT TRANSPORT STAGE TRANSPORT SERVICE PRIORITY CODE
Locations	Occurrence 0 .. 1 Type LocationGroupList General Notes RELATED SHIPMENT TRANSPORT STAGE LOCATIONS Examples <Locations> <LocationGroup> <Location Type="Loading"> <LocationIdentification Type="UN"> <LocationIdentifier>DKHOR</LocationIdentifier> <LocationName>Horsens</LocationName> </LocationIdentification> </Location> </LocationGroup> </Locations>
xs:sequence	Occurrence 1 .. 1
LocationGroup	Occurrence 0 .. unbounded Type LocationGroup
xs:sequence	Occurrence 1 .. 1
Location	Occurrence 0 .. 1 Type Location
Type	Type xs:string Use required General Notes RELATED SHIPMENT TRANSPORT STAGE LOCATION TYPE Applicable Codes Loading Unloading
xs:sequence	Occurrence 1 .. 1
LocationIdentification	Occurrence 1 .. unbounded Type LocationIdentification
Type	Type xs:string General Notes RELATED SHIPMENT TRANSPORT STAGE LOCATION IDENTIFICATION TYPE Applicable Codes AddressId Address Identification Code IATA IATA Code ISOCountry ISO Country Code UN UN Location Code
xs:sequence	Occurrence 1 .. 1
LocationIdentifier	Occurrence 0 .. 1 Type xs:string
LocationName	Occurrence 0 .. 1 Type xs:string
References	Occurrence 0 .. 1 Type ReferenceGroupList General Notes RELATED SHIPMENT TRANSPORT STAGE REFERENCES

Element/Attribute	Annotation
	Examples <References> <ReferenceGroup> <Reference Type="VesselLloydsIMO">9234355</Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="OriginalModeOfTransport">Sea</Reference> </ReferenceGroup> </References>
xs:sequence	Occurrence 1 .. 1
ReferenceGroup	Occurrence 0 .. unbounded
	Type ReferenceGroup
xs:sequence	Occurrence 1 .. 1
Reference	Occurrence 0 .. 1
	Type Reference
Type	Type xs:string
	Use required
	General Notes RELATED SHIPMENT TRANSPORT STAGE REFERENCE TYPE
	Applicable Codes BookingReference Booking Reference CarrierNationality Carrier Nationality CarrierSCAC Carrier SCAC Code DakosyCode Carrier Dakosy Code LocalCarrierCode Local Carrier Code MasterBill Master bill of lading number OriginalModeOfTransport Original Mode of Transport VesselLloydsIMO Vessel Lloyds IMO number
Identifier	Type xs:string
	Use optional
CustomFieldType	Type xs:string
	Use optional
	Applicable Codes Boolean Boolean indicator DateTime Date/Time with format YYYY-MM-DDTHH:MM:SS Decimal Decimal value Integer Integer value String Character string
Date	Occurrence 0 .. 1
	Type Date
Type	Type xs:string
	Use required
	General Notes RELATED SHIPMENT TRANSPORT STAGE REFERENCE DATE TYPE
	Applicable Codes ReferenceDate Reference Date
Format	Type xs:string
	Use required
	Applicable Codes DateTimeSec CCYYMMDDHHMMSS
xs:sequence	Occurrence 1 .. 1
DateTime	Occurrence 0 .. 1
	Type xs:string
	Occurrence 0 .. 1
	Type FreeTextList
FreeTextData	General Notes RELATED SHIPMENT TRANSPORT STAGE FREE

Element/Attribute	Annotation
	TEXT DATA
	Examples <FreeTextData> <FreeText Type="Comments"> <TextLine1>Comments Line 1</TextLine1> <TextLine2>Comments Line 2</TextLine2> <TextLine3>Comments Line 3</TextLine3> <TextLine4>Comments Line 4</TextLine4> <TextLine5>Comments Line 5</TextLine5> </FreeText> </FreeTextData>
xs:sequence	Occurrence 1 .. 1
FreeText	Occurrence 0 .. unbounded
	Type FreeText
<i>Type</i>	Type xs:string
	Use required
	General Notes RELATED SHIPMENT TRANSPORT STAGE FREE TEXT DATA TYPE
	Applicable Codes
	Comments
xs:sequence	Occurrence 1 .. 1
DescriptionCode	Occurrence 0 .. 1
	Type xs:string
TextLine1	Occurrence 0 .. 1
	Type xs:string
	General Notes RELATED SHIPMENT TRANSPORT STAGE FREE TEXT DATA LINE 1
TextLine2	Occurrence 0 .. 1
	Type xs:string
	General Notes RELATED SHIPMENT TRANSPORT STAGE FREE TEXT DATA LINE 2
TextLine3	Occurrence 0 .. 1
	Type xs:string
	General Notes RELATED SHIPMENT TRANSPORT STAGE FREE TEXT DATA LINE 3
TextLine4	Occurrence 0 .. 1
	Type xs:string
	General Notes RELATED SHIPMENT TRANSPORT STAGE FREE TEXT DATA LINE 4
TextLine5	Occurrence 0 .. 1
	Type xs:string
	General Notes RELATED SHIPMENT TRANSPORT STAGE FREE TEXT DATA LINE 5
CodeDescriptions	Occurrence 0 .. 1
	Type CodeDescriptionList
	General Notes RELATED SHIPMENT TRANSPORT STAGE CODE DESCRIPTIONS
	Examples <CodeDescriptions> <CodeDescription Type="Conditions"> <Code>XXX</Code> <Description>Condition description</Description> </CodeDescription>

Element/Attribute	Annotation
	Examples </CodeDescriptions>
xs:sequence CodeDescription	Occurrence 1 .. 1 Occurrence 0 .. unbounded Type CodeDescription
Type	Type xs:string Use optional General Notes RELATED SHIPMENT TRANSPORT STAGE CODE DESCRIPTION TYPE
	Applicable Codes
	Conditions ServiceRequirement
xs:sequence Code	Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string
Description	Occurrence 0 .. 1 Type xs:string
Parties	Occurrence 0 .. 1 Type PartiesList General Notes RELATED SHIPMENT PARTIES
xs:sequence Party	Occurrence 1 .. 1 Occurrence 0 .. unbounded Type Party
xs:sequence PartyDetails	Occurrence 1 .. 1 Occurrence 0 .. 1 Type PartyDetails General Notes RELATED SHIPMENT PARTY DETAILS
	Examples <PartyDetails Role="Consignee"> <Id>Consignee</Id> <PartyName>Consignee Name</PartyName> <AddressLine1>Consignee Addr Line 1</AddressLine1> <AddressLine2>Consignee Addr Line 2</AddressLine2> <AddressLine3>Consignee Addr Line 3</AddressLine3> <CityName>Consignee City</CityName> <State>Consignee State</State> <PostCode>PostCd</PostCode> <CountryCode>DK</CountryCode> </PartyDetails>
Role	Type xs:string Use required Applicable Codes Agent Consignee Consignor ControllingAgent ControllingCustomer Delivery Despatch Haulier NotifyParty OrderingCustomer PickupLocalCartage ShipTo ShipmentControllingParty

Bold = Element, Italic = Attribute, Grey = Group
 DSV public

DSV LOCALTRANSPORTBOOKING XML; v2.0
 Issue date: 2026-08-28
Print date: 2026-08-28

Generated by GEFEG.FX
 Page: 100 / 145

DSV LOCALTRANSPORTBOOKING XML; v2.0
Issue date: 2026-08-28 Print date: 2026-08-28
 Generated by GEFEG.FX
 Page: 101 / 14

Element/Attribute	Annotation
	Applicable Codes
	VAT VAT registration Number
	Type xs:string
	Use optional
Identifier	Type xs:string
	Use optional
CustomFieldType	Type xs:string
	Use optional
Date	Applicable Codes
	Boolean Boolean indicator
	DateTime Date/Time with format YYYY-MM-DDTHH:MM:SS
	Decimal Decimal value
	Integer Integer value
	String Character string
	Occurrence 0 .. 1
	Type Date
	Type xs:string
	Use required
Format	Applicable Codes
	ReferenceDate Reference Date
	Type xs:string
	Use required
xs:sequence	Applicable Codes
	DateTimeSec CCYYMMDDHHMMSS
	Occurrence 1 .. 1
	Occurrence 0 .. 1
DateTime	Type xs:string
	Use required
GoodsItems	Occurrence 0 .. 1
	Type GoodsItemList
	General Notes RELATED SHIPMENT GOODS ITEMS
xs:sequence	Occurrence 1 .. 1
	Occurrence 0 .. unbounded
GoodsItem	Type GoodsItem
	Occurrence 1 .. 1
xs:sequence	Occurrence 0 .. 1
	Type Item
Item	Occurrence 0 .. 1
	Type Item
	General Notes RELATED SHIPMENT GOODS ITEM
	Examples
	<Item>
	<Sequence>1</Sequence>
	<ItemNumber>10</ItemNumber>
	<PackageQty>20</PackageQty>
	<PackageType>CTN</PackageType>
	</Item>
xs:sequence	Occurrence 1 .. 1
	Occurrence 0 .. 1
Sequence	Type xs:string
	Occurrence 0 .. 1
ItemNumber	Type xs:string
	Occurrence 0 .. 1
PackageQty	Type xs:string
	Occurrence 0 .. 1
PackageType	Type xs:string
	Occurrence 0 .. 1
HandlingInstructions	Type HandlingInstructions
	Occurrence 0 .. 1
	General Notes RELATED SHIPMENT GOODS ITEM HANDLING INSTRUCTIONS

Element/Attribute	Annotation
	Examples <HandlingInstructions> <HandlingInstruction> <Code>Stacked</Code> <Description>6</Description> </HandlingInstruction> </HandlingInstructions>
xs:sequence	Occurrence 1 .. 1
HandlingInstruction	Occurrence 0 .. unbounded
	Type CodeDescription
Type	Type xs:string
	Use optional
	General Notes RELATED SHIPMENT GOODS ITEM HANDLING INSTRUCTION TYPE
	Applicable Codes
	Stackability
xs:sequence	Occurrence 1 .. 1
Code	Occurrence 0 .. 1
	Type xs:string
Description	Occurrence 0 .. 1
	Type xs:string
TemperatureControl	Occurrence 0 .. 1
	Type TemperatureControl
	General Notes RELATED SHIPMENT GOODS ITEM TEMPERATURE CONTROL
	Examples <TemperatureControl Type="Temperature" Uom="CEL"> <Fixed>10</Fixed> <HumidityPercentage>12</HumidityPercentage> </TemperatureControl>
Type	Type xs:string
	Use required
	General Notes RELATED SHIPMENT GOODS ITEM TEMPERATURE CONTROL TYPE
	Applicable Codes
	Temperature
Uom	Type xs:string
xs:sequence	Occurrence 1 .. 1
Fixed	Occurrence 0 .. 1
	Type xs:string
	General Notes RELATED SHIPMENT GOODS ITEM FIXED TEMPERATURE
HumidityPercentage	Occurrence 0 .. 1
	Type xs:string
	General Notes RELATED SHIPMENT GOODS ITEM HUMIDITY PERCENTAGE
RangeDetails	Occurrence 0 .. 1
	Type RangeDetails
	General Notes RELATED SHIPMENT GOODS ITEM TEMPERATURE RANGE
	Examples <RangeDetails Type="TemperatureRange" Uom="CEL"> <Minimum>-2</Minimum>

Element/Attribute	Annotation
	Examples <Maximum>3</Maximum> </RangeDetails>
Type	Type xs:string Use required General Notes RELATED SHIPMENT GOODS ITEM TEMPERATURE RANGE TYPE
Uom	Applicable Codes TemperatureRange
xs:sequence	Type xs:string Occurrence 1 .. 1
Minimum	Occurrence 0 .. 1 Type xs:string General Notes RELATED SHIPMENT GOODS ITEM TEMPERATURE RANGE MINIMUM
Maximum	Occurrence 0 .. 1 Type xs:string General Notes RELATED SHIPMENT GOODS ITEM TEMPERATURE RANGE MAXIMUM
Locations	Occurrence 0 .. 1 Type LocationGroupList General Notes RELATED SHIPMENT GOODS ITEM LOCATIONS
	Examples <Locations> <LocationGroup> <Location Type="CountryOfOrigin"> <LocationIdentification Type="ISOCountry"> <LocationIdentifier>DK</LocationIdentifier> </LocationIdentification> </Location> </LocationGroup> </Locations>
xs:sequence	Occurrence 1 .. 1
LocationGroup	Occurrence 0 .. unbounded Type LocationGroup
xs:sequence	Occurrence 1 .. 1
Location	Occurrence 0 .. 1 Type Location
Type	Type xs:string Use required General Notes RELATED SHIPMENT GOODS ITEM LOCATION TYPE
	Applicable Codes CountryOfOrigin Goods Item Country of Origin
xs:sequence	Occurrence 1 .. 1
LocationIdentification	Occurrence 1 .. unbounded Type LocationIdentification
Type	Type xs:string General Notes RELATED SHIPMENT GOODS ITEM LOCATION IDENTIFICATION TYPE
	Applicable Codes ISOCountry ISO Country Code
xs:sequence	Occurrence 1 .. 1

Element/Attribute	Annotation
LocationIdentifier	Occurrence 0 .. 1 Type xs:string
MonetaryAmounts	Occurrence 0 .. 1 Type MonetaryAmountList General Notes RELATED SHIPMENT GOODS ITEM MONETARY AMOUNTS Examples <MonetaryAmounts> <MonetaryAmount Type="InvoiceValue"> <Amount>1000.01</Amount> <Currency>EUR</Currency> </MonetaryAmount> </MonetaryAmounts>
xs:sequence MonetaryAmount	Occurrence 1 .. 1 Occurrence 0 .. unbounded Type MonetaryAmount
Type	Type xs:string Use required General Notes RELATED SHIPMENT GOODS ITEM MONETARY AMOUNT TYPE
Applicable Codes	
xs:sequence Amount	InvoiceValue Goods Item Invoice Value Occurrence 1 .. 1
Currency	Occurrence 0 .. 1 Type xs:string
ProductIds	Occurrence 0 .. 1 Type ProductIdsList General Notes RELATED SHIPMENT GOODS ITEM PRODUCT IDS Examples <ProductIds> <ProductId Type="ProductId"> <ItemId>CommCd</ItemId> <ItemType>CommodityCode</ItemType> </ProductId> <ProductId Type="ProductId"> <ItemId>HmzCd</ItemId> <ItemType>HarmonizedCode</ItemType> </ProductId> </ProductIds>
xs:sequence ProductId	Occurrence 1 .. 1 Occurrence 0 .. unbounded Type ProductId
Type	Type xs:string Use required General Notes RELATED SHIPMENT GOODS ITEM PRODUCT ID TYPE
Applicable Codes	
xs:sequence ItemId	ProductId Product Identification Occurrence 1 .. 1
ItemId	Occurrence 0 .. 1 Type xs:string
ItemType	Occurrence 0 .. 1 Type xs:string

Element/Attribute	Annotation
	Applicable Codes CommodityCode HarmonizedCode
FreeTextData	Occurrence 0 .. 1 Type FreeTextList General Notes RELATED SHIPMENT GOODS ITEM FREE TEXT DATA Examples <FreeTextData> <FreeText Type="GoodsDescription"> <TextLine1>Goods Description Line 1</TextLine1> </FreeText> </FreeTextData>
xs:sequence	Occurrence 1 .. 1
FreeText	Occurrence 0 .. unbounded Type FreeText
Type	Type xs:string Use required General Notes RELATED SHIPMENT GOODS ITEM FREE TEXT TYPE
	Applicable Codes Comments Goods Item Comments GoodsDescription Goods Description MarksAndNumbers Marks and Numbers NatureOfGoods Goods Item Nature of Goods TemperatureControllInstructions Goods Item Temperature Control Instructions
xs:sequence	Occurrence 1 .. 1
DescriptionCode	Occurrence 0 .. 1 Type xs:string
TextLine1	Occurrence 0 .. 1 Type xs:string General Notes RELATED SHIPMENT GOODS ITEM FREE TEXT LINE 1
TextLine2	Occurrence 0 .. 1 Type xs:string General Notes RELATED SHIPMENT GOODS ITEM FREE TEXT LINE 2
TextLine3	Occurrence 0 .. 1 Type xs:string General Notes RELATED SHIPMENT GOODS ITEM FREE TEXT LINE 3
TextLine4	Occurrence 0 .. 1 Type xs:string General Notes RELATED SHIPMENT GOODS ITEM FREE TEXT LINE 4
TextLine5	Occurrence 0 .. 1 Type xs:string General Notes RELATED SHIPMENT GOODS ITEM FREE TEXT LINE 5
Measurements	Occurrence 0 .. 1 Type MeasurementList General Notes RELATED SHIPMENT GOODS ITEM

Element/Attribute	Annotation
	MEASUREMENTS
	Examples <Measurements> <Measurement Type="GrossWeight" Uom="KG"> <Measure>1110.01</Measure> </Measurement> <Measurement Type="Volume" Uom="M3"> <Measure>20.02</Measure> </Measurement> </Measurements>
xs:sequence	Occurrence 1 .. 1
Measurement	Occurrence 0 .. unbounded
	Type Measurement
Type	Type xs:string
	Use required
	General Notes RELATED SHIPMENT GOODS ITEM MEASUREMENT TYPE
	Applicable Codes
	ChargeableWeight
	GrossWeight
	LoadingMeters
	NetWeight
	Volume
Uom	Type xs:string
	Applicable Codes
	KG Kilograms
	KGM Kilograms
	M3 Cubic meters
	MTQ Cubic meters
	MTR Linear meters
xs:sequence	Occurrence 1 .. 1
Measure	Occurrence 0 .. 1
	Type xs:string
Dimensions	Occurrence 0 .. 1
	Type DimensionsList
	General Notes RELATED SHIPMENT GOODS ITEM DIMENSIONS
	Examples <Dimensions> <Dimension Type="Gross" Uom="MTR"> <Length>10.2</Length> <Width>1.5</Width> <Height>1.2</Height> </Dimension> </Dimensions>
xs:sequence	Occurrence 1 .. 1
Dimension	Occurrence 0 .. unbounded
	Type Dimension
Type	Type xs:string
	Use required
	General Notes RELATED SHIPMENT GOODS ITEM DIMENSION TYPE
	Applicable Codes
	Gross Gross Dimensions
Uom	Type xs:string

Element/Attribute	Annotation
	Applicable Codes CM Centimetres MTR Meters
xs:sequence	Occurrence 1 .. 1
Length	Occurrence 0 .. 1 Type xs:string
Width	Occurrence 0 .. 1 Type xs:string
Height	Occurrence 0 .. 1 Type xs:string
Quantities	Occurrence 0 .. 1 Type QuantitiesList General Notes RELATED SHIPMENT GOODS ITEM QUANTITIES
	Examples <Quantities> <Quantity Type="NumberOfPallets"> <Quantity>5</Quantity> </Quantity> </Quantities>
xs:sequence	Occurrence 1 .. 1
Quantity	Occurrence 0 .. unbounded Type Quantity
Type	Type xs:string Use required General Notes RELATED SHIPMENT GOODS ITEM QUANTITY TYPE
	Applicable Codes NumberOfPallets Number of Pallets PalletSpaces Pallet Spaces
Uom	Type xs:string
xs:sequence	Occurrence 1 .. 1
Quantity	Occurrence 0 .. 1 Type xs:string
Packages	Occurrence 0 .. 1 Type Packages General Notes RELATED SHIPMENT GOODS ITEM PACKAGE IDS
xs:sequence	Occurrence 1 .. 1
PackageId	Occurrence 0 .. unbounded Type PackageId General Notes RELATED SHIPMENT GOODS ITEM PACKAGE ID
	Examples <PackageId> <InstructionCode>PackageMarks</InstructionCode> <Marks> <ShippingMark>Mark1</ShippingMark> <ShippingMark>Mark2</ShippingMark> </Marks> </PackageId>
xs:sequence	Occurrence 1 .. 1
InstructionCode	Occurrence 1 .. 1 Type xs:string
	Applicable Codes PackageMarks Package Marks
Marks	Occurrence 0 .. 1 Type Marks

Element/Attribute	Annotation
- xs:sequence ShippingMark	Occurrence 1 .. 1 Occurrence 1 .. unbounded Type xs:string
References	Occurrence 0 .. 1 Type ReferenceGroupList General Notes RELATED SHIPMENT GOODS ITEM PACKAGE ID REFERENCES Examples <References> <ReferenceGroup> <Reference Type="">RefNo</Reference> </ReferenceGroup> </References>
- xs:sequence ReferenceGroup	Occurrence 1 .. 1 Occurrence 0 .. unbounded Type ReferenceGroup
- xs:sequence Reference	Occurrence 1 .. 1 Occurrence 0 .. 1 Type Reference
<i>Type</i>	Type xs:string Use required General Notes RELATED SHIPMENT GOODS ITEM PACKAGE ID REFERENCE TYPE
<i>Identifier</i>	Type xs:string Use optional
GoodsIdentities	Occurrence 0 .. unbounded Type GoodsIdentity General Notes RELATED SHIPMENT GOODS ITEM PACKAGE ID GOODS IDENTITIES Examples <GoodsIdentities Type=""> <GoodsIdentifier>1234567890</GoodsIdentifier> <GoodsIdentifier>0987</GoodsIdentifier> </GoodsIdentities>
<i>Type</i>	Type xs:string Use required General Notes RELATED SHIPMENT GOODS ITEM PACKAGE ID GOODS IDENTITIES TYPE Applicable Codes SSCC SerialNumber
- xs:sequence GoodsIdentifier	Occurrence 1 .. 1 Occurrence 1 .. unbounded Type xs:string
DangerousGoodsDetails	Occurrence 0 .. 1 Type DangerousGoodsDetailList General Notes RELATED SHIPMENT GOODS ITEM DANGEROUS GOODS DETAILS
- xs:sequence DangerousGoodsDetail	Occurrence 1 .. 1 Occurrence 0 .. unbounded Type DangerousGoodsDetail
xs:sequence	Occurrence 1 .. 1

Element/Attribute		Annotation



Element/Attribute		Annotation
	FlashPointTemperature	Occurrence 0 .. 1 Type extension (xs:string) General Notes RELATED SHIPMENT GOODS ITEM DANGEROUS GOODS FLASHPOINT TEMPERATURE
	<i>FlashpointUom</i>	Type xs:string
	DangerLevelCode	Occurrence 0 .. 1 Type xs:string General Notes RELATED SHIPMENT GOODS ITEM DANGEROUS GOODS DANGER LEVEL CODE
	Applicable Codes	
	I	Packing group I (High)
	II	Packing group II (Medium)
	III	Packing group III (Low)
	EMSNumber	Occurrence 0 .. 1 Type xs:string General Notes RELATED SHIPMENT GOODS ITEM DANGEROUS GOODS EMS NO
	MFAGNumber	Occurrence 0 .. 1 Type xs:string General Notes RELATED SHIPMENT GOODS ITEM DANGEROUS GOODS MFAG NO
	TremCardNumber	Occurrence 0 .. 1 Type xs:string General Notes RELATED SHIPMENT GOODS ITEM DANGEROUS GOODS TREM CARD NO
	UpperPlate	Occurrence 0 .. 1 Type xs:string General Notes RELATED SHIPMENT GOODS ITEM DANGEROUS GOODS UPPER PLATE
	LowerPlate	Occurrence 0 .. 1 Type xs:string General Notes RELATED SHIPMENT GOODS ITEM DANGEROUS GOODS LOWER PLATE
	Labels	Occurrence 0 .. 1 General Notes RELATED SHIPMENT GOODS ITEM DANGEROUS GOODS LABELS
	xs:sequence	Occurrence 1 .. 1
	Label	Occurrence 1 .. 4 Type xs:string
	PackingInstruction	Occurrence 0 .. 1 Type xs:string General Notes RELATED SHIPMENT GOODS ITEM DANGEROUS GOODS PACKING INSTRUCTION
	TransportMeansCode	Occurrence 0 .. 1 Type xs:string General Notes RELATED SHIPMENT GOODS ITEM DANGEROUS GOODS TRANSPORT MEANS CODE
	TunnelCode	Occurrence 0 .. 1 Type xs:string General Notes RELATED SHIPMENT GOODS ITEM DANGEROUS GOODS TUNNEL CODE

Element/Attribute		Annotation

Element/Attribute	Annotation
	General Notes Only used for Type = "PSN" and Type = "Remarks" General Notes RELATED SHIPMENT GOODS ITEM DANGEROUS GOODS FREE TEXT LINE 4
TextLine5	Occurrence 0 .. 1 Type xs:string General Notes Only used for Type = "PSN" and Type = "Remarks" General Notes RELATED SHIPMENT GOODS ITEM DANGEROUS GOODS FREE TEXT LINE 5
Measurements	Occurrence 0 .. 1 Type MeasurementList General Notes RELATED SHIPMENT GOODS ITEM DANGEROUS GOODS MEASUREMENTS Examples <Measurements> <Measurement Type="NetWeight" Uom="KGM"> <Measure>5.01</Measure> </Measurement> <Measurement Type="ExplosiveWeight" Uom="KGM"> <Measure>2.02</Measure> </Measurement> <Measurement Type="GrossWeight" Uom="KGM"> <Measure>6.06</Measure> </Measurement> </Measurements>
xs:sequence	Occurrence 1 .. 1
Measurement	Occurrence 0 .. unbounded Type Measurement
Type	Type xs:string Use required General Notes RELATED SHIPMENT GOODS ITEM DANGEROUS GOODS MEASUREMENT TYPE Applicable Codes ExplosiveWeight GrossWeight NetWeight
Uom	Type xs:string Applicable Codes KGM Kilograms
xs:sequence	Occurrence 1 .. 1
Measure	Occurrence 0 .. 1 Type xs:string
Quantities	Occurrence 0 .. 1 Type QuantitiesList General Notes RELATED SHIPMENT GOODS ITEM DANGEROUS GOODS QUANTITIES Examples <Quantities> <Quantity Type="NumberOfPackages" Uom="PKG"> <Quantity>3</Quantity> </Quantity> </Quantities>
xs:sequence	Occurrence 1 .. 1

Element/Attribute	Annotation
Quantity	Occurrence 0 .. unbounded Type Quantity
Type	Type xs:string Use required General Notes RELATED SHIPMENT GOODS ITEM DANGEROUS GOODS QUANTITY TYPE
Applicable Codes	
LimitedQuantity	Limited Quantity
NumberOfPackages	Number of Packages
Uom	Type xs:string
xs:sequence	Occurrence 1 .. 1
Quantity	Occurrence 0 .. 1 Type xs:string
Contact	Occurrence 0 .. 1 Type Contact General Notes RELATED SHIPMENT GOODS ITEM DANGEROUS GOODS CONTACT
Examples <Contact Type="InformationContact"> <Name>Contact name</Name> <Phone>Contact Phone</Phone> <Mobile>Contact Mobile</Mobile> <Fax>Contact Fax</Fax> <Email>Contact Email</Email> </Contact>	
Type	Type xs:string Use required General Notes RELATED SHIPMENT GOODS ITEM DANGEROUS GOODS CONTACT TYPE
Applicable Codes	
InformationContact	Information Contact
xs:sequence	Occurrence 1 .. 1
ContactId	Occurrence 0 .. 1 Type xs:string
Name	Occurrence 0 .. 1 Type xs:string
Phone	Occurrence 0 .. 1 Type xs:string
Mobile	Occurrence 0 .. 1 Type xs:string
Fax	Occurrence 0 .. 1 Type xs:string
Email	Occurrence 0 .. 1 Type xs:string
EquipmentUnits	Occurrence 0 .. 1 Type LTMEquipmentUnitList General Notes RELATED SHIPMENT EQUIPMENT UNITS
xs:sequence	Occurrence 1 .. 1
EquipmentUnit	Occurrence 0 .. unbounded Type LTMEquipmentUnit
xs:sequence	Occurrence 1 .. 1
EquipmentType	Occurrence 0 .. 1 Type EquipmentType General Notes RELATED SHIPMENT EQUIPMENT TYPE

Element/Attribute	Annotation
	Examples <EquipmentType> <Type>Container</Type> <UnitId>MSCU1234567</UnitId> <SizeTypeCode>40GP</SizeTypeCode> <ISOCODE>42G0</ISOCODE> <PackingMode>FCL</PackingMode> <EquipmentSizeDescription>Dry Storage</EquipmentSizeDescription> </EquipmentType>
xs:sequence	Occurrence 1 .. 1
Type	Occurrence 0 .. 1 Type xs:string
	Applicable Codes
	Container
UnitId	Occurrence 0 .. 1 Type xs:string
SizeTypeCode	Occurrence 0 .. 1 Type xs:string
ISOCODE	Occurrence 0 .. 1 Type xs:string
PackingMode	Occurrence 0 .. 1 Type xs:string
EquipmentSizeDescription	Occurrence 0 .. 1 Type xs:string
NumberOfUnits	Occurrence 0 .. 1 Type xs:decimal General Notes RELATED SHIPMENT EQUIPMENT NUMBER OF UNITS
	Examples <NumberOfUnits>3</NumberOfUnits>
Measurements	Occurrence 0 .. 1 Type MeasurementList General Notes RELATED SHIPMENT EQUIPMENT MEASUREMENTS
	Examples <Measurements> <Measurement Type="Weight" Uom="KG"> <Measure>1110.01</Measure> </Measurement> <Measurement Type="Volume" Uom="M3"> <Measure>20.02</Measure> </Measurement> </Measurements>
xs:sequence	Occurrence 1 .. 1
Measurement	Occurrence 0 .. unbounded Type Measurement
Type	Type xs:string Use required General Notes RELATED SHIPMENT EQUIPMENT MEASUREMENT TYPE
	Applicable Codes
	Volume Weight
Uom	Type xs:string
xs:sequence	Occurrence 1 .. 1

Element/Attribute	Annotation
Measure	Occurrence 0 .. 1 Type xs:string
Dimensions	Occurrence 0 .. 1 Type DimensionsList General Notes RELATED SHIPMENT EQUIPMENT DIMENSIONS Examples <Dimensions> <Dimension Type="Container" Uom="MTR"> <Length>10.2</Length> <Width>1.5</Width> <Height>1.2</Height> </Dimension> </Dimensions>
- xs:sequence - Dimension	Occurrence 1 .. 1 Occurrence 0 .. unbounded Type Dimension
Type	Type xs:string Use required General Notes RELATED SHIPMENT EQUIPMENT DIMENSIONS TYPE
Applicable Codes	
Uom	Container Type xs:string
- xs:sequence - Length	Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string
Width	Occurrence 0 .. 1 Type xs:string
Height	Occurrence 0 .. 1 Type xs:string
SealIds	Occurrence 0 .. 1 Type SealList General Notes RELATED SHIPMENT EQUIPMENT SEAL IDS Examples <SealIds> <Seal> <SealId>ABCD1234</SealId> </Seal> <Seal> <SealId>WXYZ9876</SealId> </Seal> </SealIds>
- xs:sequence - Seal	Occurrence 1 .. 1 Occurrence 0 .. unbounded Type Seal
- xs:sequence - SealId	Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string
FreeTextData	Occurrence 0 .. 1 Type FreeTextList General Notes RELATED SHIPMENT EQUIPMENT FREE TEXT DATA Examples <FreeTextData> <FreeText Type="TemperatureControlInstructions">

Element/Attribute	Annotation
	Examples <TextLine1>Temp Control Instr Line 1</TextLine1> <TextLine2>Temp Control Instr Line 2</TextLine2> </FreeText> </FreeTextData>
xs:sequence	Occurrence 1 .. 1
FreeText	Occurrence 0 .. unbounded
<i>Type</i>	Type FreeText
	Type xs:string
	Use required
	General Notes RELATED SHIPMENT EQUIPMENT FREE TEXT DATA TYPE
	Applicable Codes
	TemperatureControlInstructions
xs:sequence	Occurrence 1 .. 1
TextLine1	Occurrence 0 .. 1
	Type xs:string
	General Notes RELATED SHIPMENT EQUIPMENT FREE TEXT DATA LINE 1
References	Occurrence 0 .. 1
	Type ReferenceGroupList
	General Notes RELATED SHIPMENT EQUIPMENT REFERENCES
xs:sequence	Occurrence 1 .. 1
ReferenceGroup	Occurrence 0 .. unbounded
	Type ReferenceGroup
xs:sequence	Occurrence 1 .. 1
Reference	Occurrence 0 .. 1
<i>Type</i>	Type Reference
	Type xs:string
	Use required
	General Notes RELATED SHIPMENT EQUIPMENT REFERENCE TYPE
<i>Identifier</i>	Type xs:string
	Use optional
<i>CustomFieldType</i>	Type xs:string
	Use optional
Date	Occurrence 0 .. 1
<i>Type</i>	Type Date
	Type xs:string
	Use required
	Applicable Codes
	ReferenceDate Reference Date
<i>Format</i>	Type xs:string
	Use required
	Applicable Codes
	DateTimeSec CCYYMMDDHHMMSS
xs:sequence	Occurrence 1 .. 1
DateTime	Occurrence 0 .. 1
	Type xs:string
Dates	Occurrence 0 .. 1
	Type DateList
	General Notes RELATED SHIPMENT EQUIPMENT DATES
xs:sequence	Occurrence 1 .. 1

Element/Attribute	Annotation
Date	Occurrence 0 .. unbounded Type Date
<i>Type</i>	Type xs:string Use required General Notes RELATED SHIPMENT EQUIPMENT DATE TYPE
<i>Format</i>	Type xs:string Use required Applicable Codes DateTimeInterval CCYYMMDDHHMM- CCYYMMDDHHMM DateTimeSec CCYYMMDDHHMMSS
xs:sequence	Occurrence 1 .. 1
DateTime	Occurrence 0 .. 1 Type xs:string
TransportMovements	Occurrence 0 .. 1 Type TransportMovementList General Notes RELATED SHIPMENT EQUIPMENT TRANSPORT MOVEMENTS Examples <TransportMovements> <TransportMovement Type="DeliveryMode"> <Description>FCL</Description> </TransportMovement> <TransportMovement Type="PackingMode"> <Description>LCL</Description> </TransportMovement> </TransportMovements>
xs:sequence	Occurrence 1 .. 1
TransportMovement	Occurrence 0 .. unbounded Type CodeDescription
<i>Type</i>	Type xs:string Use optional General Notes RELATED SHIPMENT EQUIPMENT TRANSPORT MOVEMENT TYPE Applicable Codes DeliveryMode PackingMode
xs:sequence	Occurrence 1 .. 1
Description	Occurrence 0 .. 1 Type xs:string
TemperatureControl	Occurrence 0 .. 1 Type TemperatureControl General Notes RELATED SHIPMENT EQUIPMENT TEMPERATURE CONTROL Examples <TemperatureControl Type="Container" Uom="CEL"> <Fixed>10</Fixed> <HumidityPercentage>12</HumidityPercentage> </TemperatureControl>
<i>Type</i>	Type xs:string Use required General Notes RELATED SHIPMENT EQUIPMENT TEMPERATURE CONTROL TYPE

Element/Attribute	Annotation
	Applicable Codes Container
<i>Uom</i>	Type xs:string Occurrence 1 .. 1
- xs:sequence Fixed	Occurrence 0 .. 1 Type xs:string
HumidityPercentage	Occurrence 0 .. 1 Type xs:string
RangeDetails	Occurrence 0 .. 1 Type RangeDetails General Notes RELATED SHIPMENT EQUIPMENT TEMPERATURE RANGE Examples <RangeDetails Type="Container" Uom="CEL"> <Minimum>-2</Minimum> <Maximum>3</Maximum> </RangeDetails>
<i>Type</i>	Type xs:string Use required General Notes RELATED SHIPMENT EQUIPMENT TEMPERATURE RANGE TYPE
	Applicable Codes Container
<i>Uom</i>	Type xs:string Occurrence 1 .. 1
- xs:sequence Minimum	Occurrence 0 .. 1 Type xs:string
Maximum	Occurrence 0 .. 1 Type xs:string
TransportInformation	Occurrence 0 .. 1 Type TransportDetailsList General Notes TRANSPORT INFORMATION
- xs:sequence TransportDetails	Occurrence 1 .. 1 Occurrence 0 .. unbounded Type TransportDetails
- xs:sequence TransportId	Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string General Notes TRANSPORT IDENTIFICATION Examples <TransportId>CDK123456</TransportId>
TypeOfService	Occurrence 0 .. 1 Type xs:string General Notes TRANSPORT TYPE OF SERVICE
ModeOfTransport	Occurrence 0 .. 1 Type xs:string General Notes TRANSPORT MODE OF TRANSPORT Examples <ModeOfTransport>Sea</ModeOfTransport>
	Applicable Codes Air Road

Element/Attribute	Annotation
MeansOfTransport xs:sequence ID Name References xs:sequence ReferenceGroup xs:sequence Reference Type CodeDescriptions xs:sequence CodeDescription Type	Applicable Codes Sea Occurrence 0 .. 1 Type MeansOfTransport General Notes TRANSPORT MEANS OF TRANSPORT Examples <MeansOfTransport> <ID></ID> <Name></Name> <References> <ReferenceGroup> <Reference Type="Nationality">DK</Reference> </ReferenceGroup> </References> <CodeDescriptions> <CodeDescription Type="Type"> <Code></Code> <Description></Description> </CodeDescription> </CodeDescriptions> </MeansOfTransport>
	Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string General Notes TRANSPORT MEANS OF TRANSPORT IDENTIFICATION
	Occurrence 0 .. 1 Type xs:string General Notes TRANSPORT MEANS OF TRANSPORT NAME
	Occurrence 0 .. 1 Type ReferenceGroupList General Notes TRANSPORT MEANS OF TRANSPORT REFERENCES
	Occurrence 1 .. 1 Occurrence 0 .. unbounded Type ReferenceGroup
	Occurrence 1 .. 1 Occurrence 0 .. 1 Type Reference
	Type xs:string Use required General Notes TRANSPORT MEANS OF TRANSPORT REFERENCE TYPE
	Applicable Codes Nationality Means of Transport Nationality
	Occurrence 0 .. 1 Type CodeDescriptionList General Notes TRANSPORT MEANS OF TRANSPORT CODE DESCRIPTIONS
	Occurrence 1 .. 1 Occurrence 0 .. unbounded Type CodeDescription
	Type xs:string Use optional General Notes TRANSPORT MEANS OF TRANSPORT CODE

Element/Attribute	Annotation
	DESCRIPTION TYPE
	Applicable Codes
	Type Means of transport type
xs:sequence	Occurrence 1 .. 1
Code	Occurrence 0 .. 1
	Type xs:string
Description	Occurrence 0 .. 1
	Type xs:string
Dates	Occurrence 0 .. 1
	Type DateList
	General Notes TRANSPORT DATES
xs:sequence	Occurrence 1 .. 1
Date	Occurrence 0 .. unbounded
	Type Date
Type	Type xs:string
	Use required
	General Notes TRANSPORT DATE TYPE
Format	Type xs:string
	Use required
	Applicable Codes
	DateTimeInterval CCYYMMDDHHMM- CCYYMMDDHHMM
	DateTimeSec CCYYMMDDHHMMSS
xs:sequence	Occurrence 1 .. 1
DateTime	Occurrence 0 .. 1
	Type xs:string
References	Occurrence 0 .. 1
	Type ReferenceGroupList
	General Notes TRANSPORT REFERENCES
	Examples
	<References>
	<ReferenceGroup>
	<Reference Type="BookingConfirmationReference">1234567</Reference>
	</ReferenceGroup>
	</References>
xs:sequence	Occurrence 1 .. 1
ReferenceGroup	Occurrence 0 .. unbounded
	Type ReferenceGroup
xs:sequence	Occurrence 1 .. 1
Reference	Occurrence 0 .. 1
	Type Reference
Type	Type xs:string
	Use required
	General Notes TRANSPORT REFERENCE TYPE
	Applicable Codes
	BookingConfirmationReference Booking Confirmation Reference
Identifier	Type xs:string
	Use optional
CustomFieldType	Type xs:string
	Use optional
Date	Occurrence 0 .. 1
	Type Date

Element/Attribute	Annotation
<i>Type</i>	Type xs:string Use required
Applicable Codes	
ReferenceDate	Reference Date
<i>Format</i>	Type xs:string Use required
Applicable Codes	
DateTimeSec	CCYYMMDDHHMMSS
<i>xs:sequence</i>	Occurrence 1 .. 1
DateTime	Occurrence 0 .. 1
Parties	Type xs:string Occurrence 0 .. 1 Type PartiesList General Notes TRANSPORT PARTIES
<i>xs:sequence</i>	Occurrence 1 .. 1
Party	Occurrence 0 .. unbounded Type Party
<i>xs:sequence</i>	Occurrence 1 .. 1
PartyDetails	Occurrence 0 .. 1 Type PartyDetails General Notes TRANSPORT PARTY DETAILS
<i>Role</i>	Type xs:string Use required
<i>xs:sequence</i>	Occurrence 1 .. 1
Id	Occurrence 0 .. 1 Type xs:string
Assignor	Occurrence 0 .. 1 Type xs:string
PartyName	Occurrence 0 .. 1 Type xs:string
AddressLine1	Occurrence 0 .. 1 Type xs:string
AddressLine2	Occurrence 0 .. 1 Type xs:string
AddressLine3	Occurrence 0 .. 1 Type xs:string
CityName	Occurrence 0 .. 1 Type xs:string
State	Occurrence 0 .. 1 Type xs:string
PostCode	Occurrence 0 .. 1 Type xs:string
CountryCode	Occurrence 0 .. 1 Type xs:string
Locations	Occurrence 0 .. 1 Type LocationGroupList General Notes TRANSPORT PARTY LOCATIONS
<i>xs:sequence</i>	Occurrence 1 .. 1
LocationGroup	Occurrence 0 .. unbounded Type LocationGroup
<i>xs:sequence</i>	Occurrence 1 .. 1
Location	Occurrence 0 .. 1 Type Location
<i>Type</i>	Type xs:string Use required

Element/Attribute	Annotation
- xs:sequence LocationIdentification - Type	Applicable Codes PhysicalLocation Party Physical Location Occurrence 1 .. 1 Occurrence 1 .. unbounded Type LocationIdentification Type xs:string
	Applicable Codes UN UN Location Code Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string Type xs:string
	LocationIdentifier LocationName Occurrence 0 .. 1 Type xs:string
	Contact Occurrence 0 .. unbounded Type Contact General Notes TRANSPORT PARTY CONTACT
	Type Type xs:string Use required
	Applicable Codes InformationContact Information Contact Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string
	Name Occurrence 0 .. 1 Type xs:string
	Phone Occurrence 0 .. 1 Type xs:string
	Mobile Occurrence 0 .. 1 Type xs:string
	Fax Occurrence 0 .. 1 Type xs:string
Email Occurrence 0 .. 1 Type xs:string References Occurrence 0 .. 1 Type ReferenceGroupList General Notes TRANSPORT PARTY REFERENCES - xs:sequence ReferenceGroup Occurrence 1 .. 1 Occurrence 0 .. unbounded Type ReferenceGroup - xs:sequence Reference Occurrence 0 .. 1 Type Reference Type xs:string Use required	Applicable Codes VAT VAT registration Number Type xs:string Use optional Type xs:string Use optional Date Occurrence 0 .. 1 Type Date Type xs:string Use required
	Applicable Codes ReferenceDate Reference Date

Element/Attribute	Annotation
<i>Format</i>	Type xs:string Use required
<i>xs:sequence</i>	Applicable Codes
DateTime	DateTimeSec CCYYMMDDHHMMSS
	Occurrence 1 .. 1
	Occurrence 0 .. 1
	Type xs:string
Locations	Occurrence 0 .. 1
	Type LocationGroupList
	General Notes TRANSPORT LOCATIONS
<i>xs:sequence</i>	Occurrence 1 .. 1
LocationGroup	Occurrence 0 .. unbounded
	Type LocationGroup
<i>xs:sequence</i>	Occurrence 1 .. 1
Location	Occurrence 0 .. 1
	Type Location
<i>Type</i>	Type xs:string Use required
	General Notes TRANSPORT LOCATION TYPE
<i>xs:sequence</i>	Occurrence 1 .. 1
LocationIdentification	Occurrence 1 .. unbounded
	Type LocationIdentification
<i>Type</i>	Type xs:string
	General Notes TRANSPORT LOCATION IDENTIFICATION TYPE
	Applicable Codes
	AddressId Address Identification Code
	IATA IATA Code
	ISOCountry ISO Country Code
	UN UN Location Code
<i>xs:sequence</i>	Occurrence 1 .. 1
LocationIdentifier	Occurrence 0 .. 1
	Type xs:string
LocationName	Occurrence 0 .. 1
	Type xs:string
CustomsInformation	Occurrence 0 .. 1
	Type LTMCustomsDetailsList
	General Notes CUSTOMS INFORMATION
<i>xs:sequence</i>	Occurrence 1 .. 1
CustomsDetails	Occurrence 0 .. unbounded
	Type LTMCustomsDetails
<i>xs:sequence</i>	Occurrence 1 .. 1
DeclarationId	Occurrence 1 .. 1
	Type xs:string
	General Notes DECLARATION IDENTIFICATION
	Examples
	<DeclarationId>123789456</DeclarationId>
Quantities	Occurrence 0 .. 1
	Type QuantitiesList
	General Notes CUSTOMS QUANTITIES
	Examples
	<Quantities>
	<Quantity Type="NumberOfPackages Uom="CTN">
	<Quantity>5</Quantity>

Element/Attribute	Annotation
	Examples </Quantity> </Quantities>
xs:sequence	Occurrence 1 .. 1
Quantity	Occurrence 0 .. unbounded
	Type Quantity
<i>Type</i>	Type xs:string
	Use required
	General Notes CUSTOMS QUANTITY TYPE
	Applicable Codes
	NumberOfPackages Number of Packages
<i>Uom</i>	Type xs:string
xs:sequence	Occurrence 1 .. 1
Quantity	Occurrence 0 .. 1
	Type xs:string
Measurements	Occurrence 0 .. 1
	Type MeasurementList
	General Notes CUSTOMS MEASUREMENTS
	Examples <Measurements> <Measurement Type="GrossWeight" Uom="KG"> <Measure>1110.01</Measure> </Measurement> <Measurement Type="Volume" Uom="M3"> <Measure>20.02</Measure> </Measurement> </Measurements>
xs:sequence	Occurrence 1 .. 1
Measurement	Occurrence 0 .. unbounded
	Type Measurement
<i>Type</i>	Type xs:string
	Use required
	General Notes CUSTOMS MEASUREMENT TYPE
	Applicable Codes
	GrossWeight
	Volume
<i>Uom</i>	Type xs:string
xs:sequence	Occurrence 1 .. 1
Measure	Occurrence 0 .. 1
	Type xs:string
References	Occurrence 0 .. 1
	Type ReferenceGroupList
	General Notes CUSTOMS REFERENCES
xs:sequence	Occurrence 1 .. 1
ReferenceGroup	Occurrence 0 .. unbounded
	Type ReferenceGroup
xs:sequence	Occurrence 1 .. 1
Reference	Occurrence 0 .. 1
	Type Reference
<i>Type</i>	Type xs:string
	Use required
	General Notes CUSTOMS REFERENCE TYPE

Element/Attribute	Annotation
<i>Identifier</i>	Type xs:string Use optional
<i>CustomFieldType</i>	Type xs:string Use optional
Date	Occurrence 0 .. 1 Type Date
<i>Type</i>	Type xs:string Use required
<i>Format</i>	Type xs:string Use required
<i>xs:sequence</i>	Applicable Codes ReferenceDate Reference Date
DateTime	Applicable Codes DateTimeSec CCYYMMDDHHMMSS
Parties	Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string
<i>xs:sequence</i>	Occurrence 0 .. 1 Type PartiesList General Notes CUSTOMS PARTIES
Party	Occurrence 1 .. 1 Occurrence 0 .. 1 Type Party
<i>xs:sequence</i>	Occurrence 1 .. 1 Occurrence 0 .. 1 Type PartyDetails General Notes CUSTOMS PARTY DETAILS
PartyDetails	Occurrence 0 .. 1 Type PartyDetails General Notes CUSTOMS PARTY DETAILS
<i>Role</i>	Type xs:string Use required General Notes CUSTOMS PARTY ROLE
<i>xs:sequence</i>	Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string
Id	Occurrence 0 .. 1 Type xs:string
Assignor	Occurrence 0 .. 1 Type xs:string
PartyName	Occurrence 0 .. 1 Type xs:string
AddressLine1	Occurrence 0 .. 1 Type xs:string
AddressLine2	Occurrence 0 .. 1 Type xs:string
AddressLine3	Occurrence 0 .. 1 Type xs:string
CityName	Occurrence 0 .. 1 Type xs:string
State	Occurrence 0 .. 1 Type xs:string
PostCode	Occurrence 0 .. 1 Type xs:string
CountryCode	Occurrence 0 .. 1 Type xs:string
Locations	Occurrence 0 .. 1 Type LocationGroupList General Notes CUSTOMS PARTY LOCATIONS
<i>xs:sequence</i>	Occurrence 1 .. 1

Element/Attribute	Annotation
LocationGroup	Occurrence 0 .. unbounded Type LocationGroup
xs:sequence	Occurrence 1 .. 1
Location	Occurrence 0 .. 1 Type Location
Type	Type xs:string Use required General Notes CUSTOMS PARTY LOCATION TYPE
xs:sequence	Applicable Codes PhysicalLocation Party Physical Location Occurrence 1 .. 1
LocationIdentification	Occurrence 1 .. unbounded Type LocationIdentification
Type	Type xs:string General Notes CUSTOMS PARTY LOCATION IDENTIFICATION TYPE
xs:sequence	Applicable Codes Country Country Latitude Latitude Longitude Longitude UN UN Location Code
LocationIdentifier	Occurrence 1 .. 1
LocationName	Occurrence 0 .. 1 Type xs:string
Contact	Occurrence 0 .. unbounded Type Contact General Notes CUSTOMS PARTY CONTACT
Type	Type xs:string Use required General Notes CUSTOMS PARTY CONTACT TYPE
xs:sequence	Occurrence 1 .. 1
ContactId	Occurrence 0 .. 1 Type xs:string
Name	Occurrence 0 .. 1 Type xs:string
Phone	Occurrence 0 .. 1 Type xs:string
Mobile	Occurrence 0 .. 1 Type xs:string
Fax	Occurrence 0 .. 1 Type xs:string
Email	Occurrence 0 .. 1 Type xs:string
References	Occurrence 0 .. 1 Type ReferenceGroupList General Notes CUSTOMS PARTY REFERENCES
xs:sequence	Occurrence 1 .. 1
ReferenceGroup	Occurrence 0 .. unbounded Type ReferenceGroup
xs:sequence	Occurrence 1 .. 1
Reference	Occurrence 0 .. 1 Type Reference
Type	Type xs:string Use required

Element/Attribute	Annotation
	General Notes CUSTOMS PARTY REFERENCE TYPE
	Applicable Codes
	VAT VAT registration Number
<i>Identifier</i>	Type xs:string Use optional
<i>CustomFieldType</i>	Type xs:string Use optional
Date	Occurrence 0 .. 1 Type Date
<i>Type</i>	Type xs:string Use required
	Applicable Codes
<i>Format</i>	ReferenceDate Reference Date Type xs:string Use required
	Applicable Codes
<i>xs:sequence</i>	DateTimeSec CCYYMMDDHHMMSS
DateTime	Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string
Dates	Occurrence 0 .. 1 Type DateList
	General Notes CUSTOMS DATES
<i>xs:sequence</i>	Occurrence 1 .. 1
Date	Occurrence 0 .. unbounded Type Date
<i>Type</i>	Type xs:string Use required
	General Notes CUSTOMS DATE TYPE
<i>Format</i>	Type xs:string Use required
	Applicable Codes
<i>xs:sequence</i>	DateTimeInterval CCYYMMDDHHMM- CCYYMMDDHHMM CCYYMMDDHHMMSS
DateTime	Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string
TransportStages	Occurrence 0 .. 1 Type LTMTTransportStageList
	General Notes CUSTOMS TRANSPORT STAGES
<i>xs:sequence</i>	Occurrence 1 .. 1
TransportStage	Occurrence 0 .. unbounded Type LTMTTransportStage
<i>xs:sequence</i>	Occurrence 1 .. 1
Stage	Occurrence 0 .. 1 Type Stage
	General Notes CUSTOMS TRANSPORT STAGE
	Examples <Stage Type="MainCarriage"> <ModeOfTransport>Sea</ModeOfTransport> <TransportId>017W</TransportId> <CarrierId>61616161</CarrierId> <CarrierName>Carrier name</CarrierName> <TransportType>Main</TransportType>

Element/Attribute	Annotation
	Examples <TransportMeansName>Vessel name</TransportMeansName> <TransportMeansNationality>PA</TransportMeansNationality> </Stage>
Type	Type xs:string Use required General Notes CUSTOMS TRANSPORT STAGE TYPE
	Applicable Codes MainCarriage Main Carriage PlannedLeg PlannedLeg1 Main carriage - first carrier PlannedLeg2 Main carriage - second carrier PlannedLeg3 Main carriage - third carrier PlannedLeg4 Main carriage - fourth carrier PlannedLeg5 Main carriage - fifth carrier
xs:sequence	Occurrence 1 .. 1
ModeOfTransport	Occurrence 0 .. 1 Type xs:string Applicable Codes Air Air transportation Rail Rail transportation Road Road transportation Sea Sea transportation
TransportId	Occurrence 0 .. 1
CarrierId	Type xs:string Occurrence 0 .. 1
CarrierName	Type xs:string Occurrence 0 .. 1
TransportType	Type xs:string Occurrence 0 .. 1 Applicable Codes Flight1 First flight Flight2 Second flight Flight3 Third flight Flight4 Fourth flight Main Main Carriage Other Other
TransportMeansName	Occurrence 0 .. 1 Type xs:string
TransportMeansNationality	Occurrence 0 .. 1 Type xs:string
Dates	Occurrence 0 .. 1 Type DateList General Notes CUSTOMS TRANSPORT STAGE DATES
	Examples <Dates> <Date Type="ScheduledArrival" Format="DateTimeSec"> <DateTime>20230213090000</DateTime> </Date> <Date Type="ActualDeparture" Format="DateTimeSec"> <DateTime>20230213090000</DateTime> </Date> </Dates>
xs:sequence	Occurrence 1 .. 1

Element/Attribute	Annotation
Date	Occurrence 0 .. unbounded Type Date
<i>Type</i>	Type xs:string Use required General Notes CUSTOMS TRANSPORT STAGE DATE TYPE
	Applicable Codes
	ActualArrival Actual Time of Arrival ActualDelivery Actual Delivery date/time ActualDeparture Actual Time of Departure EstimatedArrival Estimated Time of Arrival EstimatedDelivery Delivery date/time, estimated EstimatedDeparture Estimated Time of Departure ScheduledArrival Scheduled Time of Arrival ScheduledDeparture Scheduled Time of Departure ScheduledShipmentArrival Scheduled Shipment Time of Arrival ScheduledShipmentDeparture Scheduled Shipment Time of Departure
<i>Format</i>	Type xs:string Use required
	Applicable Codes
	DateTimeInterval CCYYMMDDHHMM-CCYYMMDDHHMM DateTimeSec CCYYMMDDHHMMSS
xs:sequence	Occurrence 1 .. 1
DateTime	Occurrence 0 .. 1 Type xs:string
TransportServices	Occurrence 0 .. 1 Type LTMTTransportServiceList General Notes CUSTOMS TRANSPORT STAGE TRANSPORT SERVICES
	Examples <TransportServices> <ServiceGroup> <TransportService> <ServiceCode>FCL</ServiceCode> <PriorityCode>STD</PriorityCode> </TransportService> </ServiceGroup> </TransportServices>
xs:sequence	Occurrence 1 .. 1
TransportService	Occurrence 0 .. unbounded Type TransportService
xs:sequence	Occurrence 1 .. 1
ServiceCode	Occurrence 0 .. 1 Type xs:string
PriorityCode	Occurrence 0 .. 1 Type xs:string
Locations	Occurrence 0 .. 1 Type LocationGroupList General Notes CUSTOMS TRANSPORT STAGE LOCATIONS
	Examples <Locations> <LocationGroup> <Location Type="Loading"> <LocationIdentification Type="UN"> <LocationIdentifier>DEFRA</LocationIdentifier> </LocationIdentification> </Location> </LocationGroup> </Locations>

Element/Attribute	Annotation
	Examples <LocationName>Frankfurt</LocationName> </LocationIdentification> <LocationIdentification Type="IATA"> <LocationIdentifier>FRA</LocationIdentifier> </Location> </LocationGroup> </Locations>
xs:sequence	Occurrence 1 .. 1
LocationGroup	Occurrence 0 .. unbounded Type LocationGroup
xs:sequence	Occurrence 1 .. 1
Location	Occurrence 0 .. 1 Type Location
Type	Type xs:string Use required General Notes CUSTOMS TRANSPORT STAGE LOCATION TYPE
xs:sequence	Occurrence 1 .. 1
LocationIdentification	Occurrence 1 .. unbounded Type LocationIdentification
Type	Type xs:string General Notes CUSTOMS TRANSPORT STAGE LOCATION IDENTIFICATION TYPE
Applicable Codes	
AddressId	Address Identification Code
IATA	IATA Code
ISOCountry	ISO Country Code
UN	UN Location Code
xs:sequence	Occurrence 1 .. 1
LocationIdentifier	Occurrence 0 .. 1 Type xs:string
LocationName	Occurrence 0 .. 1 Type xs:string
References	Occurrence 0 .. 1 Type ReferenceGroupList General Notes CUSTOMS TRANSPORT STAGE REFERENCES
	Examples <References> <ReferenceGroup> <Reference Type="VesselLloydsIMO">9234355</Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="OriginalModeOfTransport">Sea</Reference> </ReferenceGroup> </References>
xs:sequence	Occurrence 1 .. 1
ReferenceGroup	Occurrence 0 .. unbounded Type ReferenceGroup
xs:sequence	Occurrence 1 .. 1
Reference	Occurrence 0 .. 1 Type Reference
Type	Type xs:string Use required General Notes CUSTOMS TRANSPORT STAGE REFERENCE TYPE

Element/Attribute	Annotation
	Applicable Codes CarrierNationality Carrier Nationality CarrierSCAC Carrier SCAC Code DakosyCode Carrier Dakosy Code LocalCarrierCode Local Carrier Code MasterBill Master bill of lading number OriginalModeOfTransport Original Mode of Transport
Identifier	Type xs:string Use optional
CustomFieldType	Type xs:string Use optional
Date	Occurrence 0 .. 1 Type Date
Type	Type xs:string Use required
Format	Applicable Codes ReferenceDate Reference Date Type xs:string Use required
xs:sequence	Applicable Codes DateTimeSec CCYYMMDDHHMMSS
DateTime	Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string
FreeTextData	Occurrence 0 .. 1 Type FreeTextList General Notes CUSTOMS TRANSPORT STAGE FREE TEXT DATA Examples <FreeTextData> <FreeText Type="Comments"> <TextLine1>Comments Line 1</TextLine1> <TextLine2>Comments Line 2</TextLine2> <TextLine3>Comments Line 3</TextLine3> <TextLine4>Comments Line 4</TextLine4> <TextLine5>Comments Line 5</TextLine5> </FreeText> </FreeTextData>
xs:sequence	Occurrence 1 .. 1
FreeText	Occurrence 0 .. unbounded Type FreeText
Type	Type xs:string Use required General Notes CUSTOMS TRANSPORT STAGE FREE TEXT TYPE
xs:sequence	Applicable Codes Comments
DescriptionCode	Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string
TextLine1	Occurrence 0 .. 1 Type xs:string General Notes CUSTOMS TRANSPORT STAGE FREE TEXT LINE 1
TextLine2	Occurrence 0 .. 1 Type xs:string General Notes CUSTOMS TRANSPORT STAGE FREE TEXT LINE 2

Element/Attribute	Annotation
TextLine3	Occurrence 0 .. 1 Type xs:string General Notes CUSTOMS TRANSPORT STAGE FREE TEXT LINE 3
TextLine4	Occurrence 0 .. 1 Type xs:string General Notes CUSTOMS TRANSPORT STAGE FREE TEXT LINE 4
TextLine5	Occurrence 0 .. 1 Type xs:string General Notes CUSTOMS TRANSPORT STAGE FREE TEXT LINE 5
CodeDescriptions	Occurrence 0 .. 1 Type CodeDescriptionList General Notes CUSTOMS TRANSPORT STAGE CODE DESCRIPTIONS Examples <CodeDescriptions> <CodeDescription Type="Conditions"> <Code>XXX</Code> <Description>Condition description</Description> </CodeDescription> </CodeDescriptions>
xs:sequence	Occurrence 1 .. 1
CodeDescription	Occurrence 0 .. unbounded Type CodeDescription
Type	Type xs:string Use optional General Notes CUSTOMS TRANSPORT STAGE CODE DESCRIPTION TYPE Applicable Codes Conditions ServiceRequirement
xs:sequence	Occurrence 1 .. 1
Code	Occurrence 0 .. 1 Type xs:string
Description	Occurrence 0 .. 1 Type xs:string
FreeTextData	Occurrence 0 .. 1 Type FreeTextList General Notes CUSTOMS FREE TEXT DATA
xs:sequence	Occurrence 1 .. 1
FreeText	Occurrence 0 .. unbounded Type FreeText
Type	Type xs:string Use required General Notes CUSTOMS FREE TEXT TYPE Applicable Codes Comments
xs:sequence	Occurrence 1 .. 1
DescriptionCode	Occurrence 0 .. 1 Type xs:string
TextLine1	Occurrence 0 .. 1 Type xs:string General Notes CUSTOMS FREE TEXT LINE 1

Element/Attribute	Annotation
TextLine2	Occurrence 0 .. 1 Type xs:string General Notes CUSTOMS FREE TEXT LINE 2
TextLine3	Occurrence 0 .. 1 Type xs:string General Notes CUSTOMS FREE TEXT LINE 3
TextLine4	Occurrence 0 .. 1 Type xs:string General Notes CUSTOMS FREE TEXT LINE 4
TextLine5	Occurrence 0 .. 1 Type xs:string General Notes CUSTOMS FREE TEXT LINE 5
GoodsItems	Occurrence 0 .. 1 Type GoodsItemList General Notes CUSTOMS GOODS ITEMS
xs:sequence	Occurrence 1 .. 1
GoodsItem	Occurrence 0 .. unbounded Type GoodsItem
xs:sequence	Occurrence 1 .. 1
Item	Occurrence 0 .. 1 Type Item General Notes CUSTOMS GOODS ITEM Examples <Item> <Sequence>1</Sequence> <ItemNumber>10</ItemNumber> <PackageQty>20</PackageQty> <PackageType>CTN</PackageType> </Item>
xs:sequence	Occurrence 1 .. 1
Sequence	Occurrence 0 .. 1 Type xs:string
ItemNumber	Occurrence 0 .. 1 Type xs:string
PackageQty	Occurrence 0 .. 1 Type xs:string
PackageType	Occurrence 0 .. 1 Type xs:string
HandlingInstructions	Occurrence 0 .. 1 Type HandlingInstructions General Notes CUSTOMS GOODS ITEM HANDLING INSTRUCTIONS Examples <HandlingInstructions> <HandlingInstruction> <Code>Stacked</Code> <Description>6</Description> </HandlingInstruction> </HandlingInstructions>
xs:sequence	Occurrence 1 .. 1
HandlingInstruction	Occurrence 0 .. unbounded Type CodeDescription

Element/Attribute	Annotation
Type	Type xs:string Use optional
xs:sequence	Applicable Codes Stackability
Code	Occurrence 1 .. 1
Description	Occurrence 0 .. 1 Type xs:string
TemperatureControl	Occurrence 0 .. 1 Type TemperatureControl General Notes CUSTOMS GOODS ITEM TEMPERATURE CONTROL Examples <TemperatureControl Type="Temperature" Uom="CEL"> <Fixed>10</Fixed> <HumidityPercentage>12</HumidityPercentage> </TemperatureControl>
Type	Type xs:string Use required General Notes CUSTOMS GOODS ITEM TEMPERATURE CONTROL TYPE
Uom	Applicable Codes Temperature
xs:sequence	Type xs:string Occurrence 1 .. 1
Fixed	Occurrence 0 .. 1 Type xs:string
HumidityPercentage	Occurrence 0 .. 1 Type xs:string
RangeDetails	Occurrence 0 .. 1 Type RangeDetails General Notes CUSTOMS GOODS ITEM TEMPERATURE RANGE Examples <RangeDetails Type="TemperatureRange" Uom="CEL"> <Minimum>-2</Minimum> <Maximum>3</Maximum> </RangeDetails>
Type	Type xs:string Use required General Notes CUSTOMS GOODS ITEM TEMPERATURE RANGE TYPE
Uom	Applicable Codes TemperatureRange
xs:sequence	Type xs:string Occurrence 1 .. 1
Minimum	Occurrence 0 .. 1 Type xs:string
Maximum	Occurrence 0 .. 1 Type xs:string
Locations	Occurrence 0 .. 1 Type LocationGroupList General Notes CUSTOMS GOODS ITEM LOCATIONS

Element/Attribute	Annotation
	Examples <Locations> <LocationGroup> <Location Type="CountryOfOrigin"> <LocationIdentification Type="ISOCountry"> <LocationIdentifier>DK</LocationIdentifier> </LocationIdentification> </Location> </LocationGroup> </Locations>
xs:sequence	Occurrence 1 .. 1
LocationGroup	Occurrence 0 .. unbounded Type LocationGroup
xs:sequence	Occurrence 1 .. 1
Location	Occurrence 0 .. 1 Type Location
Type	Type xs:string Use required General Notes CUSTOMS GOODS ITEM LOCATION TYPE
xs:sequence	Occurrence 1 .. 1
LocationIdentification	Occurrence 1 .. unbounded Type LocationIdentification
Type	Type xs:string General Notes CUSTOMS GOODS ITEM LOCATION IDENTIFICATION TYPE
xs:sequence	Occurrence 1 .. 1
LocationIdentifier	Occurrence 0 .. 1 Type xs:string
LocationName	Occurrence 0 .. 1 Type xs:string
MonetaryAmounts	Occurrence 0 .. 1 Type MonetaryAmountList General Notes CUSTOMS GOODS ITEM MONETARY AMOUNTS
	Examples <MonetaryAmounts> <MonetaryAmount Type="InvoiceValue"> <Amount>1000.01</Amount> <Currency>EUR</Currency> </MonetaryAmount> </MonetaryAmounts>
xs:sequence	Occurrence 1 .. 1
MonetaryAmount	Occurrence 0 .. unbounded Type MonetaryAmount
Type	Type xs:string Use required General Notes CUSTOMS GOODS ITEM MONETARY AMOUNT TYPE
xs:sequence	Occurrence 1 .. 1
	InvoiceValue Goods Item Invoice Value

Element/Attribute	Annotation
Amount	Occurrence 0 .. 1 Type xs:string
Currency	Occurrence 0 .. 1 Type xs:string
ProductIds	Occurrence 0 .. 1 Type ProductIdsList General Notes CUSTOMS GOODS ITEM PRODUCT IDS Examples <ProductIds> <ProductId Type="ProductId"> <ItemId>CommCd</ItemId> <ItemType>CommodityCode</ItemType> </ProductId> <ProductId Type="ProductId"> <ItemId>HmzCd</ItemId> <ItemType>HarmonizedCode</ItemType> </ProductId> </ProductIds>
xs:sequence	Occurrence 1 .. 1
ProductId	Occurrence 0 .. unbounded Type ProductId
Type	Type xs:string Use required General Notes CUSTOMS GOODS ITEM PRODUCT ID TYPE Applicable Codes ProductId Product Identification
xs:sequence	Occurrence 1 .. 1
ItemId	Occurrence 0 .. 1 Type xs:string
ItemType	Occurrence 0 .. 1 Type xs:string Applicable Codes CommodityCode HarmonizedCode
FreeTextData	Occurrence 0 .. 1 Type FreeTextList General Notes CUSTOMS GOODS ITEM FREE TEXT DATA Examples <FreeTextData> <FreeText Type="GoodsDescription"> <TextLine1>Goods Description Line 1</TextLine1> </FreeText> </FreeTextData>
xs:sequence	Occurrence 1 .. 1
FreeText	Occurrence 0 .. unbounded Type FreeText
Type	Type xs:string Use required General Notes CUSTOMS GOODS ITEM FREE TEXT TYPE Applicable Codes Comments Goods Item Comments GoodsDescription Goods Item Goods Description NatureOfGoods Goods Item Nature of Goods TemperatureControlInstructions Goods Item Temperature Control Instructions

Element/Attribute	Annotation
xs:sequence	Occurrence 1 .. 1
DescriptionCode	Occurrence 0 .. 1 Type xs:string
TextLine1	Occurrence 0 .. 1 Type xs:string
TextLine2	Occurrence 0 .. 1 Type xs:string
TextLine3	Occurrence 0 .. 1 Type xs:string
TextLine4	Occurrence 0 .. 1 Type xs:string
TextLine5	Occurrence 0 .. 1 Type xs:string
Measurements	Occurrence 0 .. 1 Type MeasurementList General Notes CUSTOMS GOODS ITEM MEASUREMENTS Examples <Measurements> <Measurement Type="GrossWeight" Uom="KG"> <Measure>1110.01</Measure> </Measurement> <Measurement Type="Volume" Uom="M3"> <Measure>20.02</Measure> </Measurement> </Measurements>
xs:sequence	Occurrence 1 .. 1
Measurement	Occurrence 0 .. unbounded Type Measurement
Type	Type xs:string Use required General Notes CUSTOMS GOODS ITEM MEASUREMENT TYPE
Uom	Type xs:string
xs:sequence	Occurrence 1 .. 1
Measure	Occurrence 0 .. 1 Type xs:string
Dimensions	Occurrence 0 .. 1 Type DimensionsList General Notes CUSTOMS GOODS ITEM DIMENSIONS Examples <Dimensions> <Dimension Type="Gross" Uom="MTR"> <Length>10.2</Length> <Width>1.5</Width> <Height>1.2</Height> </Dimension> </Dimensions>
xs:sequence	Occurrence 1 .. 1
Dimension	Occurrence 0 .. unbounded Type Dimension

Element/Attribute	Annotation
Type	Type xs:string Use required General Notes CUSTOMS GOODS ITEM DIMENSIONS TYPE
	Applicable Codes
	Gross Gross Dimensions
Uom	Type xs:string Occurrence 1 .. 1
- xs:sequence - Length	Occurrence 0 .. 1 Type xs:string
Width	Occurrence 0 .. 1 Type xs:string
Height	Occurrence 0 .. 1 Type xs:string
Quantities	Occurrence 0 .. 1 Type QuantitiesList General Notes CUSTOMS GOODS ITEM QUANTITIES
	Examples <Quantities> <Quantity Type="NumberOfPallets"> <Quantity>5</Quantity> </Quantity> </Quantities>
- xs:sequence - Quantity	Occurrence 1 .. 1 Occurrence 0 .. unbounded Type Quantity
Type	Type xs:string Use required General Notes CUSTOMS GOODS ITEM QUANTITY TYPE
	Applicable Codes
	NumberOfPallets Number of Pallets PalletSpaces Pallet Spaces
Uom	Type xs:string Occurrence 1 .. 1
- xs:sequence - Quantity	Occurrence 0 .. 1 Type xs:string
Packages	Occurrence 0 .. 1 Type Packages General Notes CUSTOMS GOODS ITEM PACKAGE IDS
- xs:sequence - Packageld	Occurrence 1 .. 1 Occurrence 0 .. unbounded Type Packageld General Notes CUSTOMS GOODS ITEM PACKAGE ID
	Examples <Packageld> <InstructionCode>PackageMarks</InstructionCode> <Marks> <ShippingMark>Mark1</ShippingMark> <ShippingMark>Mark2</ShippingMark> </Marks> </Packageld>
- xs:sequence - InstructionCode	Occurrence 1 .. 1 Occurrence 1 .. 1 Type xs:string

Element/Attribute	Annotation
	General Notes CUSTOMS GOODS ITEM PACKAGE ID INSTRUCTION CODE
	Applicable Codes
	PackageMarks Package Marks
Marks	Occurrence 0 .. 1 Type Marks
xs:sequence	Occurrence 1 .. 1
ShippingMark	Occurrence 1 .. unbounded Type xs:string
References	Occurrence 0 .. 1 Type ReferenceGroupList General Notes CUSTOMS GOODS ITEM PACKAGE ID REFERENCES Examples <References> <ReferenceGroup> <Reference Type="">RefNo</Reference> </ReferenceGroup> </References>
xs:sequence	Occurrence 1 .. 1
ReferenceGroup	Occurrence 0 .. unbounded Type ReferenceGroup
xs:sequence	Occurrence 1 .. 1
Reference	Occurrence 0 .. 1 Type Reference
Type	Type xs:string Use required General Notes CUSTOMS GOODS ITEM PACKAGE ID REFERENCE TYPE
Identifier	Type xs:string Use optional
GoodsIdentities	Occurrence 0 .. unbounded Type GoodsIdentity General Notes CUSTOMS GOODS ITEM PACKAGE ID GOODS IDENTITIES Examples <GoodsIdentities Type=""> <GoodsIdentifier>1234567890</GoodsIdentifier> <GoodsIdentifier>0987</GoodsIdentifier> </GoodsIdentities>
Type	Type xs:string Use required General Notes CUSTOMS GOODS ITEM PACKAGE ID GOODS IDENTITIES TYPE
	Applicable Codes
	SSCC
	SerialNumber
xs:sequence	Occurrence 1 .. 1
GoodsIdentifier	Occurrence 1 .. unbounded Type xs:string
DangerousGoodsDetails	Occurrence 0 .. 1 Type DangerousGoodsDetailList General Notes CUSTOMS GOODS ITEM DANGEROUS GOODS DETAILS

Element/Attribute	Annotation
xs:sequence	Occurrence 1 .. 1
DangerousGoodsDetail	Occurrence 0 .. unbounded Type DangerousGoodsDetail
xs:sequence	Occurrence 1 .. 1
DangerousGoods	Occurrence 0 .. 1 Type DangerousGoods General Notes CUSTOMS GOODS ITEM DANGEROUS GOODS Examples <DangerousGoods> <Regulation>ADR</Regulation> <HazardClass>9</HazardClass> <AdditionalHazardClass>3</AdditionalHazardClass> <HazardVersionId>5</HazardVersionId> <UNDGNumber>3082</UNDGNumber> <FlashPointDescription>FlashDesc</FlashPointDescription> <FlashPointTemperature FlashpointUom="CEL">10</FlashPointTemperature> <DangerLevelCode>III</DangerLevelCode> <EMSNumber>EMS No</EMSNumber> <MFAGNumber>MFAG No</MFAGNumber> <TremCardNumber>Trem No</TremCardNumber> <UpperPlate>Upper</UpperPlate> <LowerPlate>Lower</LowerPlate> <Labels> <Label>Lab1</Label> </Labels> <TunnelCode>E</TunnelCode> </DangerousGoods>
xs:sequence	Occurrence 1 .. 1
Regulation	Occurrence 0 .. 1 Type xs:string General Notes CUSTOMS GOODS ITEM DANGEROUS GOODS REGULATION Applicable Codes ADR European Road DG Agreement IMO IMO IMDG Code
HazardClass	Occurrence 0 .. 1 Type xs:string General Notes CUSTOMS GOODS ITEM DANGEROUS GOODS HAZARD CLASS
AdditionalHazardClass	Occurrence 0 .. 1 Type xs:string General Notes CUSTOMS GOODS ITEM DANGEROUS GOODS ADDITIONAL HAZARD CLASS
HazardVersionId	Occurrence 0 .. 1 Type xs:string General Notes CUSTOMS GOODS ITEM DANGEROUS GOODS HAZARD VERSION ID
UNDGNumber	Occurrence 0 .. 1 Type xs:string General Notes CUSTOMS GOODS ITEM DANGEROUS GOODS UND NO
FlashPointDescription	Occurrence 0 .. 1 Type xs:string General Notes CUSTOMS GOODS ITEM DANGEROUS GOODS

Element/Attribute	Annotation
	FLASHPOINT DESCRIPTION
FlashPointTemperature	Occurrence 0 .. 1 Type extension (xs:string) General Notes CUSTOMS GOODS ITEM DANGEROUS GOODS FLASHPOINT TEMPERATURE
FlashpointUom	Type xs:string
DangerLevelCode	Occurrence 0 .. 1 Type xs:string General Notes CUSTOMS GOODS ITEM DANGEROUS GOODS DANGER LEVEL CODE
EMSNumber	Occurrence 0 .. 1 Type xs:string General Notes CUSTOMS GOODS ITEM DANGEROUS GOODS EMS NO
MFAGNumber	Occurrence 0 .. 1 Type xs:string General Notes CUSTOMS GOODS ITEM DANGEROUS GOODS MFAG NO
TremCardNumber	Occurrence 0 .. 1 Type xs:string General Notes CUSTOMS GOODS ITEM DANGEROUS GOODS TREM CARD NO
UpperPlate	Occurrence 0 .. 1 Type xs:string General Notes CUSTOMS GOODS ITEM DANGEROUS GOODS UPPER PLATE
LowerPlate	Occurrence 0 .. 1 Type xs:string General Notes CUSTOMS GOODS ITEM DANGEROUS GOODS LOWER PLATE
Labels	Occurrence 0 .. 1 General Notes CUSTOMS GOODS ITEM DANGEROUS GOODS LABELS
xs:sequence	Occurrence 1 .. 1
Label	Occurrence 1 .. 4 Type xs:string
PackingInstruction	Occurrence 0 .. 1 Type xs:string General Notes CUSTOMS GOODS ITEM DANGEROUS GOODS PACKING INSTRUCTION
TransportMeansCode	Occurrence 0 .. 1 Type xs:string General Notes CUSTOMS GOODS ITEM DANGEROUS GOODS TRANSPORT MEANS CODE
TunnelCode	Occurrence 0 .. 1 Type xs:string General Notes CUSTOMS GOODS ITEM DANGEROUS GOODS TUNNEL CODE
FreeTextData	Occurrence 0 .. 1 Type FreeTextList General Notes CUSTOMS GOODS ITEM DANGEROUS GOODS

Element/Attribute	Annotation
	FREE TEXT DATA
	Examples
	<pre> <FreeTextData> <FreeText Type="MarinePollutant"> <TextLine>MP</TextLine> </FreeText> <FreeText Type="PSN"> <TextLine>Proper Shipping Name</TextLine> </FreeText> <FreeText Type="TechnicalName"> <TextLine>Technical Name</TextLine> </FreeText> <FreeText Type="IntTechnicalName"> <TextLine>Int Technical Name</TextLine> </FreeText> </FreeTextData> </pre>
xs:sequence	Occurrence 1 .. 1
FreeText	Occurrence 0 .. unbounded
	Type FreeText
<i>Type</i>	Type xs:string
	Use required
	General Notes CUSTOMS GOODS ITEM DANGEROUS GOODS FREE TEXT TYPE
	Applicable Codes
	IntTechnicalName International Technical Name
	LimitedQuantity Limited Quantity
	MarinePollutant Marine Pollutant
	PSN Proper Shipping Name
	Remarks Remarks
	TechnicalName Technical Name
xs:sequence	Occurrence 1 .. 1
DescriptionCode	Occurrence 0 .. 1
	Type xs:string
	General Notes Only used for Type = "PSN" and Type = "Remarks"
TextLine1	Occurrence 0 .. 1
	Type xs:string
TextLine2	Occurrence 0 .. 1
	Type xs:string
	General Notes Only used for Type = "PSN" and Type = "Remarks"
TextLine3	Occurrence 0 .. 1
	Type xs:string
	General Notes Only used for Type = "PSN" and Type = "Remarks"
TextLine4	Occurrence 0 .. 1
	Type xs:string
	General Notes Only used for Type = "PSN" and Type = "Remarks"
TextLine5	Occurrence 0 .. 1
	Type xs:string
	General Notes Only used for Type = "PSN" and Type = "Remarks"
Measurements	Occurrence 0 .. 1
	Type MeasurementList
	General Notes CUSTOMS GOODS ITEM DANGEROUS GOODS MEASUREMENTS

Element/Attribute	Annotation
	Examples <Measurements> <Measurement Type="NetWeight" Uom="KGM"> <Measure>5.01</Measure> </Measurement> <Measurement Type="ExplosiveWeight" Uom="KGM"> <Measure>2.02</Measure> </Measurement> <Measurement Type="GrossWeight" Uom="KGM"> <Measure>6.06</Measure> </Measurement> </Measurements>
xs:sequence	Occurrence 1 .. 1
Measurement	Occurrence 0 .. unbounded
	Type Measurement
<i>Type</i>	Type xs:string
	Use required
	General Notes CUSTOMS GOODS ITEM DANGEROUS GOODS MEASUREMENT TYPE
	Applicable Codes
	ExplosiveWeight
	GrossWeight
	NetWeight
<i>Uom</i>	Type xs:string
xs:sequence	Occurrence 1 .. 1
Measure	Occurrence 0 .. 1
	Type xs:string
Quantities	Occurrence 0 .. 1
	Type QuantitiesList
	General Notes CUSTOMS GOODS ITEM DANGEROUS GOODS QUANTITIES
xs:sequence	Occurrence 1 .. 1
Quantity	Occurrence 0 .. unbounded
	Type Quantity
<i>Type</i>	Type xs:string
	Use required
	General Notes CUSTOMS GOODS ITEM DANGEROUS GOODS QUANTITY TYPE
	Applicable Codes
	LimitedQuantity Limited Quantity
	NumberOfPackages Number of Packages
<i>Uom</i>	Type xs:string
xs:sequence	Occurrence 1 .. 1
Quantity	Occurrence 0 .. 1
	Type xs:string
Contact	Occurrence 0 .. 1
	Type Contact
	General Notes CUSTOMS GOODS ITEM DANGEROUS GOODS CONTACT
<i>Type</i>	Type xs:string
	Use required
	General Notes CUSTOMS GOODS ITEM DANGEROUS GOODS CONTACT TYPE
	Applicable Codes
	InformationContact Information Contact



Element/Attribute		Annotation	
└ xs:sequence └ ContactId └ Name └ Phone └ Mobile └ Fax └ Email	xs:sequence	Occurrence	1 .. 1
	ContactId	Occurrence	0 .. 1
		Type	xs:string
	Name	Occurrence	0 .. 1
		Type	xs:string
	Phone	Occurrence	0 .. 1
		Type	xs:string
	Mobile	Occurrence	0 .. 1
		Type	xs:string
	Fax	Occurrence	0 .. 1
		Type	xs:string
	Email	Occurrence	0 .. 1
		Type	xs:string