



Message Implementation Guideline

DSV_StatusMessage

Model: DSV STATUS XML IN
Version: V2.0
Issue date: 2026-08-27
Author: DSV A/S, EDI

3 Structure.....	2
4 Guideline	7

Structure

Occurrence	Element/Attribute
	DSV_StatusMessage
1 .. 1	xs:sequence
1 .. 1	Header
1 .. 1	xs:sequence
1 .. 1	MessageId
1 .. 1	SenderId
1 .. 1	ReceiverId
1 .. 1	DocumentDate
required	<i>Type</i>
required	<i>Format</i>
1 .. 1	xs:sequence
0 .. 1	DateTime
1 .. 1	DocumentCode
1 .. 1	Function
1 .. 1	Version
1 .. 1	ShipmentStatus
1 .. 1	xs:sequence
0 .. 1	Dates
1 .. 1	xs:sequence
0 .. unbounded	Date
required	<i>Type</i>
required	<i>Format</i>
1 .. 1	xs:sequence
0 .. 1	DateTime
0 .. 1	TransportServices
1 .. 1	xs:sequence
0 .. unbounded	ServiceGroup
1 .. 1	xs:sequence
0 .. 1	TransportService
1 .. 1	xs:sequence
0 .. 1	ServiceCode
0 .. 1	PriorityCode
0 .. 1	Parties
1 .. 1	xs:sequence
0 .. unbounded	Party
1 .. 1	xs:sequence
0 .. 1	PartyDetails
required	<i>Role</i>
1 .. 1	xs:sequence
0 .. 1	Id
0 .. 1	Assignor
0 .. unbounded	Contact
required	<i>Type</i>
1 .. 1	xs:sequence
0 .. 1	Name
0 .. 1	Phone
0 .. 1	Mobile
0 .. 1	Email
0 .. 1	References

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

DSV public

Occurrence	Element/Attribute
1 .. 1	xs:sequence
0 .. unbounded	ReferenceGroup
1 .. 1	xs:sequence
0 .. 1	Reference
required	Type
optional	Identifier
optional	CustomFieldType
0 .. 1	Date
required	Type
required	Format
1 .. 1	xs:sequence
0 .. 1	DateTime
0 .. 1	Locations
1 .. 1	xs:sequence
0 .. unbounded	LocationGroup
1 .. 1	xs:sequence
0 .. 1	Location
required	Type
1 .. 1	xs:sequence
1 .. unbounded	LocationIdentification
	Type
1 .. 1	xs:sequence
0 .. 1	LocationIdentifier
0 .. 1	Shipments
1 .. 1	xs:sequence
0 .. unbounded	Shipment
1 .. 1	xs:sequence
1 .. 1	ShipmentId
optional	Type
optional	Qualifier
0 .. unbounded	StatusDetails
1 .. 1	xs:sequence
0 .. 1	Status
required	Type
optional	Level
1 .. 1	xs:sequence
0 .. 1	StatusEventCode
0 .. 1	StatusEventCode <A&S>
0 .. 5	StatusReasonCode
0 .. 1	References
1 .. 1	xs:sequence
0 .. unbounded	ReferenceGroup
1 .. 1	xs:sequence
0 .. 1	Reference
required	Type
optional	Identifier
optional	CustomFieldType
0 .. 1	Dates
1 .. 1	xs:sequence
0 .. unbounded	Date
required	Type

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

DSV public

Occurrence	Element/Attribute
required	<i>Format</i>
1 .. 1	<i>xs:sequence</i>
0 .. 1	DateTime
0 .. 1	FreeTextData
1 .. 1	<i>xs:sequence</i>
0 .. unbounded	FreeText
required	<i>Type</i>
1 .. 1	<i>xs:sequence</i>
0 .. 1	DescriptionCode
0 .. 1	TextLine1
0 .. 1	TextLine2
0 .. 1	TextLine3
0 .. 1	TextLine4
0 .. 1	TextLine5
0 .. 1	Parties
1 .. 1	<i>xs:sequence</i>
0 .. unbounded	Party
1 .. 1	<i>xs:sequence</i>
0 .. 1	PartyDetails
required	<i>Role</i>
0 .. unbounded	Contact
required	<i>Type</i>
1 .. 1	<i>xs:sequence</i>
0 .. 1	Name
0 .. 1	Phone
0 .. 1	Mobile
0 .. 1	Fax
0 .. 1	Email
0 .. 1	Locations
1 .. 1	<i>xs:sequence</i>
0 .. unbounded	LocationGroup
1 .. 1	<i>xs:sequence</i>
0 .. 1	Location
required	<i>Type</i>
1 .. 1	<i>xs:sequence</i>
1 .. unbounded	LocationIdentification
1 .. 1	<i>Type</i>
0 .. 1	<i>xs:sequence</i>
0 .. 1	LocationIdentifier
0 .. 1	LocationName
1 .. unbounded	LocationIdentification <FacilityType>
1 .. 1	<i>Type</i>
0 .. 1	<i>xs:sequence</i>
0 .. 1	LocationIdentifier
0 .. unbounded	LocationGroup <ActivityLocation>
1 .. 1	<i>xs:sequence</i>
0 .. 1	Location
required	<i>Type</i>
1 .. 1	<i>xs:sequence</i>
1 .. unbounded	LocationIdentification
	<i>Type</i>

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

DSV public

Occurrence	Element/Attribute
1 .. 1	xs:sequence
0 .. 1	LocationIdentifier
0 .. 1	LocationName
0 .. unbounded	LocationGroup <PlaceOfRegistration>
1 .. 1	xs:sequence
0 .. 1	Location
required	Type
1 .. 1	xs:sequence
1 .. unbounded	LocationIdentification
	Type
1 .. 1	xs:sequence
0 .. 1	LocationIdentifier
0 .. 1	LocationName
0 .. 1	TransportStages
1 .. 1	xs:sequence
0 .. unbounded	TransportStage
1 .. 1	xs:sequence
0 .. 1	Stage
required	Type
1 .. 1	xs:sequence
0 .. 1	ModeOfTransport
0 .. 1	TransportId
0 .. 1	CarrierId
0 .. 1	References
1 .. 1	xs:sequence
0 .. unbounded	ReferenceGroup
1 .. 1	xs:sequence
0 .. 1	Reference
required	Type
0 .. 1	GoodsItems
1 .. 1	xs:sequence
0 .. unbounded	GoodsItem
1 .. 1	xs:sequence
0 .. 1	Item
1 .. 1	xs:sequence
0 .. 1	ItemNumber
0 .. 1	PackageQty
0 .. 1	PackageType
0 .. 1	Measurements
1 .. 1	xs:sequence
0 .. unbounded	Measurement
required	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Measure
0 .. 1	Dimensions
1 .. 1	xs:sequence
0 .. unbounded	Dimension
required	Type
	Uom
1 .. 1	xs:sequence

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

DSV public

Occurrence	Element/Attribute
0 .. 1	Length
0 .. 1	
0 .. 1	
0 .. 1	Packagelds
1 .. 1	xs:sequence
0 .. unbounded required	GoodsIdentities
1 .. 1	Type
1 .. unbounded	xs:sequence
0 .. 1	GoodsIdentifier
0 .. 1	EquipmentUnits
1 .. 1	xs:sequence
0 .. unbounded	EquipmentUnit
1 .. 1	xs:sequence
0 .. 1	EquipmentType
1 .. 1	xs:sequence
0 .. 1	Type
0 .. 1	UnitId
0 .. 1	SizeTypeCode
0 .. 1	ISOCODE
0 .. 1	FullOrEmptyIndicator

Guideline

Element/Attribute	Annotation		
DSV_StatusMessage	General Notes DSV_StatusMessage V2 /ShipmentStatus/Locations/Location changed to /ShipmentStatus/Locations/LocationGroup/Location /ShipmentStatus/Shipments/Shipment/StatusDetails/ Locations/Location changed to /ShipmentStatus/Shipments/Shipment/StatusDetails/ Locations/LocationGroup/Location		
xs:sequence	Occurrence 1 .. 1		
Header	Occurrence 1 .. 1 Type Header General Notes MESSAGE HEADER Examples <pre><Header> <MessageId>StatusSample</MessageId> <SenderId>SenderId</SenderId> <ReceiverId>ReceiverId</ReceiverId> <DocumentDate Type="IssueDate" Format="DateTime"> <DateTime>202603030800</DateTime> </DocumentDate> <DocumentCode>ConsignmentStatusReport</DocumentCode> <Function>New</Function> <Version>2.0</Version> </Header></pre>		
xs:sequence	Occurrence 1 .. 1		
MessageId	Occurrence 1 .. 1 Type xs:string General Notes MESSAGE IDENTIFIER		
SenderId	Occurrence 1 .. 1 Type xs:string General Notes SENDER IDENTIFICATION Mutually agreed		
ReceiverId	Occurrence 1 .. 1 Type xs:string General Notes RECEIVER IDENTIFICATION Mutually agreed		
DocumentDate	Occurrence 1 .. 1 Type Date General Notes DOCUMENT / MESSAGE DATE		
Type	Type xs:string Use required General Notes DOCUMENT / MESSAGE DATE TYPE		
Format	Applicable Codes <table> <tr> <td>IssueDate</td><td>Issue Date</td></tr> </table> Type xs:string Use required General Notes DOCUMENT / MESSAGE DATE FORMAT	IssueDate	Issue Date
IssueDate	Issue Date		

Element/Attribute	Annotation
	Applicable Codes DateTime CCYYMMDDHHMM DateTimeSec CCYYMMDDHHMMHHSS
xs:sequence	
DateTime	Occurrence 1 .. 1 Type xs:string General Notes DOCUMENT / MESSAGE DATE
DocumentCode	Occurrence 1 .. 1 Type xs:string General Notes DOCUMENT TYPE
	Applicable Codes Consignment Statusreport Consignment Statusreport
Function	Occurrence 1 .. 1 Type xs:string General Notes DOCUMENT/MESSAGE FUNCTION
	Applicable Codes Delete Delete/Cancellation New New Update Update
Version	Occurrence 1 .. 1 Type xs:string General Notes MESSAGE VERSION
	Applicable Codes 2.0 Version 2.0
ShipmentStatus	Occurrence 1 .. 1 Type ShipmentStatus General Notes SHIPMENT STATUS DETAILS
xs:sequence	
Dates	Occurrence 1 .. 1 Type DateList General Notes SHIPMENT STATUS DATES Examples <Dates> <Date Type="IssueDate" Format="DateTime"> <DateTime>202603031450</DateTime> </Date> </Dates>
xs:sequence	
Date	Occurrence 1 .. 1 Occurrence 0 .. unbounded Type Date
Type	Type xs:string Use required General Notes SHIPMENT STATUS DATE TYPE
	Applicable Codes IssueDate Issue Date StatusDate Status Date
Format	Type xs:string Use required General Notes SHIPMENT STATUS DATE FORMAT
	Applicable Codes DateTime CCYYMMDDHHMM DateTimeSec CCYYMMDDHHMMHHSS
xs:sequence	Occurrence 1 .. 1

Element/Attribute	Annotation												
DateTime	Occurrence 0 .. 1 Type xs:string General Notes SHIPMENT STATUS DATE / TIME												
TransportServices	Occurrence 0 .. 1 Type ServiceGroupList General Notes TRANSPORT SERVICES Examples <TransportServices> <TransportService> <ServiceCode>LTL</ServiceCode> <PriorityCode>Normal</PriorityCode> </TransportService> </TransportServices>												
xs:sequence	Occurrence 1 .. 1												
ServiceGroup	Occurrence 0 .. unbounded Type ServiceGroup												
xs:sequence	Occurrence 1 .. 1												
TransportService	Occurrence 0 .. 1 Type TransportService												
xs:sequence	Occurrence 1 .. 1												
ServiceCode	Occurrence 0 .. 1 Type xs:string General Notes SERVICE CODE Applicable Codes <table> <tr> <td>FCL</td><td>Main Service: Full Container Load</td></tr> <tr> <td>FTL</td><td>Main Service: Full Truck Load</td></tr> <tr> <td>IATA</td><td>Main Service: IATA bill</td></tr> <tr> <td>LCL</td><td>Main Service: Less than full Container Load</td></tr> <tr> <td>LSE</td><td>Main Service: Loose Cargo</td></tr> <tr> <td>LTL</td><td>Main Service: Less than full Truck Load</td></tr> </table>	FCL	Main Service: Full Container Load	FTL	Main Service: Full Truck Load	IATA	Main Service: IATA bill	LCL	Main Service: Less than full Container Load	LSE	Main Service: Loose Cargo	LTL	Main Service: Less than full Truck Load
FCL	Main Service: Full Container Load												
FTL	Main Service: Full Truck Load												
IATA	Main Service: IATA bill												
LCL	Main Service: Less than full Container Load												
LSE	Main Service: Loose Cargo												
LTL	Main Service: Less than full Truck Load												
PriorityCode	Occurrence 0 .. 1 Type xs:string General Notes PRIORITY CODE Applicable Codes <table> <tr> <td>Express</td><td>Express Service</td></tr> <tr> <td>HighSpeed</td><td>High Speed Service</td></tr> <tr> <td>Normal</td><td>Normal Service</td></tr> </table>	Express	Express Service	HighSpeed	High Speed Service	Normal	Normal Service						
Express	Express Service												
HighSpeed	High Speed Service												
Normal	Normal Service												
Parties	Occurrence 0 .. 1 Type PartiesList General Notes SHIPMENT PARTIES Examples <Parties> <Party> <PartyDetails Role="Driver"> <Id>2014714</Id> <Assignor>Consignor</Assignor> </PartyDetails> <Contact Type="InformationContact"> <Name>Donald Duck</Name> <Phone>040-11223344</Phone> </Contact> </Party> </Parties>												

Element/Attribute	Annotation
	Examples <PartyDetails Role="Department"> <Id>2014714</Id> <Assignor>Consignor</Assignor> </PartyDetails> <Contact Type="Department"> <Name>Minnie Mouse</Name> <Email>DKSER</Email> </Contact> </Party> <Party> <PartyDetails Role="Haulier"> <Id>2014714</Id> <Assignor>DSV</Assignor> </PartyDetails> <Contact Type="Haulier"> <Name>Daisy Duck</Name> <Mobile>040-11223344</Mobile> </Contact> </Party> <Party> <PartyDetails Role="Attention"> <Id>2125020</Id> <Assignor>GS1</Assignor> </PartyDetails> <Contact Type="Attention"> <Name>Mister Blue</Name> <Email>BLUE@MAIL.COM</Email> </Contact> </Party> </Parties>
xs:sequence	Occurrence 1 .. 1
Party	Occurrence 0 .. unbounded
	Type Party
xs:sequence	Occurrence 1 .. 1
PartyDetails	Occurrence 0 .. 1
	Type PartyDetails
	General Notes SHIPMENT PARTY DETAILS
<i>Role</i>	Type xs:string
	Use required
	General Notes PARTY ROLE
	Applicable Codes Attention Attention Department Department Driver Driver Haulier Haulier MessageRecipient Message Recipient
xs:sequence	Occurrence 1 .. 1
Id	Occurrence 0 .. 1
	Type xs:string
	General Notes PARTY IDENTIFIER
Assignor	Occurrence 0 .. 1
	Type xs:string
	General Notes PARTY IDENTIFIER ASSIGNOR
	Applicable Codes Consignor Consignor assigned DSV DSV assigned

Element/Attribute	Annotation
	Applicable Codes
	GS1 GS1 assigned
Contact	Occurrence 0 .. unbounded Type Contact General Notes PARTY CONTACT
<i>Type</i>	Type xs:string Use required General Notes PARTY CONTACT TYPE
	Applicable Codes
	InformationContact Party Information Contact Attention Attention Contact Department Department Contact Driver Driver Contact Haulier Haulier Contact
<i>xs:sequence</i>	Occurrence 1 .. 1
Name	Occurrence 0 .. 1 Type xs:string General Notes PARTY CONTACT NAME
Phone	Occurrence 0 .. 1 Type xs:string General Notes PARTY CONTACT TELEPHONE NUMBER
Mobile	Occurrence 0 .. 1 Type xs:string General Notes PARTY CONTACT MOBILE PHONE NUMBER
Email	Occurrence 0 .. 1 Type xs:string General Notes PARTY CONTACT E-MAIL ADDRESS
References	Occurrence 0 .. 1 Type ReferenceGroupList General Notes SHIPMENT REFERENCES Examples <References> <ReferenceGroup> <Reference Type="MotorVehicleId"> Identifier="SE">ABC123</Reference> <Date Type="EventDate" Format="DateTime"> <DateTime>202603031010</DateTime> </Date> </ReferenceGroup> <ReferenceGroup> <Reference Type="CargoManifestNo">ABC460-1234</Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="ScanQuality">73</Reference> </ReferenceGroup> </References>
<i>xs:sequence</i>	Occurrence 1 .. 1
ReferenceGroup	Occurrence 0 .. unbounded Type ReferenceGroup
<i>xs:sequence</i>	Occurrence 1 .. 1
Reference	Occurrence 0 .. 1 Type Reference

Element/Attribute	Annotation
	General Notes SHIPMENT REFERENCE Type xs:string Use required General Notes REFERENCE TYPE Predefined Types listed, additional reference types to be agreed
<i>Type</i>	
	Applicable Codes MotorVehicleId Motor Vehicle Identification CargoManifestNo Cargo manifest number, Transport Id ScanQuality Scan Quality
<i>Identifier</i>	Type xs:string Use optional General Notes TRANSPORT/CONSOLIDATION REFERENCE IDENTIFIER When "MotorVehicleId" is provided in: / DSV_StatusMessage/ShipmentStatus/References/ReferenceGroup/Reference/@Type, CountryCode should be provided in /DSV_StatusMessage/ShipmentStatus/References/ReferenceGroup/Reference/@Identifier
<i>CustomFieldType</i>	Type xs:string Use optional General Notes CUSTOM FIELD TYPE Use to be agreed
	Applicable Codes Boolean Boolean indicator DateTime Date/Time with format YYYY-MM-DDTHH:MM:SS Decimal Decimal value Integer Integer value String Character string
<i>Date</i>	Occurrence 0 .. 1 Type Date General Notes REFERENCE DATE When "MotorVehicleId" is provided in: / DSV_StatusMessage/ShipmentStatus/References/ReferenceGroup/Reference/@Type, "EventDate" should be used in /DSV_StatusMessage/ShipmentStatus/References/ReferenceGroup/Date/@Type
<i>Type</i>	Type xs:string Use required General Notes REFERENCE DATE TYPE
	Applicable Codes EventDate Event Date (should be used when Reference@Type= "MotorVehicleId") ReferenceDate Reference Date
<i>Format</i>	Type xs:string Use required General Notes REFERENCE DATE FORMAT
	Applicable Codes Date CCYYMMDD DateTime CCYYMMDDHHMM DateTimeSec CCYYMMDDHHMMSS
<i>xs:sequence</i>	Occurrence 1 .. 1

Element/Attribute	Annotation
DateTime	Occurrence 0 .. 1 Type xs:string General Notes REFERENCE DATE / TIME
Locations	Occurrence 0 .. 1 Type LocationGroupList General Notes DSV BRANCH LOCATION Examples <Locations> <LocationGroup> <Location Type="BranchLocation"> <LocationIdentification Type="ISOCountry"> <LocationIdentifier>SE</LocationIdentifier> </LocationIdentification> </Location> </LocationGroup> </Locations>
xs:sequence	Occurrence 1 .. 1
LocationGroup	Occurrence 0 .. unbounded Type LocationGroup
xs:sequence	Occurrence 1 .. 1
Location	Occurrence 0 .. 1 Type Location
Type	Type xs:string Use required General Notes LOCATION TYPE Applicable Codes BranchLocation Branch Location
xs:sequence	Occurrence 1 .. 1
LocationIdentification	Occurrence 1 .. unbounded Type LocationIdentification
Type	Type xs:string General Notes LOCATION IDENTIFICATION TYPE Applicable Codes ISOCountry ISO Country Code
xs:sequence	Occurrence 1 .. 1
LocationIdentifier	Occurrence 0 .. 1 Type xs:string General Notes LOCATION IDENTIFIER ISO CountryCode of the BranchLocation
Shipments	Occurrence 0 .. 1 Type ShipmentList General Notes SHIPMENTS
xs:sequence	Occurrence 1 .. 1
Shipment	Occurrence 0 .. unbounded Type Shipment General Notes SHIPMENT DETAILS Sea Notes CONTAINER STATUS UPDATE Required: /ShipmentId = DSV Consol identifier, Type = "TransportMaster" or

Element/Attribute	Annotation
	/ShipmentId = Master Bill number, Type = "MasterBill" /Status Level="Container" Container number for update must be provided either as - /Status/References/ReferenceGroup/Reference Type="ContainerNumber" or - /EquipmentUnits/EquipmentUnit/EquipmentType/UnitId Optionally provide: - /EquipmentUnits/EquipmentUnit/EquipmentType/ FullOrEmptyIndicator - /Locations/Location Type="StatusLocation" /LocationIdentification Type = "UN" and/or /LocationIdentification Type = "FacilityType"
xs:sequence	Occurrence 1 .. 1
ShipmentId	Occurrence 1 .. 1 Type ShipmentId General Notes SHIPMENT IDENTIFIER Examples <ShipmentId>1234567890</ShipmentId>
Type	Type xs:string Use optional General Notes SHIPMENT IDENTIFIER TYPE Examples <ShipmentId Type="ShipmentReference">ABCD1234567</ShipmentId> <ShipmentId Type="TransportMaster">CDK123456</ShipmentId>
Qualifier	Type xs:string Use optional General Notes SHIPMENT IDENTIFIER QUALIFIER Use to be agreed Examples <ShipmentId Type="ShipmentReference" Qualifier="CNO">2919917</ShipmentId>
StatusDetails	Occurrence 0 .. unbounded Type StatusInformation General Notes STATUS DETAILS
xs:sequence	Occurrence 1 .. 1
Status	Occurrence 0 .. 1 Type Status Examples <StatusDetails> <Status Type="Consignment"> <StatusEventCode>Delivered</StatusEventCode> <StatusReasonCode>ItemsNotScanned</StatusReasonCode> <StatusReasonCode>DeliveredWithoutSignature</StatusReasonCode>

Element/Attribute	Annotation
	Examples StatusReasonCode> </Status> </StatusDetails> <Status Type="Consignment"> <StatusEventCode>Delivered</StatusEventCode> <StatusReasonCode>InConformity</StatusReasonCode> </Status> <StatusDetails> <Status Type="GoodsItem"> <StatusEventCode>Measured</StatusEventCode> <StatusReasonCode>DeliveredWithoutSignature</StatusReasonCode> StatusReasonCode> <StatusReasonCode>ItemsNotScanned</StatusReasonCode> <StatusReasonCode>CancelQueue</StatusReasonCode> <StatusReasonCode>AuthorizedSiteIDNotScanned</StatusReasonCode> StatusReasonCode> </Status> </StatusDetails>
Type	Type xs:string Use required General Notes SHIPMENT STATUS TYPE Use "Consignment" for statuses on the whole consignment/shipment. Use "GoodsItem" for statuses on a single goods item.
Level	Applicable Codes Consignment Status on Consignment level GoodsItem Status on Goods Item level
xs:sequence	Type xs:string Use optional General Notes STATUS LEVEL
StatusEventCode	Examples <Status Type="Consignment" Level="Container"> <StatusEventCode>ActualDelivery</StatusEventCode> </Status> Applicable Codes Container Container Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string General Notes SHIPMENT STATUS EVENT CODE (ROAD) In the description for each event code, there is a DSV defined code and a DSV Division indicator. R indicates that it is mainly used for Road. Examples <StatusEventCode>ArriveDelivery</StatusEventCode> Code Name: Arrive Delivery (154 - R) Applicable Codes Arrival Arrival (1 - R) ArriveCollection Arrive Collection (153 - R) ArriveDelivery Arrive Delivery (154 - R)



Element/Attribute	Annotation
	Applicable Codes CancelCollection Cancel Collection (157 - R) CancelDelivery Cancel Delivery (158 - R) CollectionReloaded Collection Reloaded (152 - R) Collected Collected (13 - R) Delivered Delivered (21 - R) Delivery Delivery (14 - R) DeliveryReloaded Delivery Reloaded (151 - R) Departed Departed / Loaded (48 - R) Departure Departed / Loaded (27 - R) KeptInStorage Unknown / Kept in Storage (90 - R) Measured Measured (127 - R) NotCollected Not Collected (54 - R) NotDelivered Not Delivered (55 - R) PackingCompleted PackingCompleted (PKC - R) StartCollection Start Collection (155 - R) StartDelivery Start Delivery (156 - R)
StatusEventCode <A&S>	Occurrence 0 .. 1 Type xs:string General Notes SHIPMENT STATUS EVENT CODE (AIR AND SEA) In the description for each event code, there is a DSV defined code and a DSV Division indicator. A&S indicates that it is mainly used for Air&Sea Examples <StatusEventCode>Arrived</StatusEventCode> Code Name: Arrived (ARV - A&S)
	Applicable Codes ActualDelivery Actual Delivery (DLV - A&S) ActualPickup Actual Pickup (PUP - A&S) ArrivalNoticeSendingDate Arrival Notice Sending Date (DDV - A&S) Arrived Arrived (ARV - A&S) CargoAvailable Cargo Available (CAV - A&S) CargoAvailableAtDeconsolidator Cargo Available at Deconsolidator (CVD - A&S) CargoAvailableForExportPickup Cargo Available for Export Pickup (CAE - A&S) CargoCheckIn Cargo Check-in (CCI - A&S) CargoCheckInDiscrepancy Cargo Check-in Discrepancy (CCD - A&S) ClearAdmission Customs Clear Admission (CES - A&S) Container_EstimatedDelivery Container_EstimatedDelivery (ZCD - A&S) Container_EstimatedPickup Container_EstimatedPickup (ZCP - A&S) CustomsCleared Customs Cleared (CLR - A&S) CustomsCommenced Customs Commenced (CCC - A&S) Dehire Container Dehire (DHR - A&S) DeliveryCartageFinalised Delivery Cartage Finalised / Completed (DCF - A&S) EstimatedDelivery Estimated Delivery (Shipment DCF or Container DLV - A&S) EstimatedPickup Estimated Pickup (Shipment PCF or Container PUP - A&S) ExWorks Ex Works (EXW - A&S) ExportCustomsCleared Export Customs Cleared (ECC - A&S) ExportCustomsCommenced Export Customs Commenced (ECM)



Element/Attribute	Annotation
	Applicable Codes - A&S) - FreightLoaded Freight Loaded (FLO - A&S) - GateIn Container Gate-In (GIN - A&S) - GateOut Container Gate-Out (GOU - A&S) - HandoverCargo Handover of Cargo (Z73 - A&S) - HandoverDocuments Handover of Documents (Z74 - A&S) - HandoverResponsibility Handover of Responsibility (Z70 - A&S) - InterimReceipt Interim Receipt (IRP - A&S) - ManifestSubmittedToForwarder Manifest Submitted To Forwarder (MSF - A&S) - OriginCFSDeparture Origin CFS Departure (Z84 - A&S) - PackingCompleted Packing Completed (PKC - A&S) - PickupCartageFinalised Pickup Cartage Finalised / Completed (PCF - A&S) - WarehouseReceipt Warehouse Receipt (WHS - A&S) - StatusUpdate StatusUpdate (STU - A&S)
StatusReasonCode	Occurrence 0 .. 5 Type xs:string General Notes SHIPMENT STATUS REASON CODE Reason codes are mainly used for Road division. In the description there is a correlating DSV defined code that are used in the DSV STD D10B IFTSTA inbound message. Examples <StatusReasonCode>AddressClosed</StatusReasonCode> Applicable Codes - AddressClosed Address Closed (7) - AddressNotComplete Address Not Complete (213) - AttemptUnsuccessful Attempt Unsuccessful (6) - AuthorizedSiteIDNotScanned Authorized Site ID Not Scanned (204) - BookingAccepted Booking Accepted (DIL) - BookingNotComplete Booking Not Complete (91005) - CancelQueue Cancel Queue (203) - ChangeDirection Change Direction (44) - ClaimOnDelivery Claim On Delivery (107) - ClaimOnLoading Claim On Loading (87) - ClaimOpen Claim Open (311) - CompanyClosed Company Closed (338) - CustomerClearance Customer Clearance (12) - CustomerClearanceInProgress Customer Clearance In Progress (126) - CustomerClearanceRefused Customer Clearance Refused (17) - Damaged Damaged (14) - DamagedGoodsNorwaySTD Damaged Goods Norway STD (DG) - DamagedPackaging Damaged Packaging (66) - Delayed Delayed (8) - DeliveredWithClaim Delivered With Claim (114) - DeliveredWithoutSignature Delivered Without Signature (201) - DeliveryScheduled Delivery Scheduled (209) - Destroyed Destroyed (331) - DifferenceAgainstInformation Difference Against Information (115) - Dirty Dirty (91002) - FixedDeliveryDate Fixed Delivery Date (219) - HeldInDepot Held In Depot (57) - InConformity In Conformity (310) - InTransitExternal In Transit - External (3157) - InWarehouse In Warehouse (112)

Element/Attribute	Annotation
	Applicable Codes InsufficientPackaging Insufficient Packaging (60) ItemsNotScanned Items Not Scanned (202) MechanicalBreakdown Mechanical Breakdown (35) MissingDocument Missing Document (241) MissingPackage Missing Package (45) MissingPapers Missing Papers (37) NobodyAtHome Nobody At Home (109) NotBarcoded Not Barcoded (108) NotDelivered Not Delivered (265) NotInConformity Not In Conformity (19) NotLoaded Not Loaded (41) NotReady Not Ready (43) NotifiedToCustomer Notified To Customer (242) NotReady Package Not Ready (43) PackageOpen Package Open (309) PartialMissing Partial Missing (330) Refused Refused without reason given (49) RefusedCashOnDelivery Refused - Cash On Delivery (251) RefusedMissingPackage Refused - Missing Package (56117) RefusedNoPartOrders Refused - No Part Orders (284) RefusedNoPaymentCOD Refused - No Payment COD (47) RefusedSpoiledState Refused - SpoiledState (286) ReturnAccordingInstructions Return According Instructions (80) Returned Returned (82) ScanningCancelled Scanning Cancelled (91014) UndefinedReason Undefined Reason (771) UndefinedReasonDriver Undefined Reason Driver (69) Unknown Unknown (120) VisitRearranged Visit Rearranged (38) Weather Weather conditions (63) WrongAddress Wrong Address (30)
References	Occurrence 0 .. 1 Type ReferenceGroupList General Notes SHIPMENT REFERENCES Examples <References> <ReferenceGroup> <Reference Type="RoadWaybill">1234567890</Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="GINCNumber">57012345678901234</Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="ConsigneeReference">40257012345678901234</Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="ShipmentReference">40157012345678901234</Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="ScanQuality">76</Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="FreightForwarderConsignmentIdentifier">ABCDE-12345</Reference> </ReferenceGroup> <ReferenceGroup>

Element/Attribute	Annotation
	Examples <Reference Type="ShipperReference">111,222,333</Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="UniqueConsignmentReferenceNumber">ABCDE-12345</ Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="QLSReference">00371234567890123456</ Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="Siteld">1234567</Reference> </ReferenceGroup> </References>
xs:sequence	Occurrence 1 .. 1
ReferenceGroup	Occurrence 0 .. unbounded
	Type ReferenceGroup
xs:sequence	Occurrence 1 .. 1
Reference	Occurrence 0 .. 1
	Type Reference
	General Notes SHIPMENT REFERENCE
Type	Type xs:string Use required General Notes SHIPMENT REFERENCE TYPE When "CustomsEntryNumber" is used then "IssueDate" is also needed in DSV_StatusMessage/ ShipmentStatus/Shipments/Shipment/StatusDetails/References/ReferenceGroup/Date/Type
Applicable Codes	
AgentsReference	Agents Reference
AirWayBill	Air WayBill
CargoManifestNo	Cargo Manifest Number
ConsigneeOrderNumber	Consignee Order Number
ConsigneeReference	Consignee Reference
ConsignmentId	Consignment Identifier
ContainerNumber	Container Number
CustomerAccountCode	Customer Account Code
CustomerReferenceNumber	Customer Reference Number
CustomsEntryNumber	Customs Entry Number
DeliveryAgreement	Delivery Agreement
DocumentReference	Document Reference
EventCode	Event Code
ExternalReference	External Reference
FreightForwarderConsignmentIdentifier	Freight Forwarder Consignment Identifier
GINCNumber	GINC Number
HouseBill	House Bill
HouseWayBill	House WayBill
IDSReference	IDS Reference
MasterAirWayBill	Master AirWayBill
MasterBill	Master Bill
MotorVehicleId	Motor Vehicle Identification
OnSightAuthorizationCode	On Sight Authorization Code
OrderReference	Order Reference
ProofOfDeliveryNumber	Proof Of Delivery Number
QLSReferenceNumber	QLS Reference Number
QualityCode	Quality Code



Element/Attribute	Annotation
	Applicable Codes QualitySource Quality Source RoadWaybill Road Waybill ScanQuality Scan Quality ShipmentReference Shipment Reference ShipperReference Shipper Reference SiteId Site Identification TransportInstructionNumber Transport Instruction Number UniqueConsignmentReferenceNumber Unique Consignment Reference Number VehicleId Vehicle Identification VesselCountryOfRegistration Vessel Country Of Registration VesselId Vessel Identification
	Identifier Type xs:string Use optional General Notes SHIPMENT REFERENCE IDENTIFIER Used for Air&Sea when CustomsEntryNumber is used in SHIPMENT REFERENCE TYPE Examples <References> <ReferenceGroup> <Reference Type="CustomsEntryNumber" Identifier="PermitNumber">123456789</Reference> </ReferenceGroup> </References>
	Applicable Codes AESInternalTransaction AES Internal Transaction Number (ITN) ATACarnet ATA Carnet Certificate Certificate PermitNumber Permit Number Transshipment Transshipment
	CustomFieldType Type xs:string Use optional General Notes STATUS CUSTOM FIELD TYPE Use to be agreed Examples <ReferenceGroup> <Reference Type="QA1.1 Issue Date" CustomFieldType="DateTime">20190709045600</Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="QA1.6 Issue Notes" CustomFieldType="String">SN-TEST</Reference> </ReferenceGroup>
	Applicable Codes Boolean Boolean indicator DateTime Date/Time with format YYYY-MM-DDTHH:MM:SS Decimal Decimal value Integer Integer value String Character string
	Dates Occurrence 0 .. 1 Type DateList General Notes STATUS DATES

Element/Attribute	Annotation
	Examples <Dates> <Date Type="StatusDate" Format="DateTime"> <DateTime>202603031120</DateTime> </Date> </Dates> <Dates> <Date Type="IssueDate" Format="DateTime"> <DateTime>202603031030</DateTime> </Date> </Dates>
xs:sequence	Occurrence 1 .. 1
Date	Occurrence 0 .. unbounded
	Type Date
<i>Type</i>	Type xs:string
	Use required
	General Notes STATUS DATE TYPE
	"IssueDate" to be used when Reference@Type="CustomsEntryNumber" is used and should show the document issue date.
	Applicable Codes
	IssueDate Issue Date
	StatusDate Status Date
<i>Format</i>	Type xs:string
	Use required
	General Notes STATUS DATE FORMAT
	Applicable Codes
	DateTime CCYYMMDDHHMM
	DateTimeSec CCYYMMDDHHMMSS
xs:sequence	Occurrence 1 .. 1
DateTime	Occurrence 0 .. 1
	Type xs:string
	General Notes STATUS DATE/TIME
FreeTextData	Occurrence 0 .. 1
	Type FreeTextList
	General Notes STATUS FREE TEXT
	Examples <FreeTextData> <FreeText Type="GeneralInformation"> <TextLine1>Gen. info Line 1</TextLine1> </FreeText> <FreeText Type="StatusRemarks"> <TextLine1>StatusRemarks Line 1</TextLine1> </FreeText> </FreeTextData>
xs:sequence	Occurrence 1 .. 1
FreeText	Occurrence 0 .. unbounded
	Type FreeText
<i>Type</i>	Type xs:string
	Use required
	General Notes FREE TEXT TYPE
	Applicable Codes
	EventDescription Event Description
	GeneralInformation General Information

Element/Attribute	Annotation
	Applicable Codes
	PassThrough Pass Through StatusRemarks Status Remarks ZEL Status event code IDS
xs:sequence	Occurrence 1 .. 1
DescriptionCode	Occurrence 0 .. 1 Type xs:string General Notes FREE TEXT DESCRIPTION CODE Use to be agreed To be used with FreeText/@Type = "PassThrough"
TextLine1	Occurrence 0 .. 1 Type xs:string General Notes STATUS FREE TEXT LINE 1
TextLine2	Occurrence 0 .. 1 Type xs:string General Notes STATUS FREE TEXT LINE 2
TextLine3	Occurrence 0 .. 1 Type xs:string General Notes STATUS FREE TEXT LINE 3
TextLine4	Occurrence 0 .. 1 Type xs:string General Notes STATUS FREE TEXT LINE 4
TextLine5	Occurrence 0 .. 1 Type xs:string General Notes STATUS FREE TEXT LINE 5
Parties	Occurrence 0 .. 1 Type PartiesList General Notes STATUS PARTIES Examples <Parties> <Party> <PartyDetails Role="AcceptingParty"> </PartyDetails> <Contact Type="GoodsReceivingContact"> <Name>Mickey Mouse</Name> </Contact> </Party> </Parties>
xs:sequence	Occurrence 1 .. 1
Party	Occurrence 0 .. unbounded Type Party
xs:sequence	Occurrence 1 .. 1
PartyDetails	Occurrence 0 .. 1 Type PartyDetails General Notes STATUS PARTY DETAILS
Role	Type xs:string Use required General Notes STATUS PARTY ROLE
Contact	Applicable Codes AcceptingParty Accepting Party Occurrence 0 .. unbounded Type Contact

Element/Attribute	Annotation
	General Notes PARTY CONTACT DETAILS
<i>Type</i>	Type xs:string Use required General Notes PARTY CONTACT TYPE
	Applicable Codes
	GoodsReceivingContact Goods Receiving Contact
xs:sequence	Occurrence 1 .. 1
Name	Occurrence 0 .. 1 Type xs:string General Notes PARTY CONTACT NAME
Phone	Occurrence 0 .. 1 Type xs:string General Notes PARTY CONTACT TELEPHONE NUMBER
Mobile	Occurrence 0 .. 1 Type xs:string General Notes PARTY CONTACT MOBILE PHONE NUMBER
Fax	Occurrence 0 .. 1 Type xs:string General Notes PARTY CONTACT FAX NUMBER
Email	Occurrence 0 .. 1 Type xs:string General Notes PARTY CONTACT E-MAIL ADDRESS
Locations	Occurrence 0 .. 1 Type LocationGroupList General Notes STATUS LOCATIONS
xs:sequence	Occurrence 1 .. 1
LocationGroup	Occurrence 0 .. unbounded Type LocationGroup General Notes STATUS LOCATION
	Examples
	<LocationGroup> <Location Type="StatusLocation"> <LocationIdentification Type="UN"> <LocationIdentifier>DKCPH</LocationIdentifier> <LocationName>Copenhagen</LocationName> </LocationIdentification> <LocationIdentification Type="FacilityType"> <LocationIdentifier>CTO</LocationIdentifier> </LocationIdentification> </Location> </LocationGroup>
xs:sequence	Occurrence 1 .. 1
Location	Occurrence 0 .. 1 Type Location
<i>Type</i>	Type xs:string Use required General Notes STATUS LOCATION TYPE
	Applicable Codes
	StatusLocation Status Location
	ActivityLocation Activity Location
	PlaceOfRegistration Place of Registration
xs:sequence	Occurrence 1 .. 1

Element/Attribute	Annotation
LocationIdentification	Occurrence 1 .. unbounded Type LocationIdentification
<i>Type</i>	Type xs:string General Notes STATUS LOCATION IDENTIFIER TYPE
	Applicable Codes ISOCountry ISO Country Code UN UN location code
xs:sequence	Occurrence 1 .. 1
LocationIdentifier	Occurrence 0 .. 1 Type xs:string General Notes STATUS LOCATION IDENTIFIER
LocationName	Occurrence 0 .. 1 Type xs:string General Notes STATUS LOCATION NAME
LocationIdentification <FacilityType>	Occurrence 1 .. unbounded Type LocationIdentification
<i>Type</i>	Type xs:string General Notes STATUS LOCATION IDENTIFICATION - FACILITY TYPE
	Applicable Codes FacilityType Facility Type
xs:sequence	Occurrence 1 .. 1
LocationIdentifier	Occurrence 0 .. 1 Type xs:string General Notes STATUS LOCATION IDENTIFIER - FACILITY TYPE
	Applicable Codes CNE Consignee CTO Container Terminal CY Container Yard
LocationGroup <ActivityLocation>	Occurrence 0 .. unbounded Type LocationGroup General Notes STATUS LOCATION - ACTIVITY LOCATION
	Examples <pre> <LocationGroup> <Location Type="ActivityLocation"> <LocationIdentification Type="UN"> <LocationIdentifier>DKCPH</LocationIdentifier> <LocationName>Copenhagen</LocationName> </LocationIdentification> </Location> </LocationGroup> </pre>
xs:sequence	Occurrence 1 .. 1
Location	Occurrence 0 .. 1 Type Location
<i>Type</i>	Type xs:string Use required General Notes STATUS LOCATION TYPE
	Applicable Codes ActivityLocation Activity Location
xs:sequence	Occurrence 1 .. 1
LocationIdentification	Occurrence 1 .. unbounded Type LocationIdentification
<i>Type</i>	Type xs:string

Element/Attribute	Annotation
	General Notes STATUS LOCATION IDENTIFIER TYPE - ACTIVITY LOCATION Applicable Codes UN UN Location Code
xs:sequence	Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string General Notes STATUS LOCATION IDENTIFIER - ACTIVITY LOCATION
LocationIdentifier	
LocationName	Occurrence 0 .. 1 Type xs:string General Notes STATUS LOCATION NAME - ACTIVITY LOCATION
LocationGroup <PlaceOfRegistration>	Occurrence 0 .. unbounded Type LocationGroup General Notes STATUS LOCATION - PLACE OF REGISTRATION Examples <LocationGroup> <Location Type="PlaceOfRegistration"> <LocationIdentification Type="Siteld"> <LocationIdentifier>SS123456</LocationIdentifier> <LocationName>MSSE</LocationName> </LocationIdentification> <LocationIdentification Type="Longitude"> <LocationIdentifier>12.52649671</LocationIdentifier> </LocationIdentification> <LocationIdentification Type="Latitude"> <LocationIdentifier>58.12123014</LocationIdentifier> </LocationIdentification> </Location> </LocationGroup>
xs:sequence	Occurrence 1 .. 1 Occurrence 0 .. 1 Type Location
Location	
Type	Type xs:string Use required General Notes STATUS LOCATION TYPE - PLACE OF REGISTRATION Applicable Codes PlaceOfRegistration Place of Registration
xs:sequence	Occurrence 1 .. 1 Occurrence 1 .. unbounded Type LocationIdentification
LocationIdentification	
Type	Type xs:string General Notes STATUS LOCATION IDENTIFIER TYPE - PLACE OF REGISTRATION Applicable Codes Latitude Latitude Longitude Longitude Siteld Site Identifier
xs:sequence	Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string General Notes STATUS LOCATION IDENTIFIER - PLACE OF REGISTRATION
LocationIdentifier	

Element/Attribute	Annotation												
LocationName	Occurrence 0 .. 1 Type xs:string General Notes STATUS LOCATION NAME - PLACE OF REGISTRATION												
TransportStages	Occurrence 0 .. 1 Type TransportStageList General Notes TRANSPORT STAGES Examples <TransportStages> <TransportStage> <Stage Type="MainCarriage"> <ModeOfTransport>Road</ModeOfTransport> </Stage> </TransportStage> </TransportStages>												
xs:sequence	Occurrence 1 .. 1												
TransportStage	Occurrence 0 .. unbounded Type TransportStage												
xs:sequence	Occurrence 1 .. 1												
Stage	Occurrence 0 .. 1 Type Stage												
Type	Type xs:string Use required General Notes TRANSPORT STAGE TYPE Applicable Codes <table> <tr> <td>MainCarriage</td><td>Main type of transportation</td></tr> <tr> <td>PlannedLeg1</td><td>Planned Leg 1</td></tr> <tr> <td>PlannedLeg2</td><td>Planned Leg 2</td></tr> <tr> <td>PlannedLeg3</td><td>Planned Leg 3</td></tr> <tr> <td>PlannedLeg4</td><td>Planned Leg 4</td></tr> <tr> <td>PlannedLeg5</td><td>Planned Leg 5</td></tr> </table>	MainCarriage	Main type of transportation	PlannedLeg1	Planned Leg 1	PlannedLeg2	Planned Leg 2	PlannedLeg3	Planned Leg 3	PlannedLeg4	Planned Leg 4	PlannedLeg5	Planned Leg 5
MainCarriage	Main type of transportation												
PlannedLeg1	Planned Leg 1												
PlannedLeg2	Planned Leg 2												
PlannedLeg3	Planned Leg 3												
PlannedLeg4	Planned Leg 4												
PlannedLeg5	Planned Leg 5												
xs:sequence	Occurrence 1 .. 1												
ModeOfTransport	Occurrence 0 .. 1 Type xs:string General Notes MODE OF TRANSPORT Applicable Codes <table> <tr> <td>Air</td><td>Air Transportation</td></tr> <tr> <td>Rail</td><td>Rail Transportation</td></tr> <tr> <td>Road</td><td>Road Transportation</td></tr> <tr> <td>Sea</td><td>Sea Transportation</td></tr> </table>	Air	Air Transportation	Rail	Rail Transportation	Road	Road Transportation	Sea	Sea Transportation				
Air	Air Transportation												
Rail	Rail Transportation												
Road	Road Transportation												
Sea	Sea Transportation												
TransportId	Occurrence 0 .. 1 Type xs:string General Notes TRANSPORT IDENTIFICATION Air: Flight number Sea: Voyage number Road: Not used												
CarrierId	Occurrence 0 .. 1 Type xs:string General Notes TRANSPORT STAGE CARRIER IDENTIFICATION												
References	Occurrence 0 .. 1 Type ReferenceGroupList General Notes TRANSPORT STAGE REFERENCES												
xs:sequence	Occurrence 1 .. 1												

Element/Attribute	Annotation
ReferenceGroup	Occurrence 0 .. unbounded Type ReferenceGroup
<i>xs:sequence</i>	Occurrence 1 .. 1
Reference	Occurrence 0 .. 1 Type Reference
<i>Type</i>	Type xs:string Use required General Notes TRANSPORT STAGE REFERENCE TYPE
Applicable Codes	
	MasterBill Master Bill
GoodsItems	Occurrence 0 .. 1 Type GoodsItemList General Notes GOODS ITEMS
<i>xs:sequence</i>	Occurrence 1 .. 1
GoodsItem	Occurrence 0 .. unbounded Type GoodsItem
<i>xs:sequence</i>	Occurrence 1 .. 1
Item	Occurrence 0 .. 1 Type Item General Notes ITEM DETAILS
Examples	
<Item> <ItemNumber>1</ItemNumber> <PackageQty>1</PackageQty> <PackageType>CLL</PackageType> </Item>	
<i>xs:sequence</i>	Occurrence 1 .. 1
ItemNumber	Occurrence 0 .. 1 Type xs:string General Notes ITEM NUMBER
PackageQty	Occurrence 0 .. 1 Type xs:string General Notes PACKAGE QUANTITY
PackageType	Occurrence 0 .. 1 Type xs:string General Notes PACKAGE TYPE
Applicable Codes	
UNT	Units *)
PKG	Packages *)
PCE	Pieces *)
BAG	Bag **)
CAN	Can **)
CAS	Case **)
CLL	Colli **)
CON	Pallet Container **)
CRT	Crate **)
CTN	Carton **)
DRM	Drum **)
EUR	Euro Pallet **)
GIB	Gitter Box **)
HPL	Half Pallet **)
IBC	IBC Container **)
IPL	Industry Pallet **)
JCN	Jerry Can **)
LOAD	Load **)

Element/Attribute	Annotation																																																												
	Applicable Codes <table> <tr><td>PLL</td><td>Pallet **)</td></tr> <tr><td>PLT</td><td>Pallet Unspecified **)</td></tr> <tr><td>PXL</td><td>Pallet Extra Large **)</td></tr> <tr><td>QPL</td><td>Quarter Pallet **)</td></tr> <tr><td>UPL</td><td>Odd Size Pallet **)</td></tr> <tr><td>BA</td><td>ADR Bag ***)</td></tr> <tr><td>BG</td><td>Bag ***)</td></tr> <tr><td>BO</td><td>Box ***)</td></tr> <tr><td>CA</td><td>Can ***)</td></tr> <tr><td>CL</td><td>Colli ***)</td></tr> <tr><td>CN</td><td>Pallet Container ***)</td></tr> <tr><td>CP</td><td>Composite Packing ***)</td></tr> <tr><td>CR</td><td>Crate ***)</td></tr> <tr><td>CS</td><td>Case ***)</td></tr> <tr><td>CT</td><td>Carton ***)</td></tr> <tr><td>DR</td><td>Drum ***)</td></tr> <tr><td>EU</td><td>Euro Pallet ***)</td></tr> <tr><td>GI</td><td>Gitter Box ***)</td></tr> <tr><td>HP</td><td>Half Pallet ***)</td></tr> <tr><td>IB</td><td>Intermediate Bulk Container ***)</td></tr> <tr><td>IP</td><td>Package: Industry Pallet ***)</td></tr> <tr><td>JC</td><td>Jerry Can ***)</td></tr> <tr><td>LD</td><td>Load ***)</td></tr> <tr><td>PD</td><td>Pressure Drum ***)</td></tr> <tr><td>PL</td><td>Unspecified Pallet ***)</td></tr> <tr><td>PX</td><td>Pallet Extra Large ***)</td></tr> <tr><td>QP</td><td>Quarter Pallet ***)</td></tr> <tr><td>RL</td><td>Package: Roll ***)</td></tr> <tr><td>SB</td><td>Package: Steel Bottle ***)</td></tr> <tr><td>UP</td><td>Odd size Pallet ***)</td></tr> </table>	PLL	Pallet **)	PLT	Pallet Unspecified **)	PXL	Pallet Extra Large **)	QPL	Quarter Pallet **)	UPL	Odd Size Pallet **)	BA	ADR Bag ***)	BG	Bag ***)	BO	Box ***)	CA	Can ***)	CL	Colli ***)	CN	Pallet Container ***)	CP	Composite Packing ***)	CR	Crate ***)	CS	Case ***)	CT	Carton ***)	DR	Drum ***)	EU	Euro Pallet ***)	GI	Gitter Box ***)	HP	Half Pallet ***)	IB	Intermediate Bulk Container ***)	IP	Package: Industry Pallet ***)	JC	Jerry Can ***)	LD	Load ***)	PD	Pressure Drum ***)	PL	Unspecified Pallet ***)	PX	Pallet Extra Large ***)	QP	Quarter Pallet ***)	RL	Package: Roll ***)	SB	Package: Steel Bottle ***)	UP	Odd size Pallet ***)
PLL	Pallet **)																																																												
PLT	Pallet Unspecified **)																																																												
PXL	Pallet Extra Large **)																																																												
QPL	Quarter Pallet **)																																																												
UPL	Odd Size Pallet **)																																																												
BA	ADR Bag ***)																																																												
BG	Bag ***)																																																												
BO	Box ***)																																																												
CA	Can ***)																																																												
CL	Colli ***)																																																												
CN	Pallet Container ***)																																																												
CP	Composite Packing ***)																																																												
CR	Crate ***)																																																												
CS	Case ***)																																																												
CT	Carton ***)																																																												
DR	Drum ***)																																																												
EU	Euro Pallet ***)																																																												
GI	Gitter Box ***)																																																												
HP	Half Pallet ***)																																																												
IB	Intermediate Bulk Container ***)																																																												
IP	Package: Industry Pallet ***)																																																												
JC	Jerry Can ***)																																																												
LD	Load ***)																																																												
PD	Pressure Drum ***)																																																												
PL	Unspecified Pallet ***)																																																												
PX	Pallet Extra Large ***)																																																												
QP	Quarter Pallet ***)																																																												
RL	Package: Roll ***)																																																												
SB	Package: Steel Bottle ***)																																																												
UP	Odd size Pallet ***)																																																												
Measurements	Occurrence 0 .. 1 Type MeasurementList General Notes GOODS ITEM MEASUREMENTS Examples <pre> <Measurements> <Measurement Type="GrossWeight" Uom="KGM"> <Measure>12.5</Measure> </Measurement> <Measurement Type="LoadingMeters" Uom="MTR"> <Measure>0.3</Measure> </Measurement> <Measurement Type="Volume" Uom="MTQ"> <Measure>0.221</Measure> <Measurement Type="PalletSpaces" Uom="PLL"> <Measure>2</Measure> </Measurement> </Measurements> </pre>																																																												
xs:sequence	Occurrence 1 .. 1																																																												
Measurement	Occurrence 0 .. unbounded Type Measurement																																																												
Type	Type xs:string Use required General Notes GOODS ITEM MEASUREMENT TYPE Applicable Codes <table> <tr><td>GrossWeight</td><td>Gross Weight</td></tr> <tr><td>LoadingMeters</td><td>Loading Meters</td></tr> <tr><td>NetWeight</td><td>Net Weight</td></tr> <tr><td>NumberOfPackages</td><td>Number of Packages</td></tr> </table>	GrossWeight	Gross Weight	LoadingMeters	Loading Meters	NetWeight	Net Weight	NumberOfPackages	Number of Packages																																																				
GrossWeight	Gross Weight																																																												
LoadingMeters	Loading Meters																																																												
NetWeight	Net Weight																																																												
NumberOfPackages	Number of Packages																																																												

Element/Attribute	Annotation
	Applicable Codes PalletSpaces Pallet Spaces Volume Volume
Uom	Type xs:string General Notes GOODS ITEM MEASUREMENT UNIT OF MEASURE
	Applicable Codes KGM Kilograms MTQ Cubic Meters MTR Loading Meters PLL Pallet Spaces
xs:sequence	Occurrence 1 .. 1
Measure	Occurrence 0 .. 1 Type xs:string General Notes GOODS ITEM MEASUREMENT
Dimensions	Occurrence 0 .. 1 Type DimensionsList General Notes GOODS ITEM DIMENSIONS Examples <Dimensions> <Dimension Type="Gross" Uom="MTR"> <Length>1</Length> <Width>2</Width> <Height>3.1</Height> </Dimension> </Dimensions>
xs:sequence	Occurrence 1 .. 1
Dimension	Occurrence 0 .. unbounded Type Dimension
Type	Type xs:string Use required General Notes GOODS ITEM DIMENSIONS TYPE
	Applicable Codes Gross Line Item Gross Dimensions
Uom	Type xs:string General Notes GOODS ITEM DIMENSIONS UNIT OF MEASURE
	Applicable Codes CMT Centimeters MTR Meters
xs:sequence	Occurrence 1 .. 1
Length	Occurrence 0 .. 1 Type xs:string General Notes DIMENSION - LENGTH
Width	Occurrence 0 .. 1 Type xs:string General Notes DIMENSION - WIDTH
Height	Occurrence 0 .. 1 Type xs:string General Notes DIMENSION - HEIGHT
Packagelds	Occurrence 0 .. 1 Type Packagelds General Notes PACKAGE IDENTIFICATION AND MARKINGS

Element/Attribute	Annotation
	Examples <PackageIds> <GoodsIdentities Type="SSCC"> <GoodsIdentifier>00357105322138028411</GoodsIdentifier> </GoodsIdentities> </PackageIds> <PackageIds> <GoodsIdentities Type="SerialNumber"> <GoodsIdentifier>163671311</GoodsIdentifier> <GoodsIdentifier>16487163671663</GoodsIdentifier> </GoodsIdentities> </PackageIds>
xs:sequence	Occurrence 1 .. 1
GoodsIdentities	Occurrence 0 .. unbounded Type GoodsIdentity General Notes PACKAGE BAR CODES
Type	Type xs:string Use required General Notes TYPE OF IDENTIFIER
	Applicable Codes SSCC Serial Shipping Container Code SerialNumber Serial Number
xs:sequence	Occurrence 1 .. 1
GoodsIdentifier	Occurrence 1 .. unbounded Type xs:string General Notes GOODS IDENTIFIER SSCC codes should not include the leading "00" qualifier, length of value should be 18 characters
EquipmentUnits	Occurrence 0 .. 1 Type EquipmentUnitList General Notes EQUIPMENT INFORMATION
xs:sequence	Occurrence 1 .. 1
EquipmentUnit	Occurrence 0 .. unbounded Type EquipmentUnit General Notes EQUIPMENT UNIT DETAILS Examples For containerized sea freight: <EquipmentUnit> <EquipmentType> <Type>Container</Type> <UnitId>MSCU1234567</UnitId> <SizeTypeCode>40GP</SizeTypeCode> <ISOCode>42G0</SizeTypeCode> <FullOrEmptyIndicator>F</FullOrEmptyIndicator> </EquipmentType> </EquipmentUnit>
xs:sequence	Occurrence 1 .. 1
EquipmentType	Occurrence 0 .. 1 Type EquipmentType General Notes EQUIPMENT TYPE INFORMATION
xs:sequence	Occurrence 1 .. 1



Element/Attribute	Annotation
Type	Occurrence 0 .. 1 Type xs:string General Notes EQUIPMENT TYPE Applicable Codes Container Shipping Container EFP Euro Flat Pallet EUR Euro Pallet
UnitId	Occurrence 0 .. 1 Type xs:string General Notes SHIPPING CONTAINER NUMBER
SizeTypeCode	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER SIZE AND TYPE DSV specified Container Type for Shipping Container Applicable Codes 10DC 10 ft General Purpose 10GP_SOC 10 ft Self-powered reefer 12GP 12 ft General Purpose 20DC 20 ft General Purpose 20DC_HT 20 ft Hardtop 20DC_PW 20 ft Pallet Wide 20FR 20 ft Flatrack 20FR_SO 20 ft Flatrack, Shippers Own 20FT MAFI 20 ft MAFI 20GOH 20 ft GOH 20GOHDB 20 ft GOH, Double bar 20GOHSB 20 ft GOH, Single bar 20GOH_SO 20 ft GOH, Shippers Own 20GP 20 ft General Purpose 20GP_FG 20 ft Food Grade 20GP_SO 20 ft General Purpose, Shippers Own 20HC 20 ft High Cube 20HCRE 20 ft High Cube Reefer 20HCRE_SO 20 ft High Cube Reefer, Shippers Own 20HC_PW 20 ft High Cube, Pallet Wide 20HC_SO 20 ft High Cube, Shippers Own 20HC_UV 20 ft High Cube, Upper Vents 20NOR 20 ft Self-powered reefer 20OT 20 ft Open Top 20OT_SO 20 ft Open Top, Shippers Own 20PL 20 ft Platform 20RE 20 ft Reefer 20SH 20 ft HQ Steel 20TC 20 ft Tank 20TC_SO 20 ft Tank, Shippers Own 22T0 20 ft Tank 30FT MAFI 30 ft MAFI 40RT 40 ft Roll Trailer 40DC 40 ft General Purpose 40DC_HT 40 ft Hardtop 40DC_PW 40 ft Pallet Wide 40DDL_HC 40 ft High Cube, Double Door 40DDL_HCSO 40 ft High Cube, Double Door, Shippers Own 40FR 40 ft Flatrack 40FR_SO 40 ft Flatrack, Shippers Own



Element/Attribute	Annotation																																																																														
	Applicable Codes <table> <tr><td>40FT MAFI</td><td>40 ft MAFI</td></tr> <tr><td>40GOH</td><td>40 ft GOH</td></tr> <tr><td>40GOHDB</td><td>40 ft GOH, Double Bar</td></tr> <tr><td>40GOHSB</td><td>40 ft GOH, Single Bar</td></tr> <tr><td>40GP</td><td>40 ft General Purpose</td></tr> <tr><td>40GP_FG</td><td>40 ft Food Grade</td></tr> <tr><td>40GP_SO</td><td>40 ft General Purpose, Shippers Own</td></tr> <tr><td>40HC</td><td>40 ft High Cube</td></tr> <tr><td>40HCGOHDB</td><td>40 ft High Cube, GOH, Double Bar</td></tr> <tr><td>40HCGOHSB</td><td>40 ft High Cube, GOH, Single Bar</td></tr> <tr><td>40HC_FG</td><td>40 ft High Cube, Food Grade</td></tr> <tr><td>40HC_FR</td><td>40 ft High Cube, Platform based</td></tr> <tr><td>40HC_GOH</td><td>40 ft High Cube GOH</td></tr> <tr><td>40HC_HT</td><td>40 ft High Cube, Hardtop</td></tr> <tr><td>40HC_OT</td><td>40 ft High Cube, Open Top</td></tr> <tr><td>40HC_OT_SO</td><td>40 ft Hig Cube, Open Top, Open End</td></tr> <tr><td>40HC_PW</td><td>40 ft High Cube, Pallet Wide</td></tr> <tr><td>40HC_SO</td><td>40ft High Cube, Shippers Own</td></tr> <tr><td>40NOR</td><td>40 ft High Cube, self powered Reefer</td></tr> <tr><td>40OT</td><td>40 ft Open Top</td></tr> <tr><td>40OTS</td><td>40 ft Open Top and Side</td></tr> <tr><td>40OT_OE</td><td>40 ft Open Top and End</td></tr> <tr><td>40OT_SO</td><td>40 ft Open Top, Shippers Own</td></tr> <tr><td>40OT_SO_MO</td><td>40 ft Open Top, Shippers Own, Coil Carrier</td></tr> <tr><td>40PL</td><td>40 ft Platform</td></tr> <tr><td>40RE</td><td>40 ft Reefer</td></tr> <tr><td>40REHC</td><td>40 ft High Cube Reefer</td></tr> <tr><td>40SH</td><td>40 ft HQ Steel</td></tr> <tr><td>40SRACK</td><td>40 ft Adjustable Flat Rack</td></tr> <tr><td>45GPHC</td><td>45 ft High Cube, Pallet wide</td></tr> <tr><td>45HC</td><td>45 ft High Cube</td></tr> <tr><td>45HC_SO</td><td>45 ft High Cube, Shippers Own</td></tr> <tr><td>45REHC</td><td>45 ft High Cube Reefer</td></tr> <tr><td>48FR</td><td>48 ft Dropdeck Flatbed</td></tr> <tr><td>50 FT MAFI</td><td>50 ft MAFI</td></tr> <tr><td>53HC</td><td>53 ft High Cube</td></tr> <tr><td>53ST</td><td>53 ft Air Ride Dry Van</td></tr> <tr><td>60RT</td><td>60 ft Roll Trailer</td></tr> <tr><td>60FT MAFI</td><td>60 ft MAFI</td></tr> </table>	40FT MAFI	40 ft MAFI	40GOH	40 ft GOH	40GOHDB	40 ft GOH, Double Bar	40GOHSB	40 ft GOH, Single Bar	40GP	40 ft General Purpose	40GP_FG	40 ft Food Grade	40GP_SO	40 ft General Purpose, Shippers Own	40HC	40 ft High Cube	40HCGOHDB	40 ft High Cube, GOH, Double Bar	40HCGOHSB	40 ft High Cube, GOH, Single Bar	40HC_FG	40 ft High Cube, Food Grade	40HC_FR	40 ft High Cube, Platform based	40HC_GOH	40 ft High Cube GOH	40HC_HT	40 ft High Cube, Hardtop	40HC_OT	40 ft High Cube, Open Top	40HC_OT_SO	40 ft Hig Cube, Open Top, Open End	40HC_PW	40 ft High Cube, Pallet Wide	40HC_SO	40ft High Cube, Shippers Own	40NOR	40 ft High Cube, self powered Reefer	40OT	40 ft Open Top	40OTS	40 ft Open Top and Side	40OT_OE	40 ft Open Top and End	40OT_SO	40 ft Open Top, Shippers Own	40OT_SO_MO	40 ft Open Top, Shippers Own, Coil Carrier	40PL	40 ft Platform	40RE	40 ft Reefer	40REHC	40 ft High Cube Reefer	40SH	40 ft HQ Steel	40SRACK	40 ft Adjustable Flat Rack	45GPHC	45 ft High Cube, Pallet wide	45HC	45 ft High Cube	45HC_SO	45 ft High Cube, Shippers Own	45REHC	45 ft High Cube Reefer	48FR	48 ft Dropdeck Flatbed	50 FT MAFI	50 ft MAFI	53HC	53 ft High Cube	53ST	53 ft Air Ride Dry Van	60RT	60 ft Roll Trailer	60FT MAFI	60 ft MAFI
40FT MAFI	40 ft MAFI																																																																														
40GOH	40 ft GOH																																																																														
40GOHDB	40 ft GOH, Double Bar																																																																														
40GOHSB	40 ft GOH, Single Bar																																																																														
40GP	40 ft General Purpose																																																																														
40GP_FG	40 ft Food Grade																																																																														
40GP_SO	40 ft General Purpose, Shippers Own																																																																														
40HC	40 ft High Cube																																																																														
40HCGOHDB	40 ft High Cube, GOH, Double Bar																																																																														
40HCGOHSB	40 ft High Cube, GOH, Single Bar																																																																														
40HC_FG	40 ft High Cube, Food Grade																																																																														
40HC_FR	40 ft High Cube, Platform based																																																																														
40HC_GOH	40 ft High Cube GOH																																																																														
40HC_HT	40 ft High Cube, Hardtop																																																																														
40HC_OT	40 ft High Cube, Open Top																																																																														
40HC_OT_SO	40 ft Hig Cube, Open Top, Open End																																																																														
40HC_PW	40 ft High Cube, Pallet Wide																																																																														
40HC_SO	40ft High Cube, Shippers Own																																																																														
40NOR	40 ft High Cube, self powered Reefer																																																																														
40OT	40 ft Open Top																																																																														
40OTS	40 ft Open Top and Side																																																																														
40OT_OE	40 ft Open Top and End																																																																														
40OT_SO	40 ft Open Top, Shippers Own																																																																														
40OT_SO_MO	40 ft Open Top, Shippers Own, Coil Carrier																																																																														
40PL	40 ft Platform																																																																														
40RE	40 ft Reefer																																																																														
40REHC	40 ft High Cube Reefer																																																																														
40SH	40 ft HQ Steel																																																																														
40SRACK	40 ft Adjustable Flat Rack																																																																														
45GPHC	45 ft High Cube, Pallet wide																																																																														
45HC	45 ft High Cube																																																																														
45HC_SO	45 ft High Cube, Shippers Own																																																																														
45REHC	45 ft High Cube Reefer																																																																														
48FR	48 ft Dropdeck Flatbed																																																																														
50 FT MAFI	50 ft MAFI																																																																														
53HC	53 ft High Cube																																																																														
53ST	53 ft Air Ride Dry Van																																																																														
60RT	60 ft Roll Trailer																																																																														
60FT MAFI	60 ft MAFI																																																																														
ISOCode	Occurrence 0 .. 1 Type xs:string General Notes SHIPPING CONTAINER ISO CODE The list provided here is not the complete ISO list, only commonly used codes. Applicable Codes <table> <tr><td>12G1</td><td>10 ft General Purpose</td></tr> <tr><td>22G0</td><td>20 ft General Purpose</td></tr> <tr><td>22G1</td><td>20 ft General Purpose</td></tr> <tr><td>22K8</td><td>20 ft Pressurized Tank</td></tr> <tr><td>22P0</td><td>20 ft Platform</td></tr> <tr><td>22R0</td><td>20 ft Reefer</td></tr> <tr><td>22U0</td><td>20ft Open top</td></tr> <tr><td>24G0</td><td>20 ft High Cube General Purpose</td></tr> <tr><td>24R0</td><td>20 ft High Cube Reefer</td></tr> <tr><td>42G0</td><td>40 ft General Purpose</td></tr> <tr><td>42P1</td><td>40 ft Platform</td></tr> </table>	12G1	10 ft General Purpose	22G0	20 ft General Purpose	22G1	20 ft General Purpose	22K8	20 ft Pressurized Tank	22P0	20 ft Platform	22R0	20 ft Reefer	22U0	20ft Open top	24G0	20 ft High Cube General Purpose	24R0	20 ft High Cube Reefer	42G0	40 ft General Purpose	42P1	40 ft Platform																																																								
12G1	10 ft General Purpose																																																																														
22G0	20 ft General Purpose																																																																														
22G1	20 ft General Purpose																																																																														
22K8	20 ft Pressurized Tank																																																																														
22P0	20 ft Platform																																																																														
22R0	20 ft Reefer																																																																														
22U0	20ft Open top																																																																														
24G0	20 ft High Cube General Purpose																																																																														
24R0	20 ft High Cube Reefer																																																																														
42G0	40 ft General Purpose																																																																														
42P1	40 ft Platform																																																																														



Element/Attribute	Annotation
FullOrEmptyIndicator	Applicable Codes
	42R1 40 ft Reefer
	42U1 40 ft Open Top
	42U6 40 ft Open Top
	42U9 40 ft Open Top, Coil Carrier
	45G0 40 ft High Cube General Purpose
	45R0 40 ft High Cube, non-operating Reefer
	45R1 40 ft High cube Reefer
	45R9 40 ft High cube, self powered Reefer
	45U6 40 ft High Cube, Open Top
	Occurrence 0 .. 1
	Type xs:string
	General Notes SHIPPING CONTAINER FULL OR EMPTY
	Recommended for Container Status Updates
	Applicable Codes
	F Full Container
	E Empty Container