



Message Implementation Guideline

DSV_TransportMessage

Model: DSV TRANSPORT XML V2 Out
Version: v2.2
Issue date: 2026-08-31
Author: DSV A/S, EDI

2 Change Log	2
3 Structure.....	6
4 Guideline	19



Change Log

No	Changes
01	Date (YYYY-MM-DD) 2019-10-22 Author DSV A/S, EDI SRQ v1.0 Tag TermsOfDelivery Path DSV_TransportMessage/Transport/Shipments/Shipment/TermsOfDelivery Change Description DSV Example Notes updated with IncoTerms. Codes for IncoTerms and CombiTerms added in CodeId.
02	Date (YYYY-MM-DD) 2021-04-21 Author DSV Panalpina A/S, EDI SRQ v1.4 Tag EquipmentUnits Path DSV_TransportMessage/Transport/EquipmentUnits Change Description Enabled Dates in /DSV_TransportMessage/Transport/EquipmentUnits for Container dates.
03	Date (YYYY-MM-DD) 2021-05-10 Author DSV A/S, EDI SRQ v1.4 Tag References Path DSV_TransportMessage/Transport/TransportStages/TransportStage/Parties/Party/References Change Description Enabled References for Parties in TransportStages.
04	Date (YYYY-MM-DD) 2021-05-10 Author DSV A/S, EDI SRQ v1.4 Tag Dates Path DSV_TransportMessage/Transport/EquipmentUnits/EquipmentUnit/Dates Change Description Enabled Dates for Equipments.
05	Date (YYYY-MM-DD) 2021-05-10 Author DSV A/S, EDI SRQ v1.4 Tag ControlTotals Path DSV_TransportMessage/Transport/Shipments/Shipment/ControlTotals Change Description Enabled NumberOfInnerPackages for Shipments.
06	Date (YYYY-MM-DD) 2021-05-10 Author DSV A/S, EDI SRQ v1.4 Tag References Path DSV_TransportMessage/Transport/Shipments/Shipment/Parties/Party/References Change Description Enabled References for Parties in Shipments.
07	Date (YYYY-MM-DD) 2021-09-21 Author DSV A/S, EDI SRQ v1.6 Tag Type Path DSV_TransportMessage/Transport/FreeTextData/FreeText/@Type Change Description Enabled "TransportInstructions" as FreeText@Type.
08	Date (YYYY-MM-DD) 2021-09-21 Author DSV A/S, EDI SRQ v1.6

Change Log

No	Changes	
	Tag	Type
	Path	DSV_TransportMessage/Transport/References/ReferenceGroup/Reference/@Type
	Change Description	Enabled "WorkCategory" as Reference@Type.
09	Date (YYYY-MM-DD)	2021-09-21
	Author	DSV A/S, EDI
	SRQ	v1.6
	Tag	Type
	Path	DSV_TransportMessage/Transport/Shipments/Shipment/References/ReferenceGroup/Reference/@Type
	Change Description	Enabled "WorkCategory" as Reference@Type.
10	Date (YYYY-MM-DD)	2021-09-21
	Author	DSV A/S, EDI
	SRQ	v1.6
	Tag	GoodsItems
	Path	DSV_TransportMessage/Transport/Shipments/Shipment/GoodsItems
	Change Description	There can be a second repeat of GoodsItem group with ItemNumber="0", which will contain information populated for Solutions transport messages.
11	Date (YYYY-MM-DD)	2021-09-21
	Author	DSV A/S, EDI
	SRQ	v1.6
	Tag	Type
	Path	DSV_TransportMessage/Transport/Shipments/Shipment/GoodsItems/GoodsItem/FreeTextData/FreeText/@Type
	Change Description	Enabled "SaidToContain" as FreeTextType
12	Date (YYYY-MM-DD)	2021-09-21
	Author	DSV A/S, EDI
	SRQ	v1.6
	Tag	Type
	Path	DSV_TransportMessage/Transport/Shipments/Shipment/GoodsItems/GoodsItem/Dimensions/Dimension/@Type
	Change Description	Enabled "GoodsItemsDimensions" as Dimension@Type.
13	Date (YYYY-MM-DD)	2021-09-21
	Author	DSV A/S, EDI
	SRQ	v1.6
	Tag	Type
	Path	DSV_TransportMessage/Transport/Shipments/Shipment/GoodsItems/GoodsItem/References/ReferenceGroup/Reference/@Type
	Change Description	Enabled "WorkCategory" as Reference@Type.
14	Date (YYYY-MM-DD)	2021-09-21
	Author	DSV A/S, EDI
	SRQ	v1.6
	Tag	Type
	Path	DSV_TransportMessage/Transport/Shipments/Shipment/GoodsItems/GoodsItem/DangerousGoodsDetails/DangerousGoodsDetail/FreeTextData/FreeText/@Type
	Change Description	Enabled "UNPackagingCode", "ClassificationCode" as FreeTextType
15	Date (YYYY-MM-DD)	2021-09-21
	Author	DSV A/S, EDI
	SRQ	v1.6

Change Log

No	Changes	
	Tag	GoodsItem <PackageList>
	Path	DSV_TransportMessage/Transport/Shipments/Shipment/GoodsItems/ GoodsItem<PackageList>
	Change Description	There can be a second repeat of GoodsItem group with ItemNumber= "0", which will contain information populated for Solutions transport messages.
16	Date (YYYY-MM-DD)	2021-09-21
	Author	DSV A/S, EDI
	SRQ	v1.6
	Tag	Type
	Path	DSV_TransportMessage/Transport/Shipments/Shipment/GoodsItems/ GoodsItem<PackageList>/Dimensions/Dimension/@Type
	Change Description	Enabled "GoodsItemsDimensions" as Dimension@Type.
17	Date (YYYY-MM-DD)	2021-11-29
	Author	DSV A/S, EDI
	SRQ	v1.7
	Tag	Type
	Path	DSV_TransportMessage/Transport/References/ReferenceGroup/Reference/@Type
	Change Description	Enabled "PaymentType" as Reference@Type
18	Date (YYYY-MM-DD)	2021-11-29
	Author	DSV A/S, EDI
	SRQ	v1.7
	Tag	References
	Path	DSV_TransportMessage/Transport/EquipmentUnits/EquipmentUnit/References
	Change Description	Enabled Equipment References
19	Date (YYYY-MM-DD)	2021-11-29
	Author	DSV A/S, EDI
	SRQ	v1.7
	Tag	TemperatureControl
	Path	DSV_TransportMessage/Transport/EquipmentUnits/EquipmentUnit/ TemperatureControl
	Change Description	Enabled EquipmentUnit/TemperatureControl
20	Date (YYYY-MM-DD)	2021-11-29
	Author	DSV A/S, EDI
	SRQ	v1.7
	Tag	ItemType
	Path	DSV_TransportMessage/Transport/Shipments/Shipment/GoodsItems/GoodsItem/ ProductIds/ProductId/ItemType
	Change Description	Enabled ItemType CommodityCode
21	Date (YYYY-MM-DD)	2022-11-08
	Author	DSV A/S
	SRQ	v1.7
	Tag	Measurements
	Path	DSV_TransportMessage/Transport/EquipmentUnits/EquipmentUnit/Measurements
	Change Description	Enabled EquipmentUnit/Measurements for Container Weights
22	Date (YYYY-MM-DD)	2024-11-14
	Author	DSV A/S, EDI
	SRQ	v1.8
	Tag	MonetaryAmounts



Change Log

No	Changes	
23	Path	DSV_TransportMessage/Transport/Shipments/Shipment/MonetaryAmounts
	Change Description	Enabled MonetaryAmounts for COD.
	Date (YYYY-MM-DD)	2026-06-01
24	Author	DSV A/S, EDI
	SRQ	V2.2
	Tag	Requirements
25	Path	DSV_TransportMessage/Transport/Requirements
	Change Description	Enabled Requirements for Documents.
	Date (YYYY-MM-DD)	2026-06-01
26	Author	DSV A/S, EDI
	SRQ	V2.2
	Tag	RangeDetails
27	Path	DSV_TransportMessage/Transport/EquipmentUnits/EquipmentUnit/RangeDetails
	Change Description	Enabled RangeDetails for Equipment.
	Date (YYYY-MM-DD)	2026-06-01
28	Author	DSV A/S, EDI
	SRQ	V2.2
	Tag	Parties
29	Path	DSV_TransportMessage/Transport/EquipmentUnits/EquipmentUnit/Parties
	Change Description	Enabled PartyDetails for Equipment.
	Date (YYYY-MM-DD)	2026-06-01
30	Author	DSV A/S, EDI
	SRQ	V2.2
	Tag	ContainerNumber
31	Path	DSV_TransportMessage/Transport/Shipments/Shipment/Goodsltems/Goodsltem/ContainerNumber
	Change Description	Enabled Container number.
	Date (YYYY-MM-DD)	2026-06-01
32	Author	DSV A/S, EDI
	SRQ	V2.2
	Tag	PackageList
33	Path	DSV_TransportMessage/Transport/Shipments/Shipment/Goodsltems/Goodsltem/PackageList
	Change Description	Enabled PackageList.
	Date (YYYY-MM-DD)	2026-06-01
34	Author	DSV A/S, EDI
	SRQ	V2.2
	Tag	InnerGoodsItems
35	Path	DSV_TransportMessage/Transport/Shipments/Shipment/Goodsltems/Goodsltem/InnerGoodsItems
	Change Description	Enabled InnerGoodsItems.
	Date (YYYY-MM-DD)	2026-06-01

Structure

Occurrence	Element/Attribute
	DSV_TransportMessage
1 .. 1	xs:sequence
1 .. 1	Header
1 .. 1	xs:sequence
1 .. 1	MessageId
1 .. 1	SenderId
1 .. 1	ReceiverId
1 .. 1	DocumentDate
required	<i>Type</i>
required	<i>Format</i>
1 .. 1	xs:sequence
0 .. 1	DateTime
1 .. 1	DocumentCode
1 .. 1	Function
1 .. 1	Version
1 .. 1	Transport
1 .. 1	xs:sequence
1 .. 1	TransportId
0 .. 1	Dates
1 .. 1	xs:sequence
0 .. unbounded	Date
required	<i>Type</i>
required	<i>Format</i>
1 .. 1	xs:sequence
0 .. 1	DateTime
0 .. 1	FreeTextData
1 .. 1	xs:sequence
0 .. unbounded	FreeText
required	<i>Type</i>
1 .. 1	xs:sequence
0 .. 1	TextLine1
0 .. 1	TextLine2
0 .. 1	TextLine3
0 .. 1	TextLine4
0 .. 1	TextLine5
0 .. 1	ControlTotals
1 .. 1	xs:sequence
0 .. unbounded	ControlTotal
required	<i>Type</i>
	<i>Uom</i>
1 .. 1	xs:sequence
0 .. 1	Quantity
0 .. 1	References
1 .. 1	xs:sequence
0 .. unbounded	ReferenceGroup
1 .. 1	xs:sequence
0 .. 1	Reference
required	<i>Type</i>
optional	<i>CustomFieldType</i>

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

DSV public

Occurrence	Element/Attribute
0 .. 1	Requirements
1 .. 1	xs:sequence
0 .. unbounded	Requirement
1 .. 1	xs:sequence
0 .. 1	Documents
1 .. 1	xs:sequence
0 .. unbounded	Document
1 .. 1	xs:sequence
0 .. 1	DocumentCode
0 .. 1	DocumentCopies
0 .. 1	DocumentOriginals
0 .. 1	TransportStages
1 .. 1	xs:sequence
0 .. unbounded	TransportStage
1 .. 1	xs:sequence
0 .. 1	Stage
required	Type
1 .. 1	xs:sequence
0 .. 1	ModeOfTransport
0 .. 1	TransportId
0 .. 1	CarrierId
0 .. 1	CarrierName
0 .. 1	TransportType
0 .. 1	TransportMeansName
0 .. 1	TransportMeansNationality
0 .. 1	Dates
1 .. 1	xs:sequence
0 .. unbounded	Date
required	Type
required	Format
1 .. 1	xs:sequence
0 .. 1	DateTime
0 .. 1	TransportServices
1 .. 1	xs:sequence
0 .. unbounded	TransportService
1 .. 1	xs:sequence
0 .. 1	ServiceCode
0 .. 1	PriorityCode
0 .. 1	Locations
1 .. 1	xs:sequence
0 .. unbounded	LocationGroup
1 .. 1	xs:sequence
0 .. 1	Location
required	Type
1 .. 1	xs:sequence
1 .. unbounded	LocationIdentification
1 .. 1	Type
xs:sequence	
0 .. 1	LocationIdentifier
0 .. 1	LocationName
0 .. 1	Parties

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

DSV public

Occurrence	Element/Attribute
1 .. 1	xs:sequence
0 .. unbounded	Party
1 .. 1	xs:sequence
0 .. 1	PartyDetails
required	Role
1 .. 1	xs:sequence
0 .. 1	Id
0 .. 1	PartyName
0 .. 1	AddressLine1
0 .. 1	AddressLine2
0 .. 1	AddressLine3
0 .. 1	CityName
0 .. 1	State
0 .. 1	PostCode
0 .. 1	CountryCode
0 .. 1	Locations
1 .. 1	xs:sequence
0 .. unbounded	LocationGroup
1 .. 1	xs:sequence
0 .. 1	Location
required	Type
1 .. 1	xs:sequence
1 .. unbounded	LocationIdentification
	Type
1 .. 1	xs:sequence
0 .. 1	LocationIdentifier
0 .. unbounded	Contact
required	Type
1 .. 1	xs:sequence
0 .. 1	Name
0 .. 1	Phone
0 .. 1	Mobile
0 .. 1	Fax
0 .. 1	Email
0 .. 1	References
1 .. 1	xs:sequence
0 .. unbounded	ReferenceGroup
1 .. 1	xs:sequence
0 .. 1	Reference
required	Type
optional	Identifier
0 .. 1	EquipmentUnits
1 .. 1	xs:sequence
0 .. unbounded	EquipmentUnit
1 .. 1	xs:sequence
0 .. 1	EquipmentType
1 .. 1	xs:sequence
0 .. 1	Type
0 .. 1	UnitId
0 .. 1	SizeTypeCode
0 .. 1	ISOCODE

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

DSV public

Occurrence	Element/Attribute
0 .. 1	PackingMode
0 .. 1	NumberOfUnits
0 .. 1	Measurements
1 .. 1	xs:sequence
0 .. unbounded required	Measurement
	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Measure
0 .. 1	SealIds
1 .. 1	xs:sequence
0 .. unbounded	Seal
1 .. 1	xs:sequence
0 .. 1	SealId
0 .. 1	SealParty
0 .. 1	References
1 .. 1	xs:sequence
0 .. unbounded	ReferenceGroup
1 .. 1	xs:sequence
0 .. 1 required	Reference
	Type
0 .. 1	Dates
1 .. 1	xs:sequence
0 .. unbounded required required	Date
	Type
	Format
1 .. 1	xs:sequence
0 .. 1	DateTime
0 .. 1	TransportMovements
1 .. 1	xs:sequence
0 .. unbounded optional	TransportMovement
1 .. 1	Type
0 .. 1	xs:sequence
0 .. 1	Code
0 .. 1	Description
0 .. 1 required	TemperatureControl
	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Fixed
0 .. 1	HumidityPercentage
0 .. 1 required	RangeDetails
	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Minimum
0 .. 1	Maximum
0 .. 1	Parties
1 .. 1	xs:sequence
0 .. unbounded	Party
1 .. 1	xs:sequence

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

DSV public



Occurrence	Element/Attribute
0 .. 1 required	PartyDetails
1 .. 1	Role
0 .. 1	xs:sequence
0 .. 1	Id
0 .. 1	Assignor
0 .. 1	PartyName
0 .. 1	AddressLine1
0 .. 1	AddressLine2
0 .. 1	AddressLine3
0 .. 1	CityName
0 .. 1	State
0 .. 1	PostCode
0 .. 1	CountryCode
0 .. 1	Shipments
1 .. 1	xs:sequence
0 .. unbounded	Shipment
1 .. 1	xs:sequence
0 .. 1	ShipmentId
0 .. 1	Dates
1 .. 1	xs:sequence
0 .. unbounded	Date
required	Type
required	Format
1 .. 1	xs:sequence
0 .. 1	DateTime
0 .. 1	TransportServices
1 .. 1	xs:sequence
0 .. unbounded	ServiceGroup
1 .. 1	xs:sequence
0 .. 1	TransportService
1 .. 1	xs:sequence
0 .. 1	ServiceCode
0 .. 1	PriorityCode
0 .. 1	TransportService <AdditionalServices>
1 .. 1	xs:sequence
0 .. 1	ServiceCode
0 .. 1	TransportService <Road BDS AdditionalServices>
1 .. 1	xs:sequence
0 .. 1	ServiceCode
0 .. 1	MonetaryAmounts
1 .. 1	xs:sequence
0 .. unbounded	MonetaryAmount
required	Type
1 .. 1	xs:sequence
0 .. 1	Amount
0 .. 1	Currency
0 .. 1	FreeTextData
1 .. 1	xs:sequence
0 .. unbounded	FreeText
required	Type
1 .. 1	xs:sequence

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

DSV public

Occurrence	Element/Attribute
0 .. 1	TextLine1
0 .. 1	TextLine2
0 .. 1	TextLine3
0 .. 1	TextLine4
0 .. 1	TextLine5
0 .. 1	ControlTotals
1 .. 1	xs:sequence
0 .. unbounded required	ControlTotal
1 .. 1	Type
0 .. 1	Uom
1 .. 1	xs:sequence
0 .. 1	Quantity
0 .. 1	TermsOfDelivery
1 .. 1	xs:sequence
0 .. 1	Terms
1 .. 1	xs:sequence
0 .. 1	TermsCode
0 .. 1	CodeId
0 .. unbounded required	Location
1 .. 1	Type
1 .. 1	xs:sequence
1 .. unbounded	LocationIdentification
1 .. 1	Type
0 .. 1	xs:sequence
0 .. 1	LocationIdentifier
0 .. 1	LocationName
0 .. 1	References
1 .. 1	xs:sequence
0 .. unbounded	ReferenceGroup
1 .. 1	xs:sequence
0 .. 1	Reference
required	Type
optional	CustomFieldType
0 .. 1	Requirements
1 .. 1	xs:sequence
0 .. unbounded	Requirement
1 .. 1	xs:sequence
0 .. 1	GovernmentalRequirements
1 .. 1	xs:sequence
0 .. 1	TransportMovementCode
0 .. 1	InvolvementCode
0 .. 1	Documents
1 .. 1	xs:sequence
0 .. unbounded	Document
1 .. 1	xs:sequence
0 .. 1	DocumentCode
0 .. 1	DocumentCopies
0 .. 1	DocumentOriginals
0 .. 1	ChargeMethodology
1 .. 1	xs:sequence
0 .. unbounded	PaymentInstructions

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

DSV public

Occurrence	Element/Attribute
1 .. 1	xs:sequence
0 .. 1	PaymentInstruction
1 .. 1	xs:sequence
0 .. 1	PaymentCode
0 .. 1	TransportStages
1 .. 1	xs:sequence
0 .. unbounded	TransportStage
1 .. 1	xs:sequence
0 .. 1	Stage
required	Type
1 .. 1	xs:sequence
0 .. 1	ModeOfTransport
0 .. 1	TransportId
0 .. 1	CarrierId
0 .. 1	CarrierName
0 .. 1	TransportType
0 .. 1	TransportMeansName
0 .. 1	TransportMeansNationality
0 .. 1	Dates
1 .. 1	xs:sequence
0 .. unbounded	Date
required	Type
required	Format
1 .. 1	xs:sequence
0 .. 1	DateTime
0 .. 1	Locations
1 .. 1	xs:sequence
0 .. unbounded	LocationGroup
1 .. 1	xs:sequence
0 .. 1	Location
required	Type
1 .. 1	xs:sequence
1 .. unbounded	LocationIdentification
	Type
1 .. 1	xs:sequence
0 .. 1	LocationIdentifier
0 .. 1	LocationName
0 .. 1	References
1 .. 1	xs:sequence
0 .. unbounded	ReferenceGroup
1 .. 1	xs:sequence
0 .. 1	Reference
required	Type
0 .. 1	Parties
1 .. 1	xs:sequence
0 .. unbounded	Party
1 .. 1	xs:sequence
0 .. 1	PartyDetails
required	Role
1 .. 1	xs:sequence
0 .. 1	Id

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

DSV public

Occurrence	Element/Attribute
0 .. 1	PartyName
0 .. 1	AddressLine1
0 .. 1	AddressLine2
0 .. 1	AddressLine3
0 .. 1	CityName
0 .. 1	State
0 .. 1	PostCode
0 .. 1	CountryCode
0 .. 1	Locations
1 .. 1	xs:sequence
0 .. unbounded	LocationGroup
1 .. 1	xs:sequence
0 .. 1	Location
required	Type
1 .. 1	xs:sequence
1 .. unbounded	LocationIdentification
	Type
1 .. 1	xs:sequence
0 .. 1	LocationIdentifier
0 .. unbounded	Contact
required	Type
1 .. 1	xs:sequence
0 .. 1	Name
0 .. 1	Phone
0 .. 1	Mobile
0 .. 1	Fax
0 .. 1	Email
0 .. 1	References
1 .. 1	xs:sequence
0 .. unbounded	ReferenceGroup
1 .. 1	xs:sequence
0 .. 1	Reference
required	Type
0 .. 1	GoodsItems
1 .. 1	xs:sequence
0 .. unbounded	GoodsItem
1 .. 1	xs:sequence
0 .. 1	Item
1 .. 1	xs:sequence
0 .. 1	ItemNumber
0 .. 1	PackageQty
0 .. 1	PackageType
0 .. 1	HandlingInstructions
1 .. 1	xs:sequence
0 .. unbounded	HandlingInstruction
1 .. 1	xs:sequence
0 .. 1	Code
0 .. 1	Description
0 .. 1	RangeDetails
required	Type
	Uom

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

DSV public

Occurrence	Element/Attribute
1 .. 1	xs:sequence
0 .. 1	Minimum
0 .. 1	Maximum
0 .. 1	Locations
1 .. 1	xs:sequence
0 .. unbounded	LocationGroup
1 .. 1	xs:sequence
0 .. 1	Location
required	Type
1 .. 1	xs:sequence
1 .. unbounded	LocationIdentification
	Type
1 .. 1	xs:sequence
0 .. 1	LocationIdentifier
0 .. 1	MonetaryAmounts
1 .. 1	xs:sequence
0 .. unbounded	MonetaryAmount
required	Type
1 .. 1	xs:sequence
0 .. 1	Amount
0 .. 1	Currency
0 .. 1	ProductIds
1 .. 1	xs:sequence
0 .. unbounded	ProductId
required	Type
1 .. 1	xs:sequence
0 .. 1	ItemId
0 .. 1	ItemType
0 .. 1	FreeTextData
1 .. 1	xs:sequence
0 .. unbounded	FreeText
required	Type
1 .. 1	xs:sequence
0 .. 1	DescriptionCode
0 .. 1	TextLine1
0 .. 1	TextLine2
0 .. 1	TextLine3
0 .. 1	TextLine4
0 .. 1	TextLine5
0 .. 1	Measurements
1 .. 1	xs:sequence
0 .. unbounded	Measurement
required	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Measure
0 .. 1	Dimensions
1 .. 1	xs:sequence
0 .. unbounded	Dimension
required	Type
	Uom

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

DSV public

Occurrence	Element/Attribute
1 .. 1	xs:sequence
0 .. 1	Length
0 .. 1	Width
0 .. 1	Height
0 .. 1	NumberOfUnits
0 .. 1	References
1 .. 1	xs:sequence
0 .. unbounded	ReferenceGroup
1 .. 1	xs:sequence
0 .. 1	Reference
required	Type
0 .. 1	Packagelds
1 .. 1	xs:sequence
0 .. unbounded	Packageld
1 .. 1	xs:sequence
1 .. 1	InstructionCode
0 .. 1	Marks
1 .. 1	xs:sequence
1 .. unbounded	ShippingMark
0 .. unbounded	GoodsIdentities
required	Type
1 .. 1	xs:sequence
1 .. unbounded	GoodsIdentifier
0 .. 1	GoodsPlacementIds
1 .. 1	xs:sequence
1 .. unbounded	GoodsPlacementId
0 .. 1	DangerousGoodsDetails
1 .. 1	xs:sequence
0 .. unbounded	DangerousGoodsDetail
1 .. 1	xs:sequence
0 .. 1	DangerousGoods
1 .. 1	xs:sequence
0 .. 1	Regulation
0 .. 1	HazardClass
0 .. 1	AdditionalHazardClass
0 .. 1	HazardVersionId
0 .. 1	UNDGNumber
0 .. 1	FlashPointDescription
0 .. 1	FlashPointTemperature
	FlashpointUom
0 .. 1	DangerLevelCode
0 .. 1	EMSNumber
0 .. 1	MFAGNumber
0 .. 1	TremCardNumber
0 .. 1	UpperPlate
0 .. 1	LowerPlate
0 .. 1	Labels
1 .. 1	xs:sequence
1 .. 4	Label
0 .. 1	PackingInstruction
0 .. 1	TransportMeansCode

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

DSV public

Occurrence	Element/Attribute
0 .. 1	TunnelCode
0 .. 1	FreeTextData
1 .. 1	xs:sequence
0 .. unbounded required	FreeText
1 .. 1	Type
0 .. 1	xs:sequence
0 .. 1	TextLine1
0 .. 1	TextLine2
0 .. 1	TextLine3
0 .. 1	TextLine4
0 .. 1	TextLine5
0 .. 1	Measurements
1 .. 1	xs:sequence
0 .. unbounded required	Measurement
1 .. 1	Type
0 .. 1	Uom
0 .. 1	xs:sequence
0 .. 1	Measure
0 .. 1	ContainerNumber
0 .. 1	PackageList
1 .. 1	xs:sequence
0 .. unbounded	PackageGroup
1 .. 1	xs:sequence
0 .. 1	Package
1 .. 1	xs:sequence
0 .. 1	PackageId
0 .. 1	PackageCode
0 .. 1	Measurements
1 .. 1	xs:sequence
0 .. unbounded required	Measurement
1 .. 1	Type
0 .. 1	Uom
0 .. 1	xs:sequence
0 .. 1	Measure
0 .. 1	Dimensions
1 .. 1	xs:sequence
0 .. unbounded required	Dimension
1 .. 1	Type
0 .. 1	Uom
0 .. 1	xs:sequence
0 .. 1	Length
0 .. 1	Width
0 .. 1	Height
0 .. 1	NumberOfUnits
0 .. 1	References
1 .. 1	xs:sequence
0 .. unbounded	ReferenceGroup
1 .. 1	xs:sequence
0 .. 1 required optional	Reference
	Type
	Identifier

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

DSV public

Occurrence	Element/Attribute
0 .. 1	Flags
1 .. 1	xs:sequence
0 .. unbounded	Flag
	Type
0 .. 1	InnerGoodsItems
1 .. 1	xs:sequence
0 .. unbounded	InnerGoodsItem
1 .. 1	xs:sequence
0 .. 1	Item
1 .. 1	xs:sequence
0 .. 1	Sequence
0 .. 1	ItemNumber
0 .. 1	PackageQty
0 .. 1	PackageType
0 .. unbounded	GoodsItem <PackageList>
1 .. 1	xs:sequence
0 .. 1	Item
1 .. 1	xs:sequence
0 .. 1	ItemNumber
0 .. 1	PackageQty
0 .. 1	PackageType
0 .. 1	Measurements
1 .. 1	xs:sequence
0 .. unbounded	Measurement
required	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Measure
0 .. 1	Dimensions
1 .. 1	xs:sequence
0 .. unbounded	Dimension
required	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Length
0 .. 1	Width
0 .. 1	Height
0 .. 1	NumberOfUnits
0 .. 1	References
1 .. 1	xs:sequence
0 .. unbounded	ReferenceGroup
1 .. 1	xs:sequence
0 .. 1	Reference
required	Type
0 .. 1	Packagelds
1 .. 1	xs:sequence
0 .. unbounded	GoodsIdentities
required	Type
1 .. 1	xs:sequence
1 .. unbounded	GoodsIdentifier
0 .. 1	EquipmentUnits

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

DSV public



Occurrence	Element/Attribute
1 .. 1	xs:sequence
0 .. unbounded	EquipmentUnit
1 .. 1	xs:sequence
0 .. 1	EquipmentType
1 .. 1	xs:sequence
0 .. 1	Type
0 .. 1	UnitId
0 .. 1	SizeTypeCode
0 .. 1	ISOCODE
0 .. 1	NumberOfUnits
0 .. 1	SealIds
1 .. 1	xs:sequence
0 .. unbounded	Seal
1 .. 1	xs:sequence
0 .. 1	SealId
0 .. 1	SealParty

Guideline

Element/Attribute	Annotation
DSV_TransportMessage	
xs:sequence	Occurrence 1 .. 1
Header	Occurrence 1 .. 1 Type Header General Notes MESSAGE HEADER Examples <Header> <Messageld>12485236</Messageld> <SenderId>SenderIdIdentification</SenderId> <ReceiverId>ReceiverIdIdentification</ReceiverId> <DocumentDate Type="DocumentDate" Format="DateTime"> <DateTime>202605311300</DateTime> </DocumentDate> <DocumentCode>TransportMessage</DocumentCode> <Function>New</Function> <Version>2.0</Version> </Header>
xs:sequence	Occurrence 1 .. 1
Messageld	Occurrence 1 .. 1 Type xs:string General Notes MESSAGE IDENTIFIER
SenderId	Occurrence 1 .. 1 Type xs:string General Notes SENDER IDENTIFICATION Mutually agreed
ReceiverId	Occurrence 1 .. 1 Type xs:string General Notes RECEIVER IDENTIFICATION Mutually agreed
DocumentDate	Occurrence 1 .. 1 Type Date
<i>Type</i>	Type xs:string Use required General Notes DOCUMENT / MESSAGE DATE TYPE Applicable Codes
<i>Format</i>	IssueDate Document Issued Date Type xs:string Use required General Notes DOCUMENT / MESSAGE DATE FORMAT Applicable Codes
	DateTime CCYYMMDDHHMM DateTimeSec CCYYMMDDHHMMSS
xs:sequence	Occurrence 1 .. 1
DateTime	Occurrence 0 .. 1 Type xs:string General Notes DOCUMENT / MESSAGE DATE/TIME
DocumentCode	Occurrence 1 .. 1 Type xs:string General Notes DOCUMENT TYPE Applicable Codes
	TransportMessage Transport Message Instruction

Bold = Element, *Italic* = Attribute, Grey = Group

DSV_public



Element/Attribute	Annotation
Function	Occurrence 1 .. 1 Type xs:string General Notes DOCUMENT/MESSAGE FUNCTION Applicable Codes Delete Delete New New Update Update
Version	Occurrence 1 .. 1 Type xs:string General Notes MESSAGE VERSION Applicable Codes 2.0 Version 2.0
Transport	Occurrence 1 .. 1 Type Transport
xs:sequence	Occurrence 1 .. 1
TransportId	Occurrence 1 .. 1 Type xs:string General Notes TRANSPORT IDENTIFIER Waybill number or another reference to the message.
Dates	Occurrence 0 .. 1 Type DateList General Notes TRANSPORT DATES Examples <Dates> <Date Type="IssueDate" Format="DateTime"> <DateTime>202606010900</DateTime> </Date> </Dates>
xs:sequence	Occurrence 1 .. 1
Date	Occurrence 0 .. unbounded Type Date
<i>Type</i>	Type xs:string Use required General Notes DOCUMENT ISSUED DATE TYPE Applicable Codes IssueDate Document Issued Date
<i>Format</i>	Type xs:string Use required General Notes DOCUMENT ISSUED DATE FORMAT Applicable Codes DateTimeSec CCYYMMDDHHMMss
xs:sequence	Occurrence 1 .. 1
DateTime	Occurrence 0 .. 1 Type xs:string General Notes DOCUMENT ISSUED DATE
FreeTextData	Occurrence 0 .. 1 Type FreeTextList General Notes TRANSPORT FREE TEXT Examples <FreeTextData> <FreeText Type="DeliveryInstructions"> <TextLine1>DeliveryInstructions Text Line 1</TextLine1>

Element/Attribute	Annotation												
	Examples <TextLine2>DeliveryInstructions Text Line 2</TextLine2> <TextLine3>DeliveryInstructions Text Line 3</TextLine3> <TextLine4>DeliveryInstructions Text Line 4</TextLine4> <TextLine5>DeliveryInstructions Text Line 5</TextLine5> </FreeText> <FreeText Type="HandlingInstructions"> <TextLine1>Handling Instructions Text Line 1</TextLine1> </FreeText> <FreeText Type="PickupInstructions"> <TextLine1>Pickup Instructions Text Line 1</TextLine1> </FreeText> </FreeTextData>												
xs:sequence	Occurrence 1 .. 1												
FreeText	Occurrence 0 .. unbounded												
	Type FreeText												
<i>Type</i>	Type xs:string												
	Use required												
	General Notes TRANSPORT FREE TEXT TYPE												
	Predefined Types listed, additional FreeText types to be agreed												
	Applicable Codes <table> <tr> <td>DeliveryInstructions</td><td>Delivery Instructions</td></tr> <tr> <td>GeneralInformation</td><td>General information</td></tr> <tr> <td>PickupInstructions</td><td>Pickup Instructions</td></tr> <tr> <td>SpecialHandling</td><td>Special Handling</td></tr> <tr> <td>SpecialInstructions</td><td>Special Instructions</td></tr> <tr> <td>TransportInstructions</td><td>Transport instructions</td></tr> </table>	DeliveryInstructions	Delivery Instructions	GeneralInformation	General information	PickupInstructions	Pickup Instructions	SpecialHandling	Special Handling	SpecialInstructions	Special Instructions	TransportInstructions	Transport instructions
DeliveryInstructions	Delivery Instructions												
GeneralInformation	General information												
PickupInstructions	Pickup Instructions												
SpecialHandling	Special Handling												
SpecialInstructions	Special Instructions												
TransportInstructions	Transport instructions												
xs:sequence	Occurrence 1 .. 1												
TextLine1	Occurrence 0 .. 1												
	Type xs:string												
	General Notes TRANSPORT FREE TEXT LINE 1												
TextLine2	Occurrence 0 .. 1												
	Type xs:string												
	General Notes TRANSPORT FREE TEXT LINE 2												
TextLine3	Occurrence 0 .. 1												
	Type xs:string												
	General Notes TRANSPORT FREE TEXT LINE 3												
TextLine4	Occurrence 0 .. 1												
	Type xs:string												
	General Notes TRANSPORT FREE TEXT LINE 4												
TextLine5	Occurrence 0 .. 1												
	Type xs:string												
	General Notes TRANSPORT FREE TEXT LINE 5												
ControlTotals	Occurrence 0 .. 1												
	Type ControlTotalList												
	General Notes TRANSPORT CONTROL TOTALS												
	Examples <ControlTotals> <ControlTotal Type="GrossWeight" Uom="KGM"> <Quantity>101.01</Quantity> </ControlTotal> <ControlTotal Type="Volume" Uom="MTQ">												

Element/Attribute	Annotation
	Examples <Quantity>2</Quantity> </ControlTotal> <ControlTotal Type="LoadingMeters" Uom="MTR"> <Quantity>12</Quantity> </ControlTotal> <ControlTotal Type="TotalNumberOfConsignments"> <Quantity>3</Quantity> </ControlTotal> </ControlTotals>
xs:sequence	Occurrence 1 .. 1
ControlTotal	Occurrence 0 .. unbounded Type ControlTotal
Type	Type xs:string Use required General Notes CONTROL TOTAL TYPE
	Applicable Codes ChargeableWeight Chargeable Weight GrossWeight GrossWeight LoadingMeters Loading Meters NumberOfPackages NumberOfPackages TotalNumberOfConsignments Total number of consignments Volume Volume
Uom	Type xs:string General Notes QUANTITY UNIT OF MEASURE
	Applicable Codes KGM Kilogram MTQ Cubic meters MTR Meters PCE Pieces
xs:sequence	Occurrence 1 .. 1
Quantity	Occurrence 0 .. 1 Type xs:string General Notes TRANSPORT QUANTITY
References	Occurrence 0 .. 1 Type ReferenceGroupList General Notes TRANSPORT REFERENCES
	Examples <References> <ReferenceGroup> <Reference Type="CargoManifestNo">CM1</Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="MasterBill">1234567890</Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="TransportInstructionNumber">TIN1</Reference> </ReferenceGroup> </References>
xs:sequence	Occurrence 1 .. 1
ReferenceGroup	Occurrence 0 .. unbounded Type ReferenceGroup
xs:sequence	Occurrence 1 .. 1
Reference	Occurrence 0 .. 1 Type Reference

Element/Attribute	Annotation
Type	Type xs:string Use required General Notes TRANSPORT REFERENCE TYPE Predefined Types listed, additional reference types to be agreed
CustomFieldType	Applicable Codes BookingReference Carrier Booking Reference CargoManifestNo Cargo manifest number, Transport Id ContractNumber Contract Number ExternalReference External reference customer reference number MasterBill Master bill of lading number PaymentType Payment Type TransportInstructionNumber Transport instruction number WorkCategory Work category
Requirements	Occurrence 0 .. 1 Type RequirementList
xs:sequence	Occurrence 1 .. 1
Requirement	Occurrence 0 .. unbounded Type Requirement
xs:sequence	Occurrence 1 .. 1
Documents	Occurrence 0 .. 1 Type DocumentList
xs:sequence	Occurrence 1 .. 1
Document	Occurrence 0 .. unbounded Type Document
xs:sequence	Occurrence 1 .. 1
DocumentCode	Occurrence 0 .. 1 Type xs:string Applicable Codes EBL Non-negotiable maritime transport document OBO Original Bill - Surrendered at origin OBP Original BL - Print at destination OBR Bill of lading original T1 Despatch note model T1 T2 Despatch note model T2 T2L Despatch note model T2L T5 Control document T5
DocumentCopies	Occurrence 0 .. 1 Type xs:string
DocumentOriginals	Occurrence 0 .. 1 Type xs:string
TransportStages	Occurrence 0 .. 1 Type TMMTransportStageList General Notes TRANSPORT - TRANSPORT STAGES
xs:sequence	Occurrence 1 .. 1
TransportStage	Occurrence 0 .. unbounded Type TMMTransportStage
xs:sequence	Occurrence 1 .. 1



Element/Attribute	Annotation														
Stage	Occurrence 0 .. 1 Type Stage General Notes TRANSPORTATION STAGE Examples <pre><Stage Type="MainCarriage"> <ModeOfTransport>Road</ModeOfTransport> </Stage></pre> <pre><Stage Type="MainCarriage"> <ModeOfTransport>Sea</ModeOfTransport> <TransportId>017W</TransportId> <CarrierId>61616161</CarrierId> <CarrierName>Carrier name</CarrierName> <TransportType>Main</TransportType> <TransportMeansName>Vessel Name</TransportMeansName> <TransportMeansNationality>PA</TransportMeansNationality> </Stage></pre> <pre><Stage Type="MainCarriage"> <ModeOfTransport>Air</ModeOfTransport> <TransportId>LH123</TransportId> <CarrierId>61616161</CarrierId> <CarrierName>Carrier name</CarrierName> <TransportType>Main</TransportType> </Stage></pre>														
Type	Type xs:string Use required General Notes TRANSPORTATION STAGE TYPE <table> <tr> <th colspan="2">Applicable Codes</th></tr> <tr> <td>MainCarriage</td><td>Main-carriage transport</td></tr> <tr> <td>PlannedLeg1</td><td>Main carriage - first carrier</td></tr> <tr> <td>PlannedLeg2</td><td>Main carriage - second carrier</td></tr> <tr> <td>PlannedLeg3</td><td>Main carriage - third carrier</td></tr> <tr> <td>PlannedLeg4</td><td>Main carriage - fourth carrier</td></tr> <tr> <td>PlannedLeg5</td><td>Main carriage - fifth carrier</td></tr> </table>	Applicable Codes		MainCarriage	Main-carriage transport	PlannedLeg1	Main carriage - first carrier	PlannedLeg2	Main carriage - second carrier	PlannedLeg3	Main carriage - third carrier	PlannedLeg4	Main carriage - fourth carrier	PlannedLeg5	Main carriage - fifth carrier
Applicable Codes															
MainCarriage	Main-carriage transport														
PlannedLeg1	Main carriage - first carrier														
PlannedLeg2	Main carriage - second carrier														
PlannedLeg3	Main carriage - third carrier														
PlannedLeg4	Main carriage - fourth carrier														
PlannedLeg5	Main carriage - fifth carrier														
xs:sequence	Occurrence 1 .. 1														
ModeOfTransport	Occurrence 0 .. 1 Type xs:string General Notes MODE OF TRANSPORTATION <table> <tr> <th colspan="2">Applicable Codes</th></tr> <tr> <td>Air</td><td>Air Transport</td></tr> <tr> <td>Rail</td><td>Rail Transport</td></tr> <tr> <td>Road</td><td>Road Transport</td></tr> <tr> <td>Sea</td><td>Sea Transport</td></tr> </table>	Applicable Codes		Air	Air Transport	Rail	Rail Transport	Road	Road Transport	Sea	Sea Transport				
Applicable Codes															
Air	Air Transport														
Rail	Rail Transport														
Road	Road Transport														
Sea	Sea Transport														
TransportId	Occurrence 0 .. 1 Type xs:string General Notes TRANSPORT IDENTIFICATION Air: Flight number Sea: Voyage number Road: Not used														
CarrierId	Occurrence 0 .. 1 Type xs:string General Notes CARRIER IDENTIFICATION Air & Sea: DSV carrier identifier Road: Not used														



Element/Attribute	Annotation												
CarrierName	Occurrence 0 .. 1 Type xs:string General Notes CARRIER NAME Road: Not used												
TransportType	Occurrence 0 .. 1 Type xs:string General Notes TRANSPORT TYPE Road: Not used Applicable Codes <table> <tr><td>Flight1</td><td>First flight</td></tr> <tr><td>Flight2</td><td>Second flight</td></tr> <tr><td>Flight3</td><td>Third flight</td></tr> <tr><td>Flight4</td><td>Fourth flight</td></tr> <tr><td>Main</td><td>Main Carriage</td></tr> <tr><td>Other</td><td>Other</td></tr> </table>	Flight1	First flight	Flight2	Second flight	Flight3	Third flight	Flight4	Fourth flight	Main	Main Carriage	Other	Other
Flight1	First flight												
Flight2	Second flight												
Flight3	Third flight												
Flight4	Fourth flight												
Main	Main Carriage												
Other	Other												
TransportMeansName	Occurrence 0 .. 1 Type xs:string General Notes TRANSPORT MEANS NAME Sea: Vessel Name Air & Road: Not used												
TransportMeansNationality	Occurrence 0 .. 1 Type xs:string General Notes TRANSPORT MEANS NATIONALITY Sea: Vessel flag Air & Road: Not used												
Dates	Occurrence 0 .. 1 Type DateList General Notes TRANSPORTATION DATES Examples <Dates> <Date Type="EstimatedDeparture" Format="Date"> <DateTime>20260601</DateTime> </Date> <Date Type="EstimatedArrival" Format="DateTimeSec"> <DateTime>201903011200</DateTime> </Date> </Dates>												
xs:sequence	Occurrence 1 .. 1												
Date	Occurrence 0 .. unbounded Type Date												
Type	Type xs:string Use required General Notes TRANSPORTATION DATE TYPE Applicable Codes <table> <tr><td>ActualArrival</td><td>Transport means arrival date time, actual</td></tr> <tr><td>ActualDeparture</td><td>Transport means departure date/ time, actual</td></tr> <tr><td>ScheduledArrival</td><td>Transport means arrival date/time, scheduled</td></tr> <tr><td>ScheduledDeparture</td><td>Transport means departure date/ time, scheduled</td></tr> <tr><td>ScheduledTransportArrival</td><td>Transport means arrival date/time, scheduled</td></tr> <tr><td>ScheduledTransportDeparture</td><td>Transport means departure date/</td></tr> </table>	ActualArrival	Transport means arrival date time, actual	ActualDeparture	Transport means departure date/ time, actual	ScheduledArrival	Transport means arrival date/time, scheduled	ScheduledDeparture	Transport means departure date/ time, scheduled	ScheduledTransportArrival	Transport means arrival date/time, scheduled	ScheduledTransportDeparture	Transport means departure date/
ActualArrival	Transport means arrival date time, actual												
ActualDeparture	Transport means departure date/ time, actual												
ScheduledArrival	Transport means arrival date/time, scheduled												
ScheduledDeparture	Transport means departure date/ time, scheduled												
ScheduledTransportArrival	Transport means arrival date/time, scheduled												
ScheduledTransportDeparture	Transport means departure date/												



Element/Attribute	Annotation
	Applicable Codes
	time, scheduled
<i>Format</i>	Type xs:string Use required General Notes TRANSPORTATION DATE FORMAT
	Applicable Codes
	DateTimeInterval CCYYMMDDHHMM-CCYYMMDDHHMM DateTimeSec CCYYMMDDHHMMss
xs:sequence	Occurrence 1 .. 1
DateTime	Occurrence 0 .. 1 Type xs:string General Notes TRANSPORTATION DATE/TIME
TransportServices	Occurrence 0 .. 1 Type TMMTransportServiceList General Notes TRANSPORT SERVICES REQUIRED First occurrence will contain Main Service Additional services will be provided in subsequent occurrences Examples <TransportServices> <TransportService> <ServiceCode>Road_LTL</ServiceCode> <PriorityCode>Normal</PriorityCode> </TransportService> <TransportService> <ServiceCode>Before16</ServiceCode> </TransportService> </TransportServices>
xs:sequence	Occurrence 1 .. 1
TransportService	Occurrence 0 .. unbounded Type TransportService
xs:sequence	Occurrence 1 .. 1
ServiceCode	Occurrence 0 .. 1 Type xs:string General Notes TYPE OF SERVICE REQUIRED Applicable Codes Air_IATA Air - IATA Air_LSE Air - LSE Before10 Express 10:00 Before12 Express 12:00 Before16 Express 16:00 Before7 Express 07:00 Crane Crane required loading or unloading or both FCL Full Container Load FTL Full Truckload HAZ Hazardous goods InNightproduct InNight product LCL Less Than Container Load LSE Air - LSE LTL Less Than Truckload Lift Tail lift Notification Notify OMEX Omex service goods



Element/Attribute	Annotation
	Applicable Codes PersonalDeliveryService Personal delivery service PreAdvice Pre-advice ePallet E-service pallet eParcel E-service parcel
PriorityCode	Occurrence 0 .. 1 Type xs:string General Notes SERVICE PRIORITY CODE Only provided for Main Service (First TransportService)
	Applicable Codes Express Express Service HighSpeed High Speed Service Normal Normal Service
Locations	Occurrence 0 .. 1 Type LocationGroupList General Notes TRANSPORTATION LOCATIONS Examples For Road Freight: <pre> <Locations> <LocationGroup> <Location Type="Departure"> <LocationIdentification Type="DSVBookingOffice"> <LocationIdentifier>SEMMA</LocationIdentifier> <LocationName>SEMMA</LocationName> </LocationIdentification> </Location> </LocationGroup> <LocationGroup> <Location Type="Destination"> <LocationIdentification Type="DSVDestinationOffice"> <LocationIdentifier>DKHOR</LocationIdentifier> <LocationName>DKHOR</LocationName> </LocationIdentification> </Location> </LocationGroup> </Locations> </pre> For Air & Sea Freight: <pre> <Locations> <LocationGroup> <Location Type="Departure"> <LocationIdentification Type="UN"> <LocationIdentifier>SEMMA</LocationIdentifier> <LocationName>Malmo</LocationName> </LocationIdentification> </Location> </LocationGroup> <LocationGroup> <Location Type="Destination"> <LocationIdentification Type="UN"> <LocationIdentifier>DKHOR</LocationIdentifier> <LocationName>Horsens</LocationName> </LocationIdentification> </Location> </LocationGroup> </Locations> </pre>
xs:sequence	Occurrence 1 .. 1



Element/Attribute	Annotation
LocationGroup	Occurrence 0 .. unbounded Type LocationGroup
xs:sequence	Occurrence 1 .. 1
Location	Occurrence 0 .. 1 Type Location
Type	Type xs:string Use required General Notes TRANSPORTATION LOCATION TYPE
	Applicable Codes Departure Place of Departure Destination Place of Destination PlaceOfConsolidation Place of Consolidation PlaceOfDeconsolidation Place of Deconsolidation PlaceOfLoading Place of Loading PlaceOfUnloading Place of Unloading
xs:sequence	Occurrence 1 .. 1
LocationIdentification	Occurrence 1 .. unbounded Type LocationIdentification General Notes LOCATION IDENTIFICATION
Type	Type xs:string General Notes LOCATION IDENTIFIER TYPE
	Applicable Codes DSVBookingOffice DSV Booking Office (Only used for CargoLink Road Freight) DSVBranch DSV Branch (Only used for Air, Sea & Rail) DSVDepartment DSV Department (Only used for Air, Sea & Rail) IATA IATA airport code ISOCountry Originating Country ISO Code (Only used for Air, Sea & Rail) UN UN Location code
xs:sequence	Occurrence 1 .. 1
LocationIdentifier	Occurrence 0 .. 1 Type xs:string General Notes LOCATION IDENTIFIER
LocationName	Occurrence 0 .. 1 Type xs:string General Notes LOCATION NAME
Parties	Occurrence 0 .. 1 Type PartiesList General Notes TRANSPORT PARTIES
xs:sequence	Occurrence 1 .. 1
Party	Occurrence 0 .. unbounded Type Party
xs:sequence	Occurrence 1 .. 1
PartyDetails	Occurrence 0 .. 1 Type PartyDetails General Notes PARTY DETAILS
	Examples <PartyDetails Role="ShipFrom"> <Id>ShipFromID</Id> <PartyName>Ship From Name</PartyName> <AddressLine1>Ship From Addr Line 1</AddressLine1>

Element/Attribute	Annotation
	Examples <AddressLine2>Ship From Addr Line 2</AddressLine2> <AddressLine3>Ship From Addr Line 3</AddressLine3> <CityName>Ship From City</CityName> <State>SF State</State> <PostCode>PostCd</PostCode> <CountryCode>DK</CountryCode> </PartyDetails>
Role	Type xs:string Use required General Notes PARTY ROLE
	Applicable Codes
	Carrier Carrier Consolidator Consolidator Creditor Creditor Deconsolidator Deconsolidator DeliveryLocalCartage Delivery Haulier FreightForwarder Freight Forwarder PickupLocalCartage Pickup Haulier ShipFrom Ship From ShipTo Ship To
xs:sequence	Occurrence 1 .. 1
Id	Occurrence 0 .. 1 Type xs:string General Notes PARTY IDENTIFIER
PartyName	Occurrence 0 .. 1 Type xs:string General Notes PARTY NAME
AddressLine1	Occurrence 0 .. 1 Type xs:string General Notes PARTY ADDRESS LINE 1
AddressLine2	Occurrence 0 .. 1 Type xs:string General Notes PARTY ADDRESS LINE 2
AddressLine3	Occurrence 0 .. 1 Type xs:string General Notes PARTY ADDRESS LINE 3
CityName	Occurrence 0 .. 1 Type xs:string General Notes PARTY CITY NAME
State	Occurrence 0 .. 1 Type xs:string General Notes PARTY STATE OR PROVINCE
PostCode	Occurrence 0 .. 1 Type xs:string General Notes PARTY POSTAL OR ZIP CODE
CountryCode	Occurrence 0 .. 1 Type xs:string General Notes PARTY ISO COUNTRY CODE
Locations	Occurrence 0 .. 1 Type LocationGroupList

Element/Attribute	Annotation
	General Notes PARTY PHYSICAL LOCATION Examples <Locations> <LocationGroup> <Location Type="PhysicalLocation"> <LocationIdentification Type="UN"> <LocationIdentifier>DKHOR</LocationIdentifier> </LocationIdentification> </Location> </LocationGroup> </Locations>
xs:sequence	Occurrence 1 .. 1
LocationGroup	Occurrence 0 .. unbounded Type LocationGroup
xs:sequence	Occurrence 1 .. 1
Location	Occurrence 0 .. 1 Type Location
Type	Type xs:string Use required
	General Notes PHYSICAL LOCATION TYPE
	Applicable Codes
	PhysicalLocation Place of Physical Location
xs:sequence	Occurrence 1 .. 1
LocationIdentification	Occurrence 1 .. unbounded Type LocationIdentification
Type	Type xs:string
	General Notes PHYSICAL LOCATION IDENTIFIER TYPE
	Applicable Codes
	UN UN Location code
xs:sequence	Occurrence 1 .. 1
LocationIdentifier	Occurrence 0 .. 1 Type xs:string
	General Notes PHYSICAL LOCATION IDENTIFIER
Contact	Occurrence 0 .. unbounded Type Contact
	General Notes PARTY CONTACT DETAILS
	Examples <Contact Type="InformationContact"> <Name>Contact name</Name> <Phone>Contact Phone</Phone> <Mobile>Contact Mobile</Mobile> <Fax>Contact Fax</Fax> <Email>Contact Email</Email> </Contact>
Type	Type xs:string Use required
	General Notes PARTY CONTACT TYPE
	Applicable Codes
	InformationContact Information Contact
xs:sequence	Occurrence 1 .. 1
Name	Occurrence 0 .. 1 Type xs:string
	General Notes PARTY CONTACT NAME

Element/Attribute	Annotation														
Phone	Occurrence 0 .. 1 Type xs:string General Notes PARTY CONTACT TELEPHONE NUMBER														
Mobile	Occurrence 0 .. 1 Type xs:string General Notes PARTY CONTACT MOBILE NUMBER														
Fax	Occurrence 0 .. 1 Type xs:string General Notes PARTY CONTACT FAX NUMBER														
Email	Occurrence 0 .. 1 Type xs:string General Notes PARTY CONTACT EMAIL ADDRESS														
References	Occurrence 0 .. 1 Type ReferenceGroupList General Notes PARTY REFERENCES Examples <References> <ReferenceGroup> <Reference Type="VATRegistrationNumber" >1234567890</ Reference> </ReferenceGroup> </References>														
xs:sequence	Occurrence 1 .. 1														
ReferenceGroup	Occurrence 0 .. unbounded Type ReferenceGroup														
xs:sequence	Occurrence 1 .. 1														
Reference	Occurrence 0 .. 1 Type Reference General Notes PARTY REFERENCE														
<i>Type</i>	Type xs:string Use required General Notes PARTY REFERENCE TYPE Applicable Codes <table> <tr> <td>EORI</td> <td>Economic Operators Registration Identification (EORI)</td> </tr> <tr> <td>GovernmentBusinessCode</td> <td>Government Business Code</td> </tr> <tr> <td>GovernmentCorporationCode</td> <td>Government Corporation Code</td> </tr> <tr> <td>GovernmentVATCode</td> <td>Government VAT Code</td> </tr> <tr> <td>RFCTaxIdentificationNumber</td> <td>RFC Tax Identification Number</td> </tr> <tr> <td>VATGovernmentBusinessCode</td> <td>Party VAT Government Business Code</td> </tr> <tr> <td>VATRegistrationNumber</td> <td>VAT Registration id number</td> </tr> </table>	EORI	Economic Operators Registration Identification (EORI)	GovernmentBusinessCode	Government Business Code	GovernmentCorporationCode	Government Corporation Code	GovernmentVATCode	Government VAT Code	RFCTaxIdentificationNumber	RFC Tax Identification Number	VATGovernmentBusinessCode	Party VAT Government Business Code	VATRegistrationNumber	VAT Registration id number
EORI	Economic Operators Registration Identification (EORI)														
GovernmentBusinessCode	Government Business Code														
GovernmentCorporationCode	Government Corporation Code														
GovernmentVATCode	Government VAT Code														
RFCTaxIdentificationNumber	RFC Tax Identification Number														
VATGovernmentBusinessCode	Party VAT Government Business Code														
VATRegistrationNumber	VAT Registration id number														
<i>Identifier</i>	Type xs:string Use optional														
EquipmentUnits	Occurrence 0 .. 1 Type EquipmentUnitList General Notes EQUIPMENT UNITS														
xs:sequence	Occurrence 1 .. 1														
EquipmentUnit	Occurrence 0 .. unbounded Type EquipmentUnit General Notes EQUIPMENT UNIT DETAILS														

Element/Attribute	Annotation												
	Examples For EUR pallet road freight: <pre> <EquipmentUnit> <EquipmentType> <Type>EFP</Type> </EquipmentType> <NumberOfUnits>3</NumberOfUnits> </EquipmentUnit> </pre> For containerized sea freight: <pre> <EquipmentUnit> <EquipmentType> <Type>Container</Type> <UnitId>MSCU1234567</UnitId> <SizeTypeCode>40GP</SizeTypeCode> </EquipmentType> <Measurements> <Measurement Type="Weight" Uom="KGM"> <Measure>1001.01</Measure> </Measurement> </Measurements> <SealIds> <Seal> <SealId>Seal1</SealId> <SealParty>Shipper</SealParty> </Seal> </SealIds> </EquipmentUnit> </pre>												
xs:sequence	Occurrence 1 .. 1												
EquipmentType	Occurrence 0 .. 1 Type EquipmentType General Notes EQUIPMENT TYPE INFORMATION												
xs:sequence	Occurrence 1 .. 1												
Type	Occurrence 0 .. 1 Type xs:string General Notes EQUIPMENT TYPE												
	Applicable Codes <table> <tr> <td>Container</td><td>Container</td></tr> <tr> <td>EFP</td><td>Euro flat pallet</td></tr> <tr> <td>EUR</td><td>Euro pallet</td></tr> <tr> <td>Trailer</td><td>Trailer</td></tr> </table>	Container	Container	EFP	Euro flat pallet	EUR	Euro pallet	Trailer	Trailer				
Container	Container												
EFP	Euro flat pallet												
EUR	Euro pallet												
Trailer	Trailer												
UnitId	Occurrence 0 .. 1 Type xs:string General Notes SHIPPING CONTAINER NUMBER												
SizeTypeCode	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER SIZE AND TYPE DSV specified Container Type for Shipping Container												
	Applicable Codes <table> <tr> <td>20GP</td><td>20 ft General Purpose</td></tr> <tr> <td>20RE</td><td>20 ft Reefer</td></tr> <tr> <td>40GP</td><td>40 ft General Purpose</td></tr> <tr> <td>40HC</td><td>40 ft High Cube</td></tr> <tr> <td>40NOR</td><td>40 ft high Cube, self powered Reefer</td></tr> <tr> <td>40RE</td><td>40 ft Reefer</td></tr> </table>	20GP	20 ft General Purpose	20RE	20 ft Reefer	40GP	40 ft General Purpose	40HC	40 ft High Cube	40NOR	40 ft high Cube, self powered Reefer	40RE	40 ft Reefer
20GP	20 ft General Purpose												
20RE	20 ft Reefer												
40GP	40 ft General Purpose												
40HC	40 ft High Cube												
40NOR	40 ft high Cube, self powered Reefer												
40RE	40 ft Reefer												

Element/Attribute	Annotation
ISOCode	Applicable Codes
	40REHC 40 ft High Cube Reefer
	45HC 45 ft High Cube General Purpose
	Occurrence 0 .. 1 Type xs:string General Notes SHIPPING CONTAINER ISO CODE
PackingMode	Applicable Codes
	22G1 20 ft General purpose
	22P1 20 ft Platform
	22R1 20 ft Reefer
NumberOfUnits	22T1 20 ft Tanker
	22U1 20 ft Open-top
	42G1 40 ft General purpose
	42P1 40 ft Platform
Measurements	42R1 40 ft Reefer
	42T1 40 ft Tanker
	42U1 40 ft Open-top
	45G1 40 ft High cube, General purpose
Type	45R1 40 ft High cube Reefer
	45R9 40 ft High cube Self powered Reefer
	L5G0 45 ft High cube General purpose
	Occurrence 0 .. 1 Type xs:string General Notes EQUIPMENT PACKING MODE
Uom	Applicable Codes
	BBK Break Bulk
	BCN Buyer's Consolidation
	FCL Full, single consignment
Measure	GRP Groupage
	LCL Full, mixed consignment
	ROR Roll on/Roll off
	Occurrence 0 .. 1 Type xs:decimal General Notes NUMBER OF UNITS
Measure	Applicable Codes
	22G1 20 ft General purpose
	22P1 20 ft Platform
	22R1 20 ft Reefer
Measure	22T1 20 ft Tanker
	22U1 20 ft Open-top
	42G1 40 ft General purpose
	42P1 40 ft Platform
Measure	42R1 40 ft Reefer
	42T1 40 ft Tanker
	42U1 40 ft Open-top
	45G1 40 ft High cube, General purpose
Measure	45R1 40 ft High cube Reefer
	45R9 40 ft High cube Self powered Reefer
	L5G0 45 ft High cube General purpose
	Occurrence 0 .. 1 Type xs:string General Notes EQUIPMENT MEASUREMENTS
Measure	Applicable Codes
	22G1 20 ft General purpose
	22P1 20 ft Platform
	22R1 20 ft Reefer
Measure	22T1 20 ft Tanker
	22U1 20 ft Open-top
	42G1 40 ft General purpose
	42P1 40 ft Platform
Measure	42R1 40 ft Reefer
	42T1 40 ft Tanker
	42U1 40 ft Open-top
	45G1 40 ft High cube, General purpose
Measure	45R1 40 ft High cube Reefer
	45R9 40 ft High cube Self powered Reefer
	L5G0 45 ft High cube General purpose
	Occurrence 0 .. 1 Type xs:string General Notes EQUIPMENT MEASUREMENT TYPE
Measure	Applicable Codes
	22G1 20 ft General purpose
	22P1 20 ft Platform
	22R1 20 ft Reefer
Measure	22T1 20 ft Tanker
	22U1 20 ft Open-top
	42G1 40 ft General purpose
	42P1 40 ft Platform
Measure	42R1 40 ft Reefer
	42T1 40 ft Tanker
	42U1 40 ft Open-top
	45G1 40 ft High cube, General purpose
Measure	45R1 40 ft High cube Reefer
	45R9 40 ft High cube Self powered Reefer
	L5G0 45 ft High cube General purpose
	Occurrence 0 .. 1 Type xs:string General Notes MEASUREMENT UNIT OF MEASURE
Measure	Applicable Codes
	KG Kilograms
	KGM Kilograms
	Occurrence 1 .. 1 Type xs:string

Element/Attribute	Annotation
	General Notes MEASUREMENT
SealIds	Occurrence 0 .. 1 Type SealList General Notes SEAL IDS
xs:sequence	Occurrence 1 .. 1
Seal	Occurrence 0 .. unbounded Type Seal General Notes SEAL INFORMATION FOR SHIPPING CONTAINERS
xs:sequence	Occurrence 1 .. 1
SealId	Occurrence 0 .. 1 Type xs:string General Notes SEAL NUMBER
SealParty	Occurrence 0 .. 1 Type xs:string General Notes SEALING PARTY
	Applicable Codes
	Shipper Shipper
References	Occurrence 0 .. 1 Type ReferenceGroupList General Notes EQUIPMENT REFERENCES
xs:sequence	Occurrence 1 .. 1
ReferenceGroup	Occurrence 0 .. unbounded Type ReferenceGroup
xs:sequence	Occurrence 1 .. 1
Reference	Occurrence 0 .. 1 Type Reference General Notes EQUIPMENT REFERENCE
<i>Type</i>	Type xs:string Use required General Notes EQUIPMENT REFERENCE TYPE
	Applicable Codes
	AirVentFlow Air Vent Flow
Dates	Occurrence 0 .. 1 Type DateList General Notes EQUIPMENT DATES used for Container
	Examples
	<Dates> <Date Type="EstimatedCollection" Format="DateTimeSec" > <DateTime>20260617000000</DateTime> </Date> <Date Type="RequestedCollection" Format="DateTimeSec" > <DateTime>20260617080000</DateTime> </Date> <Date Type="EstimatedDelivery" Format="DateTimeSec" > <DateTime>2026060502170000</DateTime> </Date> <Date Type="ActualDelivery" Format="DateTimeSec" > <DateTime>2026060428115900</DateTime> </Date> <Date Type="EstimatedFullPickup" Format="DateTimeSec" > <DateTime>20260617000000</DateTime> </Date>

Element/Attribute	Annotation
	Examples <Date Type="ContainerParkEmptyReturnGateIn" Format="DateTimeSec" > <DateTime>2026060430115900</DateTime> </Date> <Date Type="DeliverySlot" Format="DateTimeSec" > <DateTime>2026060427115800</DateTime> </Date> <Date Type="FCLWharfGateOut" Format="DateTimeSec" > <DateTime>2026060429115800</DateTime> </Date> </Dates>
xs:sequence	Occurrence 1 .. 1
Date	Occurrence 0 .. unbounded Type Date General Notes EQUIPMENT DATE
Type	Type xs:string Use required General Notes EQUIPMENT DATE TYPE
	Applicable Codes ActualCollection Collection date/time, latest ActualDelivery Delivery date/time, actual ArrivalSlotDateTime Arrival slot date/time CollectionSlot Slot date/time, collection ContainerParkEmptyReturnGateIn Container park empty return gate in DeliverySlot Slot date/time, delivery DepartureSlotDateTime Departure slot date/time EmptyReadyForReturn Empty ready for return EmptyRequiredBy Empty required by EmptyReturnedBy Empty returned by EstimatedCollection Collection date/time, earliest EstimatedDelivery Delivery date/time, earliest EstimatedFullPickup Estimated equipment pick-up date/time, planned FCLUnloadFromVessel FCL unload from vessel FCLWharfGateIn FCL wharf gate in FCLWharfGateOut FCL wharf gate out ScheduledCollection Goods collection or pick-up date/time, planned ScheduledDelivery Delivery date/time, 1st schedule
Format	Type xs:string Use required General Notes EQUIPMENT DATE FORMAT
	Applicable Codes Date YYYYMMDD DateTime YYYYMMDDHHMM DateTimeInterval CCYYMMDDHHMM-CCYYMMDDHHMM DateTimeSec CCYYMMDDHHMMss
xs:sequence	Occurrence 1 .. 1
DateTime	Occurrence 0 .. 1 Type xs:string General Notes EQUIPMENT DATE/TIME
TransportMovements	Occurrence 0 .. 1 Type TransportMovementList
xs:sequence	Occurrence 1 .. 1



Element/Attribute	Annotation																												
TransportMovement	Occurrence 0 .. unbounded Type CodeDescription General Notes TRANSPORT MOVEMENT Examples <TransportMovement> <Code>DR/CY</Code> <Description>Door to Container Yard</Description> </TransportMovement>																												
<i>Type</i>	Type xs:string Use optional																												
<i>xs:sequence</i>	Occurrence 1 .. 1																												
Code	Occurrence 0 .. 1 Type xs:string General Notes TRANSPORT MOVEMENT CODE Applicable Codes <table> <tr> <td>CFS/CFS</td> <td>Container Freight Station to Container Freight Station</td> </tr> <tr> <td>CFS/CY</td> <td>Container Freight Station to Container Yard</td> </tr> <tr> <td>CFS/DR</td> <td>Container Freight Station to Door</td> </tr> <tr> <td>CY/CFS</td> <td>Container Yard to Container Freight Station</td> </tr> <tr> <td>CY/CY</td> <td>Container Yard to Container Yard</td> </tr> <tr> <td>CY/DR</td> <td>Container Yard to Door</td> </tr> <tr> <td>DR/CFS</td> <td>Door to Container Freight Station</td> </tr> <tr> <td>DR/CY</td> <td>Door to Container Yard</td> </tr> <tr> <td>DR/DR</td> <td>Door to Door</td> </tr> <tr> <td>FCL/FCL</td> <td>FCL/FCL</td> </tr> <tr> <td>FCL/LCL</td> <td>FCL/LCL</td> </tr> <tr> <td>LCL/FCL</td> <td>LCL/FCL</td> </tr> <tr> <td>LCL/LCL</td> <td>LCL/LCL</td> </tr> <tr> <td>RO/RO</td> <td>Roll On/Roll Off</td> </tr> </table>	CFS/CFS	Container Freight Station to Container Freight Station	CFS/CY	Container Freight Station to Container Yard	CFS/DR	Container Freight Station to Door	CY/CFS	Container Yard to Container Freight Station	CY/CY	Container Yard to Container Yard	CY/DR	Container Yard to Door	DR/CFS	Door to Container Freight Station	DR/CY	Door to Container Yard	DR/DR	Door to Door	FCL/FCL	FCL/FCL	FCL/LCL	FCL/LCL	LCL/FCL	LCL/FCL	LCL/LCL	LCL/LCL	RO/RO	Roll On/Roll Off
CFS/CFS	Container Freight Station to Container Freight Station																												
CFS/CY	Container Freight Station to Container Yard																												
CFS/DR	Container Freight Station to Door																												
CY/CFS	Container Yard to Container Freight Station																												
CY/CY	Container Yard to Container Yard																												
CY/DR	Container Yard to Door																												
DR/CFS	Door to Container Freight Station																												
DR/CY	Door to Container Yard																												
DR/DR	Door to Door																												
FCL/FCL	FCL/FCL																												
FCL/LCL	FCL/LCL																												
LCL/FCL	LCL/FCL																												
LCL/LCL	LCL/LCL																												
RO/RO	Roll On/Roll Off																												
Description	Occurrence 0 .. 1 Type xs:string General Notes TRANSPORT MOVEMENT DESCRIPTION																												
TemperatureControl	Occurrence 0 .. 1 Type TemperatureControl General Notes TEMPERATURE CONTROL																												
<i>Type</i>	Type xs:string Use required General Notes TEMPERATURE TYPE Applicable Codes <table> <tr> <td>RecordedTemperature</td> <td></td> </tr> </table>	RecordedTemperature																											
RecordedTemperature																													
<i>Uom</i>	Type xs:string General Notes TEMPERATURE UNIT OF MEASURE Applicable Codes <table> <tr> <td>CEL</td> <td>Celsius</td> </tr> </table>	CEL	Celsius																										
CEL	Celsius																												
<i>xs:sequence</i>	Occurrence 1 .. 1																												
Fixed	Occurrence 0 .. 1 Type xs:string General Notes TEMPERATURE																												
HumidityPercentage	Occurrence 0 .. 1 Type xs:string																												

Element/Attribute	Annotation
	General Notes HUMIDITY PERCENTAGE Occurrence 0 .. 1 Type RangeDetails General Notes TEMPERATURE RANGE DETAILS Examples <RangeDetails Type="Allowance" Uom="CEL"> <Minimum>-5</Minimum> <Maximum>5</Maximum> </RangeDetails>
Type	Type xs:string Use required General Notes TEMPERATURE RANGE TYPE
Uom	Type xs:string General Notes TEMPERATURE RANGE UOM Applicable Codes CEL Celsius
xs:sequence	Occurrence 1 .. 1
Minimum	Occurrence 0 .. 1 Type xs:string General Notes TEMPERATURE MINIMUM
Maximum	Occurrence 0 .. 1 Type xs:string General Notes TEMPERATURE MAXIMUM
Parties	Occurrence 0 .. 1 Type PartiesList General Notes EQUIPMENT PARTY INFORMATION
xs:sequence	Occurrence 1 .. 1
Party	Occurrence 0 .. unbounded Type Party
xs:sequence	Occurrence 1 .. 1
PartyDetails	Occurrence 0 .. 1 Type PartyDetails General Notes EQUIPMENT PARTY INFORMATION Examples <PartyDetails Role="Consignor"> <Id>ConsignorID</Id> <PartyName>Consignor Name</PartyName> <AddressLine1>Consignor Addr Line 1</AddressLine1> <AddressLine2>Consignor Addr Line 2</AddressLine2> <AddressLine3>Consignor Addr Line 3</AddressLine3> <CityName>Consignor City</CityName> <State>Consignor State</State> <PostCode>PostCd</PostCode> <CountryCode>DK</CountryCode> </PartyDetails>
Role	Type xs:string Use required General Notes EQUIPMENT PARTY ROLE Applicable Codes VGM VGM
xs:sequence	Occurrence 1 .. 1



Element/Attribute	Annotation
Id	Occurrence 0 .. 1 Type xs:string General Notes EQUIPMENT PARTY ID
Assignor	Occurrence 0 .. 1 Type xs:string General Notes EQUIPMENT PARTY ASSIGNOR
PartyName	Occurrence 0 .. 1 Type xs:string General Notes EQUIPMENT PARTYNAME
AddressLine1	Occurrence 0 .. 1 Type xs:string General Notes EQUIPMENT PARTY ADDRESSLINE 1
AddressLine2	Occurrence 0 .. 1 Type xs:string General Notes EQUIPMENT PARTY ADDRESSLINE 2
AddressLine3	Occurrence 0 .. 1 Type xs:string General Notes EQUIPMENT PARTY ADDRESSLINE 3
CityName	Occurrence 0 .. 1 Type xs:string General Notes EQUIPMENT PARTY CITYNAME
State	Occurrence 0 .. 1 Type xs:string General Notes EQUIPMENT PARTY STATE
PostCode	Occurrence 0 .. 1 Type xs:string General Notes EQUIPMENT PARTY POSTCODE
CountryCode	Occurrence 0 .. 1 Type xs:string General Notes EQUIPMENT PARTY COUNTRYCODE
Shipments	Occurrence 0 .. 1 Type ShipmentList General Notes SHIPMENT DETAILS One iteration per shipment included in the Transport
xs:sequence	Occurrence 1 .. 1
Shipment	Occurrence 0 .. unbounded Type Shipment
xs:sequence	Occurrence 1 .. 1
ShipmentId	Occurrence 0 .. 1 Type ShipmentId General Notes SHIPMENT IDENTIFIER Each Shipment will have unique Shipment identifier. Examples <ShipmentId>SampleShipment</ShipmentId>
Dates	Occurrence 0 .. 1 Type DateList General Notes SHIPMENT DATES

Element/Attribute	Annotation
	Examples <Dates> <Date Type="Collection" Format="DateTimeSec"> <DateTime>20260531151500</DateTime> </Date> <Date Type="DeliveryRequested" Format="DateTimeInterval"> <DateTime>202606021200-202606021700</DateTime> </Date> </Dates>
xs:sequence	Occurrence 1 .. 1
Date	Occurrence 0 .. unbounded
<i>Type</i>	Type Date
	Use required
	General Notes SHIPMENT DATE TYPE
	Applicable Codes
	Collection Collection date/time, earliest
	DeliveryRequested Delivery date/time, requested
	EstimatedCollection Shipment date/time, promised for
	EstimatedDelivery Delivery date/time, estimated
	RequestedCollection Shipment date/time, requested
	ScheduledCollection Goods collection or pick-up date/
	time, planned
	ScheduledDelivery Delivery date/time, 1st schedule
<i>Format</i>	Type xs:string
	Use required
	General Notes SHIPMENT DATE FORMAT
	Applicable Codes
	DateTimeInterval CCYYMMDDHHMM-
	CCYYMMDDHHMM
	DateTimeSec CCYYMMDDHHMMSS
xs:sequence	Occurrence 1 .. 1
DateTime	Occurrence 0 .. 1
	Type xs:string
	General Notes SHIPMENT DATE/TIME
TransportServices	Occurrence 0 .. 1
	Type ServiceGroupList
	General Notes TRANSPORT SERVICES
	First occurrence is Main Service
	Additional services will be provided in subsequent
	occurrences
	Examples
	<TransportServices>
	<TransportService>
	<ServiceCode>Road_LTL</ServiceCode>
	<PriorityCode>Normal</PriorityCode>
	</TransportService>
	<TransportService>
	<ServiceCode>Before16</ServiceCode>
	</TransportService>
	</TransportServices>
xs:sequence	Occurrence 1 .. 1
ServiceGroup	Occurrence 0 .. unbounded
	Type ServiceGroup

Element/Attribute	Annotation
xs:sequence	Occurrence 1 .. 1
TransportService	Occurrence 0 .. 1 Type TransportService General Notes TRANSPORT SERVICE - MAIN SERVICE
xs:sequence	Occurrence 1 .. 1
ServiceCode	Occurrence 0 .. 1 Type xs:string General Notes TYPE OF SERVICE
	Applicable Codes
	FCL Full Container Load
	FTL Full Truckload
	IATA Air - IATA
	LCL Less Than Container Load
	LSE Air - LSE
	LTL Less Than Truckload
PriorityCode	Occurrence 0 .. 1 Type xs:string General Notes SERVICE PRIORITY CODE
	Only applicable to Main Service (First TransportService)
	Applicable Codes
	Express Express Service
	HighSpeed High Speed Service
	Normal Normal Service
TransportService <AdditionalServices>	Occurrence 0 .. 1 Type TransportService General Notes TRANSPORT SERVICES - ADDITIONAL SERVICES
xs:sequence	Occurrence 1 .. 1
ServiceCode	Occurrence 0 .. 1 Type xs:string General Notes TYPE OF SERVICE
	Applicable Codes
	Before10 Express 10:00
	Before12 Express 12:00
	Before16 Express 16:00
	Before7 Express 07:00
	Crane Crane required loading or unloading or both
	HAZ Hazardous goods
	InNightproduct InNight product
	Lift Tail lift
	Notification Notify
	OMEX Omex service goods
	PersonalDeliveryService Personal delivery service
	PreAdvice Pre-advice
	ePallet E-service pallet
	eParcel E-service parcel
TransportService <Road BDS AdditionalServices>	Occurrence 0 .. 1 Type TransportService General Notes ROAD DATA BOOKING STANDARD - ADDITIONAL SERVICES
	The codes shown here are specific to Shipments complying to the DSV Road Booking Data Standard.



Element/Attribute	Annotation
	Examples <TransportService> <ServiceCode>CraneLoad</ServiceCode> </TransportService>
xs:sequence	Occurrence 1 .. 1
ServiceCode	Occurrence 0 .. 1 Type xs:string General Notes ADDITIONAL SERVICE CODE
	Applicable Codes
AMDelivery	AM Delivery (08-12) (R36 / 1220)
AMPickup	AM Pick-up (08-12) (R34 / 1200)
ATRCertificate	ATR Certificate (R47 / 5009)
AdditionalTariffCode	Additional Tariff Code (R41 / 5003)
AdmFeeForPaymentOfVAT	Adm. Fee for Payment of VAT (R51 / 5013)
CargoInsurance	Cargo Insurance (R52 / 1020)
CarryIntoWarehouse	Carry into Warehouse (R18 / 1081)
CashOnDelivery	Cash on Delivery (R11 / 1030)
ConfirmationOfArrival	Confirmation of Arrival (R38 / 1240)
CraneLoad	Crane Load (R23 / 1120)
DV1Declaration	DV1 Declaration (R45 / 5007)
DangerousGoods	Dangerous Goods (R12 / 1040)
DangerousGoodsPercentage	Dangerous Goods - Percentage (R13 / 1041)
DeliveryBefore07	Delivery Before 07 (R30 / 1170)
DeliveryBefore08	Delivery Before 08 (R31 / 1175)
DeliveryBefore10	Delivery Before 10 (R33 / 1190)
EUR1Certificate	EUR1 Certificate (R44 / 5006)
ExportCustomsClearance	Export Customs Clearance (R31 / 5001)
ExportDocumentation	Export Documentation (R49 / 5011)
FixDayDelivery	Fix Day Delivery (R27 / 1151)
FixTimeDelivery	Fix Time Delivery (R26 / 1150)
FixTimePickup	Fix Time Pick-up (R25 / 1140)
ImportCustomsClearance	Import Customs Clearance (R40 / 5002)
IntrastatReporting	Intrastat Reporting (R14 / 1050)
OneDayGuarantee	One Day Guarantee (R28 / 1152)
PMDelivery	PM Delivery (12-16) (R37 / 1230)
PMPickup	PM Pick-up (12-16) (R35 / 1210)
PickupBefore07	Pick-up Before 07 (R29 / 1160)
PickupBefore10	Pick-up Before 10 (R32 / 1180)
PreAdviceDelivery	Pre-advice Delivery (R06 / 1010)
PreAdviceMailDelivery	Pre-advice Mail Delivery (R08 / 1012)
PreAdviceMailPickup	Pre-advice Mail Pick-up (R07 / 1011)
PreAdvicePhoneDriverDelivery	Pre-adv. Phone Driver Delivery (R10 / 1014)
PreAdvicePhoneDriverPickup	Pre-adv. Phone Driver Pick-up (R09 / 1013)
PreAdvicePickup	Pre-advice Pick-up (R05 / 1009)
PreArrangedDeliveryTime	Pre-arranged Delivery Time (R24 / 1130)
PvtDeliveryCarryIn	Private Delivery: Carry (R16 / 1070)
PvtDeliveryCarryUp	Private Delivery: Carry Up (R17 / 1080)
PvtDeliveryCurbSide	Private Delivery: Curb Side (R15 / 1060)

Element/Attribute	Annotation
	Applicable Codes RetItemPalletsDelivery Return. Items - Pallets Delivery (R02 / 1001) RetItemPalletsPickup Return. Items - Pallets Pick-up (R01 / 1000) RetItemsMiscDelivery Return. Items - Misc Delivery (R04 / 1003) RetItemsMiscPickup Return. Items - Misc Pick-up (R03 / 1002) SpecificationImportVAT Specification Import VAT (R52 / 5012) T1Document T1 Document (R42 / 5004) T2Document T2 Document (R43 / 5005) T2LDocument T2L Document (R46 / 5008) TIRCarnet TIR Carnet (R48 / 5010) TailLiftDelivery Tail Lift Delivery (R22 / 1110) TailLiftPickup Tail Lift Pick-up (R21 / 1100) Thermo Thermo Transport (R19 / 1090) ThermoPercentage Thermo Transport - Percentage (R20 / 1091)
MonetaryAmounts	Occurrence 0 .. 1 Type MonetaryAmountList General Notes SHIPMENT MONETARY AMOUNTS Examples <MonetaryAmounts> <MonetaryAmount Type="COD"> <Amount>100.01</Amount> <Currency>EUR</Currency> </MonetaryAmount> </MonetaryAmounts>
xs:sequence	Occurrence 1 .. 1
MonetaryAmount	Occurrence 0 .. unbounded Type MonetaryAmount
Type	Type xs:string Use required General Notes MONETARY AMOUNT TYPE
	Applicable Codes COD Cash On Delivery Amount InsuranceValue InsuranceValue InvoiceValue InvoiceValue
xs:sequence	Occurrence 1 .. 1
Amount	Occurrence 0 .. 1 Type xs:string General Notes MONETARY AMOUNT
Currency	Occurrence 0 .. 1 Type xs:string General Notes MONETARY AMOUNT CURRENCY
FreeTextData	Occurrence 0 .. 1 Type FreeTextList General Notes SHIPMENT FREE TEXT Examples <FreeTextData> <FreeText Type="DeliveryInstructions"> <TextLine1>DeliveryInstructions Text Line 1</TextLine1> <TextLine2>DeliveryInstructions Text Line 2</TextLine2> </FreeTextData>

Element/Attribute	Annotation																
	Examples <TextLine3>DeliveryInstructions Text Line 3</TextLine3> <TextLine4>DeliveryInstructions Text Line 4</TextLine4> <TextLine5>DeliveryInstructions Text Line 5</TextLine5> </FreeText> <FreeText Type="SpecialHandling"> <TextLine1>Special Handling Text Line 1</TextLine1> </FreeText> <FreeText Type="PickupInstructions"> <TextLine1>Pickup Instructions Text Line 1</TextLine1> </FreeText> </FreeTextData>																
xs:sequence	Occurrence 1 .. 1																
FreeText	Occurrence 0 .. unbounded																
	Type FreeText																
Type	Type xs:string																
	Use required																
	General Notes FREE TEXT TYPE																
	Predefined Types listed, additional FreeText types to be agreed																
	Applicable Codes <table> <tr> <td>DeliveryInstructions</td><td>Delivery Instructions</td></tr> <tr> <td>GeneralInformation</td><td>General information</td></tr> <tr> <td>GoodsDescription</td><td>GoodsDescription</td></tr> <tr> <td>MarksAndNumbers</td><td>Marks And Numbers</td></tr> <tr> <td>PickupInstructions</td><td>Pickup Instructions</td></tr> <tr> <td>SpecialHandling</td><td>Special Handling</td></tr> <tr> <td>SpecialInstructions</td><td>Special Instructions</td></tr> <tr> <td>TransportInstructions</td><td>Transport instructions</td></tr> </table>	DeliveryInstructions	Delivery Instructions	GeneralInformation	General information	GoodsDescription	GoodsDescription	MarksAndNumbers	Marks And Numbers	PickupInstructions	Pickup Instructions	SpecialHandling	Special Handling	SpecialInstructions	Special Instructions	TransportInstructions	Transport instructions
DeliveryInstructions	Delivery Instructions																
GeneralInformation	General information																
GoodsDescription	GoodsDescription																
MarksAndNumbers	Marks And Numbers																
PickupInstructions	Pickup Instructions																
SpecialHandling	Special Handling																
SpecialInstructions	Special Instructions																
TransportInstructions	Transport instructions																
xs:sequence	Occurrence 1 .. 1																
TextLine1	Occurrence 0 .. 1																
	Type xs:string																
	General Notes SHIPMENT FREE TEXT LINE 1																
TextLine2	Occurrence 0 .. 1																
	Type xs:string																
	General Notes SHIPMENT FREE TEXT LINE 2																
TextLine3	Occurrence 0 .. 1																
	Type xs:string																
	General Notes SHIPMENT FREE TEXT LINE 3																
TextLine4	Occurrence 0 .. 1																
	Type xs:string																
	General Notes SHIPMENT FREE TEXT LINE 4																
TextLine5	Occurrence 0 .. 1																
	Type xs:string																
	General Notes SHIPMENT FREE TEXT LINE 5																
ControlTotals	Occurrence 0 .. 1																
	Type ControlTotalList																
	General Notes SHIPMENT CONTROL TOTALS																
	Examples <ControlTotals> <ControlTotal Type="GrossWeight" Uom="KGM"> <Quantity>101.01</Quantity> </ControlTotal>																

Element/Attribute	Annotation
	Examples <ControlTotal Type="Volume" Uom="MTQ"> <Quantity>2</Quantity> </ControlTotal> <ControlTotal Type="LoadingMeters" Uom="MTR"> <Quantity>12</Quantity> </ControlTotal> <ControlTotal Type="NumberOfPackages" Uom="PLT"> <Quantity>4</Quantity> </ControlTotal> <ControlTotal Type="NumberOfInnerPackages" Uom="CTN"> <Quantity>8</Quantity> </ControlTotal> </ControlTotals>
xs:sequence	Occurrence 1 .. 1
ControlTotal	Occurrence 0 .. unbounded
	Type ControlTotal
Type	Type xs:string
	Use required
	General Notes CONTROL TOTAL TYPE
	Applicable Codes ChargeableWeight ChargeableWeight GrossWeight GrossWeight LoadingMeters Loading Meters NumberOfInnerPackages Number of Inner Packages NumberOfPackages Number of Packages TotalNetWeightOfShipment Total net weight of shipment TotalNumberOfConsignments Total number of consignments TotalNumberOfShipments Total number of shipments Volume Volume
Uom	Type xs:string
	General Notes QUANTITY UNIT OF MEASURE
	Applicable Codes KGM Kilogram MTQ Cubic meters MTR Meters PKG Packages
xs:sequence	Occurrence 1 .. 1
Quantity	Occurrence 0 .. 1
	Type xs:string
	General Notes SHIPMENT QUANTITY
TermsOfDelivery	Occurrence 0 .. 1
	Type TermsGroup
	General Notes TERMS OF DELIVERY
	Examples <TermsOfDelivery> <Terms> <TermsCode>CIP</TermsCode> <CodeId>IncoTerms</CodeId> </Terms> <Location Type="NamedPlace"> <LocationIdentification Type="UN"> <LocationIdentifier>DKCPH</LocationIdentifier> <LocationName>Copenhagen</LocationName> </LocationIdentification> </Location> </TermsOfDelivery>

Element/Attribute	Annotation
	Examples </TermsOfDelivery>
xs:sequence	Occurrence 1 .. 1
Terms	Occurrence 0 .. 1
	Type Terms
xs:sequence	Occurrence 1 .. 1
TermsCode	Occurrence 0 .. 1
	Type xs:string
	General Notes TERM CODE
Codeld	Occurrence 0 .. 1
	Type xs:string
	General Notes TYPE OF TERM CODE
	Applicable Codes
	CombiTerms Combi Terms
	IncoTerms INCO Terms
Location	Occurrence 0 .. unbounded
	Type Location
	General Notes LOCATION
Type	Type xs:string
	Use required
	General Notes TERM NAMED PLACE
	Applicable Codes
	NamedPlace Named Place
xs:sequence	Occurrence 1 .. 1
LocationIdentification	Occurrence 1 .. unbounded
	Type LocationIdentification
Type	Type xs:string
	General Notes LOCATION IDENTIFIER TYPE
	Applicable Codes
	UN UN Location code
xs:sequence	Occurrence 1 .. 1
LocationIdentifier	Occurrence 0 .. 1
	Type xs:string
	General Notes LOCATION IDENTIFIER
LocationName	Occurrence 0 .. 1
	Type xs:string
	General Notes LOCATION NAME
References	Occurrence 0 .. 1
	Type ReferenceGroupList
	General Notes SHIPMENT REFERENCES
	Examples <References> <ReferenceGroup> <Reference Type="ShipperReference">ShpRef1</Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="ConsigneeReference">ConsRef1</Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="RoadWaybill">Waybill1</Reference> </ReferenceGroup> </References>

Element/Attribute	Annotation
xs:sequence	Occurrence 1 .. 1
ReferenceGroup	Occurrence 0 .. unbounded Type ReferenceGroup
xs:sequence	Occurrence 1 .. 1
Reference	Occurrence 0 .. 1 Type Reference
Type	Type xs:string Use required General Notes SHIPMENT REFERENCE TYPE Predefined Types listed, additional reference types to be agreed
Applicable Codes	
AgentsReference	Agent's reference
BookingReference	Carrier Booking Reference
CargoManifestNo	Cargo manifest number, Transport Id
ConsigneeOrderNumber	Consignee's order number
ConsigneeReference	Consignee Reference
ConsignmentId	Consignment id, carrier assigned
ContractNumber	Contract Number
CustomerReferenceNumber	Customer reference number
DeliveryAgreement	Delivery Agreement
DocumentReference	Document Reference
EventCode	Event Code
ExternalReference	External reference customer reference number
GINCNumber	Waybill number, GINC
HouseBill	House bill of lading number
IDSReference	IDS reference
MasterBill	Master bill of lading number
OnSightAuthorizationCode	On sight authorization code
OrderReference	Order Reference
OriginatorsReference	Originator's Reference
RoadWaybill	Road Waybill number, SIS
ServiceCategoryReference	Service category reference
ShipmentReference	Shipment reference number
ShipperReference	Shipper Reference
TransportInstructionNumber	Transport instruction number
VehicleId	Vehicle identification number (VIN)
VesselCountryOfRegistration	Vessel Country of Registration
VesselId	Vessel identifier
WorkCategory	Work category
CustomFieldType	Type xs:string Use optional General Notes CUSTOM FIELD TYPE Use to be agreed
Requirements	Occurrence 0 .. 1 Type RequirementList General Notes GOVERNMENT AND DOCUMENT REQUIREMENTS Examples <Requirements> <Requirement> <GovernmentalRequirements> <TransportMovementCode>Transit</TransportMovementCode> </GovernmentalRequirements> </Documents>

Element/Attribute	Annotation
	Examples <Document> <DocumentCode>T5</DocumentCode> </Document> </Documents> </Requirement> </Requirements>
xs:sequence	Occurrence 1 .. 1
Requirement	Occurrence 0 .. unbounded Type Requirement
xs:sequence	Occurrence 1 .. 1
GovernmentalRequirements	Occurrence 0 .. 1 Type GovernmentalRequirements
xs:sequence	Occurrence 1 .. 1
TransportMovementCode	Occurrence 0 .. 1 Type xs:string General Notes TRANSPORT MOVEMENT TYPE
	Applicable Codes Completed Completed NotApplicable Not Applicable
InvolvementCode	Occurrence 0 .. 1 Type xs:string General Notes INVOLVEMENT CODE
	Applicable Codes Completed Completed NotApplicable Not Applicable
Documents	Occurrence 0 .. 1 Type DocumentList General Notes TRANSPORTATION DOCUMENT
	Examples <Documents> <Document> <DocumentCode>OBL</DocumentCode> <DocumentCopies>3</DocumentCopies> <DocumentOriginals>2</DocumentOriginals> </Document> </Documents>
xs:sequence	Occurrence 1 .. 1
Document	Occurrence 0 .. unbounded Type Document
xs:sequence	Occurrence 1 .. 1
DocumentCode	Occurrence 0 .. 1 Type xs:string General Notes TRANSPORTATION DOCUMENT TYPE
	Applicable Codes NMT Non-negotiable maritime transport document OBL Original Bill of Lading T1 Despatch note model T1 T2 Despatch note model T2 T2L Despatch note model T2L T5 Control Document T5
DocumentCopies	Occurrence 0 .. 1 Type xs:string

Element/Attribute	Annotation								
	General Notes NUMBER OF DOCUMENT COPIES								
DocumentOriginals	Occurrence 0 .. 1 Type xs:string General Notes NUMBER OF ORIGINAL DOCUMENTS								
ChargeMethodology	Occurrence 0 .. 1 Type ChargeMethodologyList General Notes CHARGE METHODOLOGY Examples <ChargeMethodology> <PaymentInstructions> <PaymentInstruction> <PaymentCode>Prepaid</PaymentCode> </PaymentInstruction> </PaymentInstructions> </ChargeMethodology>								
xs:sequence	Occurrence 1 .. 1								
PaymentInstructions	Occurrence 0 .. unbounded Type PaymentInstructions								
xs:sequence	Occurrence 1 .. 1								
PaymentInstruction	Occurrence 0 .. 1 Type PaymentInstruction								
xs:sequence	Occurrence 1 .. 1								
PaymentCode	Occurrence 0 .. 1 Type xs:string General Notes PAYMENT TYPE <table> <tr> <th colspan="2">Applicable Codes</th></tr> <tr> <td>Collect</td><td>Collect Shipment</td></tr> <tr> <td>Prepaid</td><td>Prepaid Shipment</td></tr> <tr> <td>ThirdParty</td><td>Third Party Payment</td></tr> </table>	Applicable Codes		Collect	Collect Shipment	Prepaid	Prepaid Shipment	ThirdParty	Third Party Payment
Applicable Codes									
Collect	Collect Shipment								
Prepaid	Prepaid Shipment								
ThirdParty	Third Party Payment								
TransportStages	Occurrence 0 .. 1 Type TransportStageList General Notes TRANSPORT STAGES								
xs:sequence	Occurrence 1 .. 1								
TransportStage	Occurrence 0 .. unbounded Type TransportStage								
xs:sequence	Occurrence 1 .. 1								
Stage	Occurrence 0 .. 1 Type Stage General Notes TRANSPORTATION STAGE Examples <Stage Type="MainCarriage"> <ModeOfTransport>Sea</ModeOfTransport> <TransportId>017W</TransportId> <CarrierId>61616161</CarrierId> <CarrierName>Carrier name</CarrierName> <TransportType>Main</TransportType> <TransportMeansName>Vessel name</TransportMeansName> <TransportMeansNationality>PA</TransportMeansNationality> </Stage>								
Type	Type xs:string Use required General Notes TRANSPORTATION STAGE TYPE								



Element/Attribute	Annotation
	Applicable Codes MainCarriage Main Carriage Transport
xs:sequence	Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string General Notes MODE OF TRANSPORTATION
ModeOfTransport	Applicable Codes Air Air Transport Rail Rail Transport Road Road Transport Sea Sea Transport
TransportId	Occurrence 0 .. 1 Type xs:string General Notes TRANSPORT IDENTIFICATION Air: Flight number Sea: Voyage number Road: Not used
CarrierId	Occurrence 0 .. 1 Type xs:string General Notes CARRIER IDENTIFICATION Air & Sea: DSV Carrier Identifier Road: Not used
CarrierName	Occurrence 0 .. 1 Type xs:string General Notes CARRIER NAME Road: Not used
TransportType	Occurrence 0 .. 1 Type xs:string General Notes TRANSPORT TYPE Road: Not used
TransportMeansName	Occurrence 0 .. 1 Type xs:string General Notes TRANSPORT MEANS NAME Sea: Vessel Name Air & Road: Not used
TransportMeansNationality	Occurrence 0 .. 1 Type xs:string General Notes TRANSPORT MEANS NATIONALITY Sea: Vessel flag Air & Road: Not used
Dates	Occurrence 0 .. 1 Type DateList General Notes TRANSPORTATION DATES Examples <Dates> <Date Type="ScheduledTransportDeparture" Format="DateTimeSec"> <DateTime>20260531151500</DateTime> </Date> <Date Type="ScheduledTransportArrival" Format="DateTimeSec"> <DateTime>20260531151500</DateTime> </Date> <Date Type="Collection" Format="DateTimeSec"> <DateTime>20260531151500</DateTime> </Date>

Element/Attribute	Annotation
	Examples <Date Type="DeliveryRequested" Format="DateTimeInterval"> <DateTime>202606021200-202606021700</DateTime> </Date> </Dates>
xs:sequence	Occurrence 1 .. 1
Date	Occurrence 0 .. unbounded
	Type Date
Type	Type xs:string
	Use required
	General Notes TRANSPORTATION DATE TYPE
	Applicable Codes
	Collection Collection date/time, earliest
	EstimatedDelivery Delivery date/time, estimated
	ScheduledTransportArrival Transport means arrival date/time, scheduled
	ScheduledTransportDeparture Transport means departure date/time, scheduled
Format	Type xs:string
	Use required
	General Notes TRANSPORTATION DATE FORMAT
	Applicable Codes
	DateTimeInterval CCYYMMDDHHMM-CCYYMMDDHHMM
	DateTimeSec CCYYMMDDHHMMSS
xs:sequence	Occurrence 1 .. 1
DateTime	Occurrence 0 .. 1
	Type xs:string
	General Notes TRANSPORTATION DATE/TIME
Locations	Occurrence 0 .. 1
	Type LocationGroupList
	General Notes TRANSPORTATION LOCATIONS
	Examples <Locations> <LocationGroup> <Location Type="Departure"> <LocationIdentification Type="UN"> <LocationIdentifier>DKHOR</LocationIdentifier> </LocationIdentification> </Location> </LocationGroup> <LocationGroup> <Location Type="Destination"> <LocationIdentification Type="UN"> <LocationIdentifier>ZAJNB</LocationIdentifier> <LocationName>Johannesburg</LocationName> </LocationIdentification> </Location> </LocationGroup> </Locations>
xs:sequence	Occurrence 1 .. 1
LocationGroup	Occurrence 0 .. unbounded
	Type LocationGroup
xs:sequence	Occurrence 1 .. 1



Element/Attribute	Annotation
Location	Occurrence 0 .. 1 Type Location
<i>Type</i>	Type xs:string Use required General Notes TRANSPORTATION LOCATION TYPE
	Applicable Codes
	Departure Place of Departure Destination Place of Destination GoodsItemLocation Goods Item Storage Location PlaceOfConsolidation Place of Consolidation PlaceOfDeconsolidation Place of Deconsolidation PlaceOfLoading Place of Loading PlaceOfUnloading Place of Unloading
xs:sequence	Occurrence 1 .. 1
LocationIdentification	Occurrence 1 .. unbounded Type LocationIdentification General Notes LOCATION IDENTIFICATION
<i>Type</i>	Type xs:string General Notes LOCATION IDENTIFIER TYPE
	Applicable Codes
	DSVBookingOffice DSV Booking office (for CargoLink Road freight only) DSVDestinationOffice DSV Destination office (for CargoLink Road freight only) IATA IATA airport code ISOCountry ISO Country Code PostCode Post / zip code (for CargoLink Road freight only) UN UN Location code
xs:sequence	Occurrence 1 .. 1
LocationIdentifier	Occurrence 0 .. 1 Type xs:string General Notes LOCATION IDENTIFIER
LocationName	Occurrence 0 .. 1 Type xs:string General Notes LOCATION NAME
References	Occurrence 0 .. 1 Type ReferenceGroupList General Notes TRANSPORT STAGE REFERENCES
	Examples <References> <ReferenceGroup> <Reference Type="MasterBill">MB1</Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="TransportInstructionNumber">TIN1</Reference> </ReferenceGroup> </References>
xs:sequence	Occurrence 1 .. 1
ReferenceGroup	Occurrence 0 .. unbounded Type ReferenceGroup
xs:sequence	Occurrence 1 .. 1
Reference	Occurrence 0 .. 1 Type Reference



Element/Attribute	Annotation
	General Notes TRANSPORT STAGE REFERENCE
Type	xs:string
Use	required
	General Notes TRANSPORT STAGE REFERENCE TYPE
	Applicable Codes
AgentsReference	Agent's reference
CargoManifestNo	Cargo manifest number, Transport Id
ConsigneeOrderNumber	Consignee's order number
ConsigneeReference	Consignee Reference
ConsignmentId	Consignment id, carrier assigned
CustomField	Custom Field
CustomerReferenceNumber	Customer reference number
DeliveryAgreement	Delivery Agreement
DocumentReference	Document Reference
EventCode	Event Code
ExternalReference	External reference customer reference number
GINCNumber	Waybill number, GINC
HouseBill	House bill of lading number
IDSReference	IDS reference
MasterBill	Master bill of lading number
OnSightAuthorizationCode	On sight authorization code
OrderReference	Order Reference
PackageNumber	Package Number
ProofOfDeliveryNumber	Proof of delivery reference number
RoadWaybill	Road Waybill number, SIS
ShipmentReference	Shipment reference number
ShipperReference	Shipper Reference
StandardCarrierAlphaCode	Standard Carrier Alpha Code (SCAC) number
TrafficFrom	Traffic From
TransportInstructionNumber	Transport instruction number
VehicleId	Vehicle identification number (VIN)
VesselCountryOfRegistration	Vessel Country of Registration
VesselId	Vessel identifier
Parties	Occurrence 0 .. 1 Type PartiesList General Notes SHIPMENT PARTY INFORMATION
xs:sequence	Occurrence 1 .. 1
Party	Occurrence 0 .. unbounded Type Party
xs:sequence	Occurrence 1 .. 1
PartyDetails	Occurrence 0 .. 1 Type PartyDetails General Notes PARTY DETAILS
	Examples
	<pre> <PartyDetails Role="Consignor"> <Id>ConsignorID</Id> <PartyName>Consignor Name</PartyName> <AddressLine1>Consignor Addr Line 1</AddressLine1> <AddressLine2>Consignor Addr Line 2</AddressLine2> <AddressLine3>Consignor Addr Line 3</AddressLine3> <CityName>Consignor City</CityName> <State>Consignor State</State> <PostCode>PostCd</PostCode> <CountryCode>DK</CountryCode> </pre>



Element/Attribute	Annotation																																														
	Examples </PartyDetails>																																														
<i>Role</i>	Type xs:string Use required General Notes PARTY ROLE Applicable Codes <table> <tr><td>AcceptingParty</td><td>Accepting Party</td></tr> <tr><td>Agent</td><td>Agent</td></tr> <tr><td>Buyer</td><td>Buyer</td></tr> <tr><td>Carrier</td><td>Carrier Party</td></tr> <tr><td>Consignee</td><td>Consignee Party</td></tr> <tr><td>Consignor</td><td>Consignor Party</td></tr> <tr><td>Consolidator</td><td>Consolidator</td></tr> <tr><td>Creditor</td><td>Creditor</td></tr> <tr><td>Deconsolidator</td><td>Deconsolidator</td></tr> <tr><td>Delivery</td><td>Delivery Party</td></tr> <tr><td>DeliveryAgent</td><td>Delivery Agent</td></tr> <tr><td>DeliveryLocalCartage</td><td>Delivery Local Cartage</td></tr> <tr><td>Despatch</td><td>Despatch Party</td></tr> <tr><td>Forwarder</td><td>Forwarder</td></tr> <tr><td>FreightForwarder</td><td>Freight Forwarder</td></tr> <tr><td>FreightPayer</td><td>Freight/charges Payer</td></tr> <tr><td>Notify</td><td>Notify Party</td></tr> <tr><td>OrderingCustomer</td><td>Ordering Customer</td></tr> <tr><td>PickupAgent</td><td>Pickup Agent</td></tr> <tr><td>PickupLocalCartage</td><td>Pickup Local Cartage</td></tr> <tr><td>ShipFrom</td><td>Ship From</td></tr> <tr><td>ShipTo</td><td>Ship To</td></tr> <tr><td>Supplier</td><td>Supplier</td></tr> </table>	AcceptingParty	Accepting Party	Agent	Agent	Buyer	Buyer	Carrier	Carrier Party	Consignee	Consignee Party	Consignor	Consignor Party	Consolidator	Consolidator	Creditor	Creditor	Deconsolidator	Deconsolidator	Delivery	Delivery Party	DeliveryAgent	Delivery Agent	DeliveryLocalCartage	Delivery Local Cartage	Despatch	Despatch Party	Forwarder	Forwarder	FreightForwarder	Freight Forwarder	FreightPayer	Freight/charges Payer	Notify	Notify Party	OrderingCustomer	Ordering Customer	PickupAgent	Pickup Agent	PickupLocalCartage	Pickup Local Cartage	ShipFrom	Ship From	ShipTo	Ship To	Supplier	Supplier
AcceptingParty	Accepting Party																																														
Agent	Agent																																														
Buyer	Buyer																																														
Carrier	Carrier Party																																														
Consignee	Consignee Party																																														
Consignor	Consignor Party																																														
Consolidator	Consolidator																																														
Creditor	Creditor																																														
Deconsolidator	Deconsolidator																																														
Delivery	Delivery Party																																														
DeliveryAgent	Delivery Agent																																														
DeliveryLocalCartage	Delivery Local Cartage																																														
Despatch	Despatch Party																																														
Forwarder	Forwarder																																														
FreightForwarder	Freight Forwarder																																														
FreightPayer	Freight/charges Payer																																														
Notify	Notify Party																																														
OrderingCustomer	Ordering Customer																																														
PickupAgent	Pickup Agent																																														
PickupLocalCartage	Pickup Local Cartage																																														
ShipFrom	Ship From																																														
ShipTo	Ship To																																														
Supplier	Supplier																																														
xs:sequence	Occurrence 1 .. 1																																														
<i>Id</i>	Occurrence 0 .. 1 Type xs:string General Notes PARTY IDENTIFIER																																														
<i>PartyName</i>	Occurrence 0 .. 1 Type xs:string General Notes PARTY NAME																																														
<i>AddressLine1</i>	Occurrence 0 .. 1 Type xs:string General Notes PARTY ADDRESS LINE 1																																														
<i>AddressLine2</i>	Occurrence 0 .. 1 Type xs:string General Notes PARTY ADDRESS LINE 2																																														
<i>AddressLine3</i>	Occurrence 0 .. 1 Type xs:string General Notes PARTY ADDRESS LINE 3																																														
<i>CityName</i>	Occurrence 0 .. 1 Type xs:string General Notes PARTY CITY NAME																																														
<i>State</i>	Occurrence 0 .. 1 Type xs:string General Notes PARTY STATE OR PROVINCE																																														
<i>PostCode</i>	Occurrence 0 .. 1 Type xs:string																																														

Element/Attribute	Annotation
	General Notes PARTY POSTAL OR ZIP CODE
CountryCode	Occurrence 0 .. 1 Type xs:string General Notes PARTY COUNTRY ISO CODE
Locations	Occurrence 0 .. 1 Type LocationGroupList General Notes PARTY PHYSICAL LOCATION Examples <Locations> <LocationGroup> <Location Type="PhysicalLocation"> <LocationIdentification Type="UN"> <LocationIdentifier>DKHOR</LocationIdentifier> </LocationIdentification> </Location> </LocationGroup> </Locations>
xs:sequence	Occurrence 1 .. 1
LocationGroup	Occurrence 0 .. unbounded Type LocationGroup
xs:sequence	Occurrence 1 .. 1
Location	Occurrence 0 .. 1 Type Location
<i>Type</i>	Type xs:string Use required General Notes PHYSICAL LOCATION TYPE
	Applicable Codes
	PhysicalLocation Place of Physical Location
xs:sequence	Occurrence 1 .. 1
LocationIdentification	Occurrence 1 .. unbounded Type LocationIdentification
<i>Type</i>	Type xs:string General Notes PHYSICAL LOCATION IDENTIFIER TYPE
	Applicable Codes
	UN UN Location Code
xs:sequence	Occurrence 1 .. 1
LocationIdentifier	Occurrence 0 .. 1 Type xs:string General Notes PHYSICAL LOCATION IDENTIFIER
Contact	Occurrence 0 .. unbounded Type Contact General Notes PARTY CONTACT DETAILS Examples <Contact Type="InformationContact"> <Name>Contact name</Name> <Phone>Contact Phone</Phone> <Mobile>Contact Mobile</Mobile> <Fax>Contact Fax</Fax> <Email>Contact Email</Email> </Contact>
<i>Type</i>	Type xs:string Use required



Element/Attribute	Annotation
	General Notes PARTY CONTACT TYPE
	Applicable Codes
	GoodsReceivingContact Goods Receiving Contact
	InformationContact Information Contact
xs:sequence	Occurrence 1 .. 1
Name	Occurrence 0 .. 1
	Type xs:string
	General Notes PARTY CONTACT NAME
Phone	Occurrence 0 .. 1
	Type xs:string
	General Notes PARTY CONTACT TELEPHONE NUMBER
Mobile	Occurrence 0 .. 1
	Type xs:string
	General Notes PARTY CONTACT MOBILE NUMBER
Fax	Occurrence 0 .. 1
	Type xs:string
	General Notes PARTY CONTACT FAX NUMBER
Email	Occurrence 0 .. 1
	Type xs:string
	General Notes PARTY CONTACT EMAIL ADDRESS
References	Occurrence 0 .. 1
	Type ReferenceGroupList
	General Notes PARTY REFERENCES
	Examples
	<References>
	<ReferenceGroup>
	<Reference Type="VATRegistrationNumber" >1234567890</
	Reference>
	</ReferenceGroup>
	</References>
xs:sequence	Occurrence 1 .. 1
ReferenceGroup	Occurrence 0 .. unbounded
	Type ReferenceGroup
xs:sequence	Occurrence 1 .. 1
Reference	Occurrence 0 .. 1
	Type Reference
	General Notes PARTY REFERENCE
Type	Type xs:string
	Use required
	General Notes PARTY REFERENCE TYPE
	Applicable Codes
	GovernmentBusinessCode Government Business Code
	GovernmentCorporationCode Government Corporation Code
	GovernmentVATCode Government VAT Code
	RFCTaxIdentificationNumber RFC Tax Identification Number
	VATRegistrationNumber VAT Registration id number
GoodsItems	Occurrence 0 .. 1
	Type GoodsItemList
	General Notes LINE ITEMS
	Examples
	<GoodsItems>

Element/Attribute	Annotation
	Examples <pre> <GoodsItem> <Item> <ItemNumber>1</ItemNumber> <PackageQty>1</PackageQty> <PackageType>NTPL</PackageType> </Item> <Measurements> <Measurement Type="GrossWeight" Uom="KGM" > <Measure>1072</Measure> </Measurement> </Measurements> </GoodsItem> <GoodsItem> <Item> <ItemNumber>0</ItemNumber> <PackageQty>1</PackageQty> <PackageType>NTPL</PackageType> </Item> <Measurements> <Measurement Type="GrossWeight" Uom="KGM" > <Measure>1072</Measure> </Measurement> </Measurements> <Dimensions> <Dimension Type="GoodsItemsDimensions" Uom="MTR" > <Length>1.2</Length> <Width>1.45</Width> <Height>1.1</Height> </Dimension> </Dimensions> <References> <ReferenceGroup> <Reference Type="PackageNumber" >G0123456789</ Reference> </ReferenceGroup> </References> </GoodsItem> </GoodsItems> </pre>
xs:sequence	Occurrence 1 .. 1
GoodsItem	Occurrence 0 .. unbounded Type GoodsItem General Notes LINE ITEM A second GoodsItem with ItemNumber = 0 can be present for the Line Item Package List. Please see details in second GoodsItem description below.
xs:sequence	Occurrence 1 .. 1
Item	Occurrence 0 .. 1 Type Item General Notes GOODS ITEM DETAILS Examples <pre> <Item> <ItemNumber>1</ItemNumber> <PackageQty>20</PackageQty> <PackageType>PKG</PackageType> </Item> </pre>
xs:sequence	Occurrence 1 .. 1



Element/Attribute	Annotation				
ItemNumber	Occurrence 0 .. 1 Type xs:string General Notes LINE ITEM NUMBER Examples <Item> <ItemNumber>1</ItemNumber> <PackageQty>1</PackageQty> <PackageType>NTPL</PackageType> </Item>				
PackageQty	Occurrence 0 .. 1 Type xs:string General Notes LINE ITEM PACKAGE QUANTITY				
PackageType	Occurrence 0 .. 1 Type xs:string General Notes LINE ITEM PACKAGE TYPE				
HandlingInstructions	Occurrence 0 .. 1 Type HandlingInstructions General Notes LINE ITEM HANDLING INSTRUCTION Only used for Road Freight Stacked Cargo Examples <HandlingInstructions> <HandlingInstruction> <Code>Stacked</Code> <Description>1</Description> </HandlingInstruction> </HandlingInstructions>				
xs:sequence	Occurrence 1 .. 1				
HandlingInstruction	Occurrence 0 .. unbounded Type CodeDescription				
xs:sequence	Occurrence 1 .. 1				
Code	Occurrence 0 .. 1 Type xs:string General Notes HANDLING DESCRIPTION CODE <table> <tr> <th colspan="2">Applicable Codes</th></tr> <tr> <td>Stacked</td><td>Stacked</td></tr> </table>	Applicable Codes		Stacked	Stacked
Applicable Codes					
Stacked	Stacked				
Description	Occurrence 0 .. 1 Type xs:string General Notes NUMBER OF STACKED ITEMS				
RangeDetails	Occurrence 0 .. 1 Type RangeDetails General Notes LINE ITEM TEMPERATURE RANGE Examples <RangeDetails Type="Allowance" Uom="CEL"> <Minimum>-5</Minimum> <Maximum>5</Maximum> </RangeDetails>				
Type	Type xs:string Use required General Notes TEMPERATURE RANGE TYPE				

Element/Attribute	Annotation
	Applicable Codes Allowance Temperature allowance Range Temperature range
<i>Uom</i>	Type xs:string General Notes TEMPERATURE RANGE UNIT OF MEASURE
xs:sequence	Occurrence 1 .. 1
Minimum	Occurrence 0 .. 1 Type xs:string General Notes MINIMUM TEMPERATAURE
Maximum	Occurrence 0 .. 1 Type xs:string General Notes MAXIMUM TEMPERATAURE
Locations	Occurrence 0 .. 1 Type LocationGroupList General Notes LINE ITEM COUNTRY OF ORIGIN Examples <Locations> <LocationGroup> <Location Type="CountryOfOrigin"> <LocationIdentification Type="ISOCountry"> <LocationIdentifier>DK</LocationIdentifier> </LocationIdentification> </Location> </LocationGroup> </Locations>
xs:sequence	Occurrence 1 .. 1
LocationGroup	Occurrence 0 .. unbounded Type LocationGroup
xs:sequence	Occurrence 1 .. 1
Location	Occurrence 0 .. 1 Type Location
<i>Type</i>	Type xs:string Use required General Notes LOCATION TYPE
	Applicable Codes CountryOfOrigin Country of Origin
xs:sequence	Occurrence 1 .. 1
LocationIdentification	Occurrence 1 .. unbounded Type LocationIdentification
<i>Type</i>	Type xs:string General Notes LOCATION IDENTIFIER TYPE
	Applicable Codes ISOCountry ISO Country Code
xs:sequence	Occurrence 1 .. 1
LocationIdentifier	Occurrence 0 .. 1 Type xs:string General Notes LOCATION IDENTIFIER ISO Country Code for Goods Country of Origin
MonetaryAmounts	Occurrence 0 .. 1 Type MonetaryAmountList General Notes LINE ITEM MONETARY AMOUNTS

Element/Attribute	Annotation
	Examples <MonetaryAmounts> <MonetaryAmount Type="LineInvoiceValue"> <Amount>100.01</Amount> <Currency>DKK</Currency> </MonetaryAmount> </MonetaryAmounts>
xs:sequence	Occurrence 1 .. 1
MonetaryAmount	Occurrence 0 .. unbounded
	Type MonetaryAmount
<i>Type</i>	Type xs:string
	Use required
	General Notes MONETARY AMOUNT TYPE
	Applicable Codes LineInvoiceValue GID Line Invoice Values
xs:sequence	Occurrence 1 .. 1
Amount	Occurrence 0 .. 1
	Type xs:string
	General Notes MONETARY AMOUNT
Currency	Occurrence 0 .. 1
	Type xs:string
	General Notes MONETARY AMOUNT ISO CURRENCY CODE
ProductIds	Occurrence 0 .. 1
	Type ProductIdsList
	General Notes LINE ITEM PRODUCT IDENTIFICATION
	Examples <ProductIds> <ProductId Type="ProductId"> <ItemId>35079090</ItemId> <ItemType>HarmonizedCode</ItemType> </ProductId> </ProductIds>
xs:sequence	Occurrence 1 .. 1
ProductId	Occurrence 0 .. unbounded
	Type ProductId
<i>Type</i>	Type xs:string
	Use required
	General Notes PRODUCT IDENTIFICATION TYPE
	Applicable Codes ProductId Product Identification
xs:sequence	Occurrence 1 .. 1
ItemId	Occurrence 0 .. 1
	Type xs:string
	General Notes PRODUCT IDENTIFICATION
ItemType	Occurrence 0 .. 1
	Type xs:string
	General Notes PRODUCT IDENTIFIER TYPE
	Applicable Codes CommodityCode Commodity Code HarmonizedCode Harmonized Code
FreeTextData	Occurrence 0 .. 1
	Type FreeTextList

Element/Attribute	Annotation								
	General Notes LINE ITEM FREE TEXT Examples <FreeTextData> <FreeText Type="GoodsDescription"> <TextLine1>Goods Description Line</TextLine1> </FreeText> <FreeText Type="AdditionalDetails"> <TextLine1>Additional Details Line</TextLine1> </FreeText> </FreeTextData>								
xs:sequence	Occurrence 1 .. 1								
FreeText	Occurrence 0 .. unbounded Type FreeText								
Type	Type xs:string Use required General Notes FREE TEXT TYPE								
	Applicable Codes <table> <tr> <td>AdditionalInfo</td><td>Additional Information</td></tr> <tr> <td>GoodsDescription</td><td>Goods Description</td></tr> <tr> <td>ProperShippingName</td><td>Proper Shipping Name</td></tr> <tr> <td>SaidToContain</td><td>Said to contain</td></tr> </table>	AdditionalInfo	Additional Information	GoodsDescription	Goods Description	ProperShippingName	Proper Shipping Name	SaidToContain	Said to contain
AdditionalInfo	Additional Information								
GoodsDescription	Goods Description								
ProperShippingName	Proper Shipping Name								
SaidToContain	Said to contain								
xs:sequence	Occurrence 1 .. 1								
DescriptionCode	Occurrence 0 .. 1 Type xs:string General Notes FREE TEXT DESCRIPTION CODE Use to be agreed								
TextLine1	Occurrence 0 .. 1 Type xs:string General Notes FREE TEXT LINE 1								
TextLine2	Occurrence 0 .. 1 Type xs:string General Notes FREE TEXT LINE 2								
TextLine3	Occurrence 0 .. 1 Type xs:string General Notes FREE TEXT LINE 3								
TextLine4	Occurrence 0 .. 1 Type xs:string General Notes FREE TEXT LINE 4								
TextLine5	Occurrence 0 .. 1 Type xs:string General Notes FREE TEXT LINE 5								
Measurements	Occurrence 0 .. 1 Type MeasurementList General Notes LINE ITEM MEASUREMENTS Examples <Measurements> <Measurement Type="GrossWeight" Uom="KGM"> <Measure>10.03</Measure> </Measurement> <Measurement Type="NetWeight" Uom="KGM"> <Measure>8.03</Measure> </Measurements>								

Element/Attribute	Annotation												
	Examples </Measurement> <Measurement Type="Volume" Uom="MTQ"> <Measure>2.03</Measure> </Measurement> <Measurement Type="LoadingMeters" Uom="MTR"> <Measure>2.05</Measure> </Measurement> <Measurement Type="PalletSpaces" Uom="PLL"> <Measure>5</Measure> </Measurement> </Measurements>												
xs:sequence	Occurrence 1 .. 1												
Measurement	Occurrence 0 .. unbounded												
	Type Measurement												
Type	Type xs:string												
	Use required												
	General Notes MEASUREMENT TYPE												
	Applicable Codes <table> <tr> <td>ChargeableWeight</td><td>Chargeable Weight</td></tr> <tr> <td>GrossWeight</td><td>Gross Weight</td></tr> <tr> <td>LoadingMeters</td><td>Loading Meters</td></tr> <tr> <td>NetWeight</td><td>Net Weight</td></tr> <tr> <td>PalletSpaces</td><td>Pallet Spaces</td></tr> <tr> <td>Volume</td><td>Volume</td></tr> </table>	ChargeableWeight	Chargeable Weight	GrossWeight	Gross Weight	LoadingMeters	Loading Meters	NetWeight	Net Weight	PalletSpaces	Pallet Spaces	Volume	Volume
ChargeableWeight	Chargeable Weight												
GrossWeight	Gross Weight												
LoadingMeters	Loading Meters												
NetWeight	Net Weight												
PalletSpaces	Pallet Spaces												
Volume	Volume												
Uom	Type xs:string												
	General Notes MEASUREMENT UNIT OF MEASURE (Required)												
	Applicable Codes <table> <tr> <td>KGM</td><td>Kilogram</td></tr> <tr> <td>MTQ</td><td>Cubic meters</td></tr> <tr> <td>MTR</td><td>Meters</td></tr> <tr> <td>PCE</td><td>Pieces</td></tr> </table>	KGM	Kilogram	MTQ	Cubic meters	MTR	Meters	PCE	Pieces				
KGM	Kilogram												
MTQ	Cubic meters												
MTR	Meters												
PCE	Pieces												
xs:sequence	Occurrence 1 .. 1												
Measure	Occurrence 0 .. 1												
	Type xs:string												
	General Notes MEASUREMENT VALUE												
Dimensions	Occurrence 0 .. 1												
	Type DimensionsList												
	General Notes LINE ITEM DIMENSIONS												
	Examples <Dimensions> <Dimension Type="Gross" Uom="MTR"> <Length>0.6</Length> <Width>0.2</Width> <Height>0.8</Height> </Dimension> </Dimensions>												
xs:sequence	Occurrence 1 .. 1												
Dimension	Occurrence 0 .. unbounded												
	Type Dimension												
Type	Type xs:string												
	Use required												
	General Notes DIMENSION TYPE												



Element/Attribute	Annotation
	Examples <Dimensions> <Dimension Type="GoodsItemsDimensions" Uom="MTR" > <Length>1.2</Length> <Width>1.45</Width> <Height>1.1</Height> </Dimension> </Dimensions>
	Applicable Codes ConsignmentDimensions General consignment Dimensions Equipment External equipment dimension Gross Gross Dimensions
<i>Uom</i>	Type xs:string General Notes DIMENSIONS UNIT OF MEASURE
	Applicable Codes CMT Centimeters MTR Meters
xs:sequence	Occurrence 1 .. 1
Length	Occurrence 0 .. 1 Type xs:string General Notes DIMENSION - LENGTH
Width	Occurrence 0 .. 1 Type xs:string General Notes DIMENSION - WIDTH
Height	Occurrence 0 .. 1 Type xs:string General Notes DIMENSION - HEIGHT
NumberOfUnits	Occurrence 0 .. 1 Type xs:string General Notes DIMENSION - NUMBER OF UNITS
References	Occurrence 0 .. 1 Type ReferenceGroupList General Notes LINE ITEM REFERENCES Examples <References> <ReferenceGroup> <Reference Type="PackageNumber">Pack1</Reference> </ReferenceGroup> </References>
xs:sequence	Occurrence 1 .. 1
ReferenceGroup	Occurrence 0 .. unbounded Type ReferenceGroup
xs:sequence	Occurrence 1 .. 1
Reference	Occurrence 0 .. 1 Type Reference General Notes LINE ITEM REFERENCE
<i>Type</i>	Type xs:string Use required General Notes LINE ITEM REFERENCE TYPE Applicable Codes PackageNumber Package Number WorkCategory Work category

Element/Attribute	Annotation
Packagelds	Occurrence 0 .. 1 Type Packagelds General Notes PACKAGE IDENTIFICATION AND MARKINGS Examples <Packagelds> <Packageld> <InstructionCode>PackageMarks</InstructionCode> <Marks> <ShippingMark>Package1</ShippingMark> <ShippingMark>Package2</ShippingMark> <ShippingMark>Package3</ShippingMark> </Marks> </Packageld> <GoodsIdentities Type="SerialNumber"> <GoodsIdentifier>00034306500101392630</GoodsIdentifier> <GoodsIdentifier>00034306500101392647</GoodsIdentifier> <GoodsIdentifier>00034306500101392654</GoodsIdentifier> </GoodsIdentities> <GoodsIdentities Type="SSCC"> <GoodsIdentifier>370716481208016082</GoodsIdentifier> <GoodsIdentifier>370716481208016099</GoodsIdentifier> <GoodsIdentifier>373323991620976376</GoodsIdentifier> </GoodsIdentities> </Packagelds>
xs:sequence	Occurrence 1 .. 1
Packageld	Occurrence 0 .. unbounded Type Packageld General Notes PACKAGE MARKS & NUMBERS
xs:sequence	Occurrence 1 .. 1
InstructionCode	Occurrence 1 .. 1 Type xs:string General Notes PACKAGE MARKS TYPE
Marks	Applicable Codes PackageMarks Shipper Marks
xs:sequence	Occurrence 1 .. 1
ShippingMark	Occurrence 1 .. unbounded Type xs:string General Notes PACKAGE MARK
GoodsIdentities	Occurrence 0 .. unbounded Type GoodsIdentity General Notes PACKAGE BAR CODES
Type	Type xs:string Use required General Notes TYPE OF IDENTIFIER
xs:sequence	Occurrence 1 .. 1
GoodsIdentifier	Applicable Codes SSCC Carrier Serial Shipping Container Code SerialNumber Seller barcode Occurrence 1 .. unbounded Type xs:string General Notes GOODS IDENTIFIER

Element/Attribute	Annotation
GoodsPlacementIds	Occurrence 0 .. 1 Type GoodsPlacementIds General Notes GOODS PLACEMENT For containerized Sea Freight, container number the line item is packed in Examples <GoodsPlacementIds> <GoodsPlacementId>MSCU1234567</GoodsPlacementId> </GoodsPlacementIds>
xs:sequence	Occurrence 1 .. 1
GoodsPlacementId	Occurrence 1 .. unbounded Type xs:string General Notes SHIPPING CONTAINER NUMBER
DangerousGoodsDetails	Occurrence 0 .. 1 Type DangerousGoodsDetailList General Notes DANGEROUS / HAZARDOUS GOODS DETAILS Only include if line item contains dangerous/hazardous cargo
xs:sequence	Occurrence 1 .. 1
DangerousGoodsDetail	Occurrence 0 .. unbounded Type DangerousGoodsDetail
xs:sequence	Occurrence 1 .. 1
DangerousGoods	Occurrence 0 .. 1 Type DangerousGoods General Notes DANGEROUS GOODS INFORMATION Examples <DangerousGoods> <Regulation>ADR</Regulation> <HazardClass>9</HazardClass> <AdditionalHazardClass>3</AdditionalHazardClass> <HazardVersionId>5</HazardVersionId> <UNDGNumber>3082</UNDGNumber> <FlashPointDescription>FlashDesc</FlashPointDescription> <FlashPointTemperature FlashpointUom="CEL">10</FlashPointTemperature> <DangerLevelCode>III</DangerLevelCode> <EMSNumber>EMS No</EMSNumber> <MFAGNumber>MFAG No</MFAGNumber> <TremCardNumber>Trem No</TremCardNumber> <UpperPlate>Upper</UpperPlate> <LowerPlate>Lower</LowerPlate> <Labels> <Label>Lab1</Label> </Labels> <TunnelCode>E</TunnelCode> </DangerousGoods>
xs:sequence	Occurrence 1 .. 1
Regulation	Occurrence 0 .. 1 Type xs:string General Notes DANGEROUS GOODS REGULATION TYPE Applicable Codes ADR European Road DG Agreement IMO IMO IMDG Code

Element/Attribute		Annotation
	HazardClass	Occurrence 0 .. 1 Type xs:string General Notes HAZARDOUS CLASS
	AdditionalHazardClass	Occurrence 0 .. 1 Type xs:string General Notes ADDITIONAL HAZARDOUS CLASS / SUBRISK
	HazardVersionId	Occurrence 0 .. 1 Type xs:string General Notes HAZARDOUS VERSION ID
	UNDGNumber	Occurrence 0 .. 1 Type xs:string General Notes UNDG NUMBER
	FlashPointDescription	Occurrence 0 .. 1 Type xs:string General Notes FLASH POINT DESCRIPTION
	FlashPointTemperature	Occurrence 0 .. 1 Type extension (xs:string) General Notes FLASHPOINT TEMPERATURE Integer value only
	<i>FlashpointUom</i>	Type xs:string General Notes FLASHPOINT TEMPERATURE UNIT OF MEASURE
		Applicable Codes
		CEL Celsius
	DangerLevelCode	Occurrence 0 .. 1 Type xs:string General Notes DANGER LEVEL CODE / PACKING GROUP
		Applicable Codes
		I Packing Group I - Great danger II Packing Group II - Medium danger III Packing Group III - Minor danger
	EMSNumber	Occurrence 0 .. 1 Type xs:string General Notes EMERGENCY SCHEDULE NUMBER
	MFAGNumber	Occurrence 0 .. 1 Type xs:string General Notes MEDICAL FIRST AID GUIDE
	TremCardNumber	Occurrence 0 .. 1 Type xs:string General Notes TREMCARD NUMBER
	UpperPlate	Occurrence 0 .. 1 Type xs:string General Notes ORANGE HAZARD PLACARD UPPER PLATE
	LowerPlate	Occurrence 0 .. 1 Type xs:string General Notes ORANGE HAZARD PLACARD LOWER PLATE
	Labels	Occurrence 0 .. 1 General Notes HAZARDOUS LABELS
	<i>xs:sequence</i>	Occurrence 1 .. 1
	Label	Occurrence 1 .. 4 Type xs:string

Bold = Element, Italic = Attribute, Grey = Group

DSV public

Element/Attribute	Annotation
	General Notes HAZARDOUS LABEL
PackingInstruction	Occurrence 0 .. 1 Type xs:string General Notes PACKING INSTRUCTION
TransportMeansCode	Occurrence 0 .. 1 Type xs:string General Notes TRANSPORT MEANS CODE
TunnelCode	Occurrence 0 .. 1 Type xs:string General Notes TUNNEL CODE
FreeTextData	Occurrence 0 .. 1 Type FreeTextList General Notes DANGEROUS GOODS FREE TEXT Examples <FreeTextData> <FreeText Type="MarinePollutant"> <TextLine>MP</TextLine> </FreeText> <FreeText Type="ProperShippingName"> <TextLine>Proper Shipping Name</TextLine> </FreeText> <FreeText Type="TechnicalName"> <TextLine>Technical Name</TextLine> </FreeText> <FreeText Type="IntTechnicalName"> <TextLine>Int Technical Name</TextLine> </FreeText> <FreeText Type="DGAdditionalInfo"> <TextLine>DG Additional Info Line</TextLine> </FreeText> </FreeTextData>
xs:sequence	Occurrence 1 .. 1
FreeText	Occurrence 0 .. unbounded Type FreeText
Type	Type xs:string Use required General Notes FREE TEXT TYPE Examples <FreeText Type="ClassificationCode" > <TextLine1>1.3G</TextLine1> </FreeText> <FreeText Type="UNPackagingCode" > <TextLine1>6HB2</TextLine1> </FreeText>
Applicable Codes	
ClassificationCode	DGS Classification code
DGAdditionalInfo	Dangerous Goods Additional Information
GoodsDescription	Goods Description
IntTechnicalName	Dangerous Goods Int. Technical Name
MarinePollutant	Marine Pollutant
ProperShippingName	Dangerous Goods Proper Shipping Name

Bold = Element, Italic = Attribute, Grey = Group
DSV public

DSV TRANSPORT XML V2 Out; v2.2
 Issue date: 2026-08-31
Print date: 2026-08-31

Generated by GEFEG.FX
 Page: 67 / 75

DSV public
 DSV TRANSPORT XML V2 Out; v2.2
 Issue date: 2026-08-31
 Print date: 2026-08-31
 Generated by GEFEG.FX
 Page: 68 / 75

Element/Attribute	Annotation
	General Notes PACKAGE LIST PACKAGE ID
PackageCode	Occurrence 0 .. 1 Type xs:string General Notes PACKAGE LIST PACKAGE CODE
Measurements	Occurrence 0 .. 1 Type MeasurementList General Notes PACKAGE LIST MEASUREMENTS
xs:sequence	Occurrence 1 .. 1
Measurement	Occurrence 0 .. unbounded Type Measurement General Notes PACKAGE LIST MEASUREMENT TYPE
<i>Type</i>	Type xs:string Use required General Notes PACKAGE LIST MEASUREMENT TYPE
<i>Uom</i>	Type xs:string General Notes PACKAGE LIST MEASUREMENT UOM
xs:sequence	Occurrence 1 .. 1
Measure	Occurrence 0 .. 1 Type xs:string General Notes PACKAGE LIST MEASURE
Dimensions	Occurrence 0 .. 1 Type DimensionsList General Notes PACKAGE LIST DIMENSIONS
xs:sequence	Occurrence 1 .. 1
Dimension	Occurrence 0 .. unbounded Type Dimension General Notes PACKAGE LIST DIMENSION TYPE
<i>Type</i>	Type xs:string Use required General Notes PACKAGE LIST DIMENSION TYPE
<i>Uom</i>	Type xs:string General Notes PACKAGE LIST DIMENSION UOM
xs:sequence	Occurrence 1 .. 1
Length	Occurrence 0 .. 1 Type xs:string General Notes PACKAGE LIST DIMENSION LENGTH
Width	Occurrence 0 .. 1 Type xs:string General Notes PACKAGE LIST DIMENSION WIDTH
Height	Occurrence 0 .. 1 Type xs:string General Notes PACKAGE LIST DIMENSION HEIGHT
NumberOfUnits	Occurrence 0 .. 1 Type xs:string General Notes PACKAGE LIST DIMENSION NUMBER OF UNITS
References	Occurrence 0 .. 1 Type ReferenceGroupList General Notes PACKAGE LIST REFERENCES
xs:sequence	Occurrence 1 .. 1
ReferenceGroup	Occurrence 0 .. unbounded Type ReferenceGroup

Bold = Element, *Italic* = Attribute, Grey = Group

DSV public

Element/Attribute	Annotation
xs:sequence Reference Type Identifier	Occurence 1 .. 1 Occurence 0 .. 1 Type Reference Use required General Notes PACKAGE LIST REFERENCE TYPE
xs:sequence Flag Type	Occurence 1 .. 1 Occurence 0 .. unbounded Type Flag Type xs:string General Notes PACKAGE LIST FLAGTYPE
Flags	Occurence 0 .. 1 Type FlagList General Notes PACKAGE LIST FLAGS
xs:sequence Flag Type	Occurence 1 .. 1 Occurence 0 .. unbounded Type Flag Type xs:string General Notes PACKAGE LIST FLAGTYPE
InnerGoodsItems	Occurence 0 .. 1 Type InnerGoodsItemList General Notes INNERGOODS ITEMS Examples <InnerGoodsItems> <InnerGoodsItem> <Item> <Sequence>1</Sequence> <PackageQty>585</PackageQty> <PackageType>PCE</PackageType> </Item> </InnerGoodsItem> </InnerGoodsItems>
xs:sequence InnerGoodsItem xs:sequence Item	Occurence 1 .. 1 Occurence 0 .. unbounded Type InnerGoodsItem Occurence 1 .. 1 Occurence 0 .. 1 Type Item General Notes INNERGOODS ITEM
xs:sequence Sequence ItemNumber	Occurence 1 .. 1 Occurence 0 .. 1 Type xs:string General Notes INNERGOODS ITEM SEQUENCE
PackageQty	Occurence 0 .. 1 Type xs:string General Notes INNERGOODS ITEM PACKAGE QUANTITY
PackageType	Occurence 0 .. 1 Type xs:string General Notes INNERGOODS ITEM PACKAGETYPE

Element/Attribute	Annotation
GoodsItem <PackageList>	Occurrence 0 .. unbounded Type GoodsItem General Notes GOODS ITEM - PACKAGE LIST
xs:sequence	Occurrence 1 .. 1
Item	Occurrence 0 .. 1 Type Item General Notes GOODS ITEM PACKAGE LIST DETAILS Examples <Item> <ItemNumber>0</ItemNumber> <PackageQty>20</PackageQty> <PackageType>PKG</PackageType> </Item>
xs:sequence	Occurrence 1 .. 1
ItemNumber	Occurrence 0 .. 1 Type xs:string General Notes LINE ITEM PACKAGE LIST - ITEM NUMBER Examples <Item> <ItemNumber>0</ItemNumber> <PackageQty>1</PackageQty> <PackageType>NTPL</PackageType> </Item>
PackageQty	Occurrence 0 .. 1 Type xs:string General Notes LINE ITEM PACKAGE LIST - QUANTITY
PackageType	Occurrence 0 .. 1 Type xs:string General Notes LINE ITEM PACKAGE LIST - PACKAGE TYPE
Measurements	Occurrence 0 .. 1 Type MeasurementList General Notes LINE ITEM PACKAGE LIST - MEASUREMENTS Examples <Measurements> <Measurement Type="GrossWeight" Uom="KGM"> <Measure>10.03</Measure> </Measurement> <Measurement Type="Volume" Uom="MTQ"> <Measure>2.03</Measure> </Measurement> <Measurement Type="LoadingMeters" Uom="MTR"> <Measure>2.05</Measure> </Measurement> </Measurements>
xs:sequence	Occurrence 1 .. 1
Measurement	Occurrence 0 .. unbounded Type Measurement
Type	Type xs:string Use required General Notes MEASUREMENT TYPE
Applicable Codes	
GrossWeight	Gross Weight



Element/Attribute	Annotation
	Applicable Codes LoadingMeters Loading Meters Volume Volume
Uom	Type xs:string General Notes MEASUREMENT UNIT OF MEASURE (Required)
	Applicable Codes KGM Kilogram MTQ Cubic meters MTR Meters
xs:sequence	Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string General Notes MEASUREMENT VALUE
Measure	
Dimensions	Occurrence 0 .. 1 Type DimensionsList General Notes LINE ITEM PACKAGE LIST - DIMENSIONS Examples <Dimensions> <Dimension Type="Gross" Uom="MTR"> <Length>0.6</Length> <Width>0.2</Width> <Height>0.8</Height> </Dimension> </Dimensions>
xs:sequence	Occurrence 1 .. 1 Occurrence 0 .. unbounded Type Dimension
Dimension	
Type	Type xs:string Use required General Notes DIMENSION TYPE Examples <Dimensions> <Dimension Type="GoodsItemsDimensions" Uom="MTR" > <Length>1.2</Length> <Width>1.45</Width> <Height>1.1</Height> </Dimension> </Dimensions>
	Applicable Codes GoodsItemsDimensions Goods items dimensions
Uom	Type xs:string General Notes DIMENSIONS UNIT OF MEASURE
	Applicable Codes CMT Centimeters MTR Meters
xs:sequence	Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string General Notes DIMENSION - LENGTH
Length	
Width	Occurrence 0 .. 1 Type xs:string General Notes DIMENSION - WIDTH

Bold = Element, Italic = Attribute, Grey = Group

DSV public

Element/Attribute	Annotation		
Height	Occurrence 0 .. 1 Type xs:string General Notes DIMENSION - HEIGHT		
NumberOfUnits	Occurrence 0 .. 1 Type xs:string General Notes DIMENSION - NUMBER OF UNITS		
References	Occurrence 0 .. 1 Type ReferenceGroupList General Notes LINE ITEM PACKAGE LIST - REFERENCES Examples <References> <ReferenceGroup> <Reference Type="PackageNumber">Pack1</Reference> </ReferenceGroup> </References>		
xs:sequence	Occurrence 1 .. 1		
ReferenceGroup	Occurrence 0 .. unbounded Type ReferenceGroup		
xs:sequence	Occurrence 1 .. 1		
Reference	Occurrence 0 .. 1 Type Reference General Notes LINE ITEM PACKAGE LIST - REFERENCE		
Type	Type xs:string Use required General Notes LINE ITEM PACKAGE LIST - REFERENCE TYPE Applicable Codes <table> <tr> <td>PackageNumber</td> <td>Package Number</td> </tr> </table>	PackageNumber	Package Number
PackageNumber	Package Number		
Packagelds	Occurrence 0 .. 1 Type Packagelds General Notes PACKAGE IDENTIFICATION AND MARKINGS Examples <Packagelds> <GoodsIdentities Type="SerialNumber"> <GoodsIdentifier>00034306500101392630</GoodsIdentifier> <GoodsIdentifier>00034306500101392647</GoodsIdentifier> <GoodsIdentifier>00034306500101392654</GoodsIdentifier> </GoodsIdentities> <GoodsIdentities Type="SSCC"> <GoodsIdentifier>370716481208016082</GoodsIdentifier> <GoodsIdentifier>370716481208016099</GoodsIdentifier> <GoodsIdentifier>373323991620976376</GoodsIdentifier> </GoodsIdentities> </Packagelds>		
xs:sequence	Occurrence 1 .. 1		
GoodsIdentities	Occurrence 0 .. unbounded Type GoodsIdentity General Notes PACKAGE BAR CODES		
Type	Type xs:string Use required General Notes TYPE OF IDENTIFIER Applicable Codes <table> <tr> <td>SSCC</td> <td>Carrier Serial Shipping Container</td> </tr> </table>	SSCC	Carrier Serial Shipping Container
SSCC	Carrier Serial Shipping Container		



Element/Attribute	Annotation
xs:sequence GoodsIdentifier	Applicable Codes SerialNumber Code Seller barcode
	Occurrence 1 .. 1 Type xs:string General Notes GOODS IDENTIFIER
EquipmentUnits	Occurrence 0 .. 1 Type EquipmentUnitList General Notes EQUIPMENT INFORMATION
xs:sequence EquipmentUnit	Occurrence 1 .. 1 Occurrence 0 .. unbounded Type EquipmentUnit General Notes EQUIPMENT UNIT DETAILS
	Examples For EUR pallet road freight: <EquipmentUnit> <EquipmentType> <Type>EFP</Type> </EquipmentType> <NumberOfUnits>3</NumberOfUnits> </EquipmentUnit> For containerized sea freight: <EquipmentUnit> <EquipmentType> <Type>Container</Type> <UnitId>MSCU1234567</UnitId> <SizeTypeCode>40GP</SizeTypeCode> </EquipmentType> <SealIds> <Seal> <SealId>Seal1</SealId> <SealParty>Shipper</SealParty> </Seal> </SealIds> </EquipmentUnit>
EquipmentType	Occurrence 1 .. 1 Occurrence 0 .. 1 Type EquipmentType General Notes EQUIPMENT TYPE INFORMATION
Type	Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string General Notes EQUIPMENT TYPE
UnitId	Applicable Codes Container Shipping Container EFP Euro Flat Pallet EUR Euro Pallet
	Occurrence 0 .. 1 Type xs:string General Notes SHIPPING CONTAINER NUMBER
SizeTypeCode	Occurrence 0 .. 1 Type xs:string



Element/Attribute	Annotation
	General Notes CONTAINER SIZE AND TYPE DSV specified Container Type for Shipping Container
	Applicable Codes
	20GP 20 ft General Purpose 20RE 20 ft Reefer 40GP 40 ft General Purpose 40HC 40 ft High Cube 40NOR 40 ft high Cube, self powered Reefer 40RE 40 ft Reefer 40REHC 40 ft High Cube Reefer
ISOCODE	Occurrence 0 .. 1 Type xs:string General Notes SHIPPING CONTAINER ISO CODE
	Applicable Codes
	22G1 20 ft General purpose 22P1 20 ft Platform 22R1 20 ft Reefer 22T1 20 ft Tanker 22U1 20 ft Open-top 42G1 40 ft General purpose 42P1 40 ft Platform 42R1 40 ft Reefer 42T1 40 ft Tanker 42U1 40 ft Open-top 45G1 40 ft High cube, General purpose 45R1 40 ft High cube Reefer 45R9 40 ft High cube Self powered Reefer L5G0 45 ft High cube General purpose
NumberOfUnits	Occurrence 0 .. 1 Type xs:decimal General Notes NUMBER OF UNITS For Road freight pallets Only used for Returnable items.
SealIds	Occurrence 0 .. 1 Type SealList General Notes SEAL IDS
xs:sequence	Occurrence 1 .. 1
Seal	Occurrence 0 .. unbounded Type Seal General Notes SEAL INFORMATION FOR SHIPPING CONTAINERS
xs:sequence	Occurrence 1 .. 1
SealId	Occurrence 0 .. 1 Type xs:string General Notes SEAL NUMBER
SealParty	Occurrence 0 .. 1 Type xs:string General Notes SEALING PARTY
	Applicable Codes
	Shipper Shipper assigned