



Message Implementation Guideline

DSV_TR_E2E_STD_INVOIC_D10B_INVOIC_D10B_OUT_m p

based on

INVOIC

Invoice message

UN D.10B S4

Version: v1.3

Variant:

Issue date: 2020-04-30

Author: DSV Panalpina A/S, EDI

2 Message Structure.....	3
3 Branching Diagram	7
4 Segments	16
5 Example	118



Structure / Table of Contents

Counter	No	Tag	St	MaxOcc	Level	Content
0000	1	UNA	C	1	0	Service string advice
0000	2	UNB	M	1	0	Interchange header
0010	3	UNH	M	1	0	Message header
0020	4	BGM	M	1	0	Beginning of message
0030	5	DTM	M	35	1	Date/time/period
0030	6	DTM	M	35	1	Date/time/period
0070	7	FTX	C	99	1	Free text
0070	8	FTX	C	99	1	Free text
0080	9	LOC	C	10	1	Place/location identification
0120		SG1	C	99999	1	RFF
0130	10	RFF	M	1	1	Reference
0120		SG1	C	99999	1	RFF
0130	11	RFF	M	1	1	Reference
0120		SG1	C	99999	1	RFF
0130	12	RFF	M	1	1	Reference
0220		SG2	C	99	1	NAD-FII-SG3-SG4-SG5
0230	13	NAD	M	1	1	Name and address
0250	14	FII	C	5	2	Financial institution information
0270		SG3	C	9999	2	RFF
0280	15	RFF	M	1	2	Reference
0300		SG4	C	5	2	DOC
0310	16	DOC	M	1	2	Document/message details
0330		SG5	C	5	2	CTA-COM-COM
0340	17	CTA	M	1	2	Contact information
0350	18	COM	C	5	3	Communication contact
0350	19	COM	C	5	3	Communication contact
0220		SG2	C	99	1	NAD-SG3-SG5
0230	20	NAD	M	1	1	Name and address
0270		SG3	C	9999	2	RFF
0280	21	RFF	M	1	2	Reference
0330		SG5	C	5	2	CTA-COM-COM
0340	22	CTA	M	1	2	Contact information
0350	23	COM	C	5	3	Communication contact
0350	24	COM	C	5	3	Communication contact
0400		SG7	C	99	1	CUX-DTM
0410	25	CUX	M	1	1	Currencies
0420	26	DTM	C	5	2	Date/time/period

Counter = Counter of segment/group within the standard
 No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Content
0430		SG8	C	10	1	PYT-DTM
0440	27	PYT	M	1	1	Payment terms
0450	28	DTM	C	5	2	Date/time/period
0500		SG9	C	10	1	TDT-TSR-SG10-SG10-SG10-SG10-SG11
0510	29	TDT	M	1	1	Transport information
0520	30	TSR	C	1	2	Transport service requirements
0530		SG10	C	10	2	LOC-DTM
0540	31	LOC	M	1	2	Place/location identification
0550	32	DTM	C	5	3	Date/time/period
0530		SG10	C	10	2	LOC-DTM
0540	33	LOC	M	1	2	Place/location identification
0550	34	DTM	C	5	3	Date/time/period
0530		SG10	C	10	2	LOC-DTM
0540	35	LOC	M	1	2	Place/location identification
0550	36	DTM	C	5	3	Date/time/period
0530		SG10	C	10	2	LOC-DTM
0540	37	LOC	M	1	2	Place/location identification
0550	38	DTM	C	5	3	Date/time/period
0560		SG11	C	9999	2	RFF
0570	39	RFF	M	1	2	Reference
0590		SG12	C	5	1	TOD-LOC
0600	40	TOD	M	1	1	Terms of delivery or transport
0610	41	LOC	C	2	2	Place/location identification
0620		SG13	C	99	1	EQD-SEL
0630	42	EQD	M	1	1	Equipment details
0640	43	SEL	C	9	2	Seal number
1160		SG27	C	9999999	1	LIN-IMD-MEA-MEA-MEA-MEA-DTM-EQD-FTX-SG28-SG31-SG31-SG32-SG34-SG34-SG34-SG34-SG35-SG36-SG40-SG46-SG48
1170	44	LIN	M	1	1	Line item
1200	45	IMD	C	99	2	Item description
1210	46	MEA	C	5	2	Measurements
1210	47	MEA	C	5	2	Measurements
1210	48	MEA	C	5	2	Measurements
1210	49	MEA	C	5	2	Measurements
1250	50	DTM	C	35	2	Date/time/period
1290	51	EQD	C	1	2	Equipment details
1300	52	FTX	C	99	2	Free text
1320		SG28	C	99	2	MOA

Counter = Counter of segment/group within the standard
 No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Content
1330	53	MOA	M	1	2	Monetary amount
1460		SG31	C	10	2	RFF
1470	54	RFF	M	1	2	Reference
1460		SG31	C	10	2	RFF
1470	55	RFF	M	1	2	Reference
1490		SG32	C	10	2	PAC-SG33
1500	56	PAC	M	1	2	Package
1530		SG33	C	10	3	PCI
1540	57	PCI	M	1	3	Package identification
1580		SG34	C	9999	2	LOC
1590	58	LOC	M	1	2	Place/location identification
1580		SG34	C	9999	2	LOC
1590	59	LOC	M	1	2	Place/location identification
1580		SG34	C	9999	2	LOC
1590	60	LOC	M	1	2	Place/location identification
1580		SG34	C	9999	2	LOC
1590	61	LOC	M	1	2	Place/location identification
1620		SG35	C	99	2	TAX-MOA
1630	62	TAX	M	1	2	Duty/tax/fee details
1640	63	MOA	C	2	3	Monetary amount
1660		SG36	C	99	2	NAD
1670	64	NAD	M	1	2	Name and address
1790		SG40	C	30	2	ALC-SG43-SG43-SG45
1800	65	ALC	M	1	2	Allowance or charge
1900		SG43	C	2	3	MOA-CUX
1910	66	MOA	M	1	3	Monetary amount
1930	67	CUX	C	1	4	Currencies
1900		SG43	C	2	3	MOA
1910	68	MOA	M	1	3	Monetary amount
1980		SG45	C	5	3	TAX-MOA-MOA
1990	69	TAX	M	1	3	Duty/tax/fee details
2000	70	MOA	C	2	4	Monetary amount
2000	71	MOA	C	2	4	Monetary amount
2010		SG46	C	10	2	TDT-SG47-SG47-SG47-SG47
2020	72	TDT	M	1	2	Transport information
2030		SG47	C	10	3	LOC
2040	73	LOC	M	1	3	Place/location identification
2030		SG47	C	10	3	LOC

Counter = Counter of segment/group within the standard
 No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used




Counter	No	Tag	St	MaxOcc	Level	Content
2040	74	LOC	M	1	3	Place/location identification
2030		SG47	C	10	3	LOC
2040	75	LOC	M	1	3	Place/location identification
2030		SG47	C	10	3	LOC
2040	76	LOC	M	1	3	Place/location identification
2060		SG48	C	5	2	TOD-LOC
2070	77	TOD	M	1	2	Terms of delivery or transport
2080	78	LOC	C	2	3	Place/location identification
2320	79	UNS	M	1	0	Section control
2340		SG52	M	100	1	MOA
2350	80	MOA	M	1	1	Monetary amount
2340		SG52	M	100	1	MOA
2350	81	MOA	M	1	1	Monetary amount
2340		SG52	M	100	1	MOA
2350	82	MOA	M	1	1	Monetary amount
2340		SG52	M	100	1	MOA
2350	83	MOA	M	1	1	Monetary amount
2340		SG52	M	100	1	MOA
2350	84	MOA	M	1	1	Monetary amount
2340		SG52	M	100	1	MOA
2350	85	MOA	M	1	1	Monetary amount
2390		SG54	C	10	1	TAX-MOA-MOA-MOA-MOA
2400	86	TAX	M	1	1	Duty/tax/fee details
2410	87	MOA	C	9	2	Monetary amount
2410	88	MOA	C	9	2	Monetary amount
2410	89	MOA	C	9	2	Monetary amount
2410	90	MOA	C	9	2	Monetary amount
2470	91	UNT	M	1	0	Message trailer

Counter = Counter of segment/group within the standard
 No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Branching Diagram of Used Segments/Groups



Tag
St MaxOcc
No
Counter


Tag = Segment/Group Tag

St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)

MaxOcc = Maximum occurrence of the segment/group

No = Consecutive segment number

Counter = Counter of segment/group within the standard



Tag
St MaxOcc
No
Counter


Tag = Segment/Group Tag

St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)

MaxOcc = Maximum occurrence of the segment/group


No = Consecutive segment number

Counter = Counter of segment/group within the standard



Tag
St MaxOcc
No
Counter

Tag = Segment/Group Tag
St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)
MaxOcc = Maximum occurrence of the segment/group
No = Consecutive segment number
Counter = Counter of segment/group within the standard



Tag
St MaxOcc
No
Counter


Tag = Segment/Group Tag

St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)

MaxOcc = Maximum occurrence of the segment/group

No = Consecutive segment number

Counter = Counter of segment/group within the standard



Tag
St MaxOcc
No
Counter


Tag = Segment/Group Tag

St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)

MaxOcc = Maximum occurrence of the segment/group

No = Consecutive segment number

Counter = Counter of segment/group within the standard



Tag
St MaxOcc
No
Counter


Tag = Segment/Group Tag

St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)

MaxOcc = Maximum occurrence of the segment/group

No = Consecutive segment number

Counter = Counter of segment/group within the standard



Tag
St MaxOcc
No
Counter


Tag = Segment/Group Tag

St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)

MaxOcc = Maximum occurrence of the segment/group

No = Consecutive segment number

Counter = Counter of segment/group within the standard



Tag
St MaxOcc
No
Counter


Tag = Segment/Group Tag

St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)

MaxOcc = Maximum occurrence of the segment/group

No = Consecutive segment number

Counter = Counter of segment/group within the standard



Tag
St MaxOcc
No
Counter

Tag = Segment/Group Tag

St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)

MaxOcc = Maximum occurrence of the segment/group

No = Consecutive segment number

Counter = Counter of segment/group within the standard



Segments

Counter	No	Tag	St	MaxOcc	Level	Name
0000	1	UNA	C	1	0	Service string advice

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
UNA				
UNA1	Component data element separator	M an1	M an1	General Notes : Component data element separator
UNA2	Data element separator	M an1	M an1	General Notes + Data element separator
UNA3	Decimal mark	M an1	M an1	General Notes . Decimal notation
UNA4	Release character	M an1	M an1	General Notes ? Release indicator
UNA5	Repetition separator	M an1	M an1	General Notes Reserved for future use
UNA6	Segment terminator	M an1	M an1	General Notes ' Segment terminator

Segment Remarks:

Example:

UNA:+. ? '

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
---------	----	-----	----	--------	-------	------

0000	2	UNB	M	1	0	Interchange header
------	---	------------	---	---	---	--------------------

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
UNB				
S001	Syntax identifier	M	M	
0001	Syntax identifier	M a4	M a4	List of valid codes UNOC UN/ECE level C
0002	Syntax version number	M an1	M an1	List of valid codes 4 Version 4
0080	Service code list directory version number	C an..6	N	
0133	Character encoding, coded	C an..3	N	
0076	Syntax release number	C an2	N	
S002	Interchange sender	M	M	
0004	Interchange sender identification	M an..35	M an..35	General Notes Name or Coded ID of the Sender of the Interchange: This will be agreed between the interchange parties and may be specified in element 0007
0007	Identification code qualifier	C an..4	C an..4	General Notes All valid Codes are used and refer to an organisation ID as in ISO 6523 List of valid codes ZZZ Mutually defined
0008	Interchange sender internal identification	C an..35	N	
0042	Interchange sender internal sub-identification	C an..35	N	
S003	Interchange recipient	M	M	
0010	Interchange recipient identification	M an..35	M an..35	General Notes Name or Coded ID of the Receiver of the Interchange: This will be agreed between the interchange parties and may be specified in element 0007
0007	Identification code qualifier	C an..4	C an..4	General Notes All valid Codes are used and refer to an organisation ID as in ISO 6523
0014	Interchange recipient internal identification	C an..35	N	
0046	Interchange recipient internal sub-identification	C an..35	N	
S004	Date and time of preparation	M	M	
0017	Date	M n8	M n8	General Notes

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
0019	Time	M n4	M n4	Local Date when Interchange prepared in format 'yyymmdd'
0020	Interchange control reference	M an..14	M an..14	General Notes Local Time when Interchange prepared in format 'hhmm' as 24 hour clock
S005	Recipient reference/password details	C	N	General Notes Unique Reference assigned by the Sender for the Interchange
0022	Recipient reference/password	M an..14	N	
0025	Recipient reference/password qualifier	C an2	N	
0026	Application reference	C an..14	N	
0029	Processing priority code	C a1	N	
0031	Acknowledgement request	C n1	N	
0032	Interchange agreement identifier	C an..35	N	
0035	Test indicator	C n1	N	

Segment Remarks:**Example:**

UNB+UNOC:4+5790000834129:ZZZ+PartnerId:ZZZ+00190121:1500+00000000012345'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0010	3	UNH	M	1	0	Message header

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
UNH				
0062	Message reference number	M an..14	M an..14	
S009	Message identifier	M	M	
0065	Message type	M an..6	M an..6	List of valid codes INVOIC Invoice message
0052	Message version number	M an..3	M an..3	List of valid codes D Draft version/UN/EDIFACT Directory
0054	Message release number	M an..3	M an..3	List of valid codes 10B Release 2010 - B
0051	Controlling agency, coded	M an..3	M an..3	List of valid codes UN UN/CEFACT
0057	Association assigned code	C an..6	N	
0110	Code list directory version number	C an..6	N	
0113	Message type sub-function identification	C an..6	N	
0068	Common access reference	C an..35	N	
S010	Status of the transfer	C	N	
0070	Sequence of transfers	M n..2	N	
0073	First and last transfer	C a1	N	
S016	Message subset identification	C	N	
0115	Message subset identification	M an..14	N	
0116	Message subset version number	C an..3	N	
0118	Message subset release number	C an..3	N	
0051	Controlling agency, coded	C an..3	N	
S017	Message implementation guideline identification	C	N	
0121	Message implementation guideline identification	M an..14	N	
0122	Message implementation guideline version number	C an..3	N	
0124	Message implementation guideline release number	C an..3	N	
0051	Controlling agency, coded	C an..3	N	
S018	Scenario identification	C	N	
0127	Scenario identification	M an..14	N	

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
0128	Scenario version number	C an..3	N	
0130	Scenario release number	C an..3	N	
0051	Controlling agency, coded	C an..3	N	

Segment Remarks:**Example:**

UNH+123456+INVOIC:D:10B:UN'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

St = Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0020	4	BGM	M	1	0	Beginning of message

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
BGM				
C002	Document/message name	C	C	
1001	Document name code	C an..3	C an..3	List of valid codes 380 Commercial invoice 381 Credit note
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
1000	Document name	C an..35	N	
C106	Document/message identification	C	C	
1004	Document identifier	C an..70	C an..70	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	
1225	Message function code	C an..3	C an..3	List of valid codes 9 Original
4343	Response type code	C an..3	N	

Segment Remarks:**Example:**

BGM+380+DK456654+9'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
---------	----	-----	----	--------	-------	------

0030	5	DTM	M	35	1	Date/time/period
------	---	------------	---	----	---	------------------

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	List of valid codes 137 Document issue date time
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	List of valid codes 203 CCYYMMDDHHMM

Segment Remarks:**Example:**

DTM+137:201804040800:203'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
---------	----	-----	----	--------	-------	------

0030	6	DTM	M	35	1	Date/time/period
------	---	------------	---	----	---	------------------

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	List of valid codes 3 Invoice document issue date time
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	List of valid codes 203 CCYYMMDDHHMM

Segment Remarks:**Example:**

DTM+3:201804121600:203'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
---------	----	-----	----	--------	-------	------

0070	7	FTX	C	99	1	Free text
------	---	------------	---	----	---	-----------

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
FTX				
4451	Text subject code qualifier	M an..3	M an..3	<p>List of valid codes</p> <p>ADU Note</p>
4453	Free text function code	C an..3	N	
C107	Text reference	C	N	
4441	Free text description code	M an..17	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C108	Text literal	C	C	
4440	Free text	M an..512	M an..512	
4440	Free text	C an..512	N	
4440	Free text	C an..512	N	
4440	Free text	C an..512	N	
4440	Free text	C an..512	N	
3453	Language name code	C an..3	N	
4447	Free text format code	C an..3	N	

Segment Remarks:**Example:**

FTX+ADU+++Note'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
---------	----	-----	----	--------	-------	------

0070	8	FTX	C	99	1	Free text
------	---	------------	---	----	---	-----------

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
FTX				
4451	Text subject code qualifier	M an..3	M an..3	
				List of valid codes
				DCL Document issuer declaration
4453	Free text function code	C an..3	N	
C107	Text reference	C	N	
4441	Free text description code	M an..17	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C108	Text literal	C	C	
4440	Free text	M an..512	M an..512	
4440	Free text	C an..512	C an..512	
4440	Free text	C an..512	C an..512	
4440	Free text	C an..512	C an..512	
4440	Free text	C an..512	C an..512	
3453	Language name code	C an..3	N	
4447	Free text format code	C an..3	N	

Segment Remarks:**Example:**

FTX+DCL+++Document issuer declaration:X:X:X:X'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
---------	----	-----	----	--------	-------	------

0080 9 **LOC** C 10 1 Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	
				List of valid codes 183 Place of business
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:

Example:

LOC+183+I382:::DKHOR'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

St = Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0120		SG1	C	99999	1	RFF
0130	10	RFF	M	1	1	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	List of valid codes AAM Waybill number AAS Transport contract document identifier AFB Cargo manifest number BH House bill of lading number CRN Transport means journey identifier MB Master bill of lading number SRN Shipment reference number TIN Transport instruction number PQ Payment reference OI Previous invoice number ZCU Customer reference
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	C an..6	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:**Example:**

RFF+AAM:1223559:X'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0120		SG1	C	99999	1	RFF
		Sea Notes				
0130	11	RFF	M	1	1	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	
				List of valid codes
				CU Consignment identifier, consignor assigned
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:**Example:**

RFF+CU:1223559'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0120		SG1	C	99999	1	RFF
0130	12	RFF	M	1	1	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	
				List of valid codes
				PQ Payment reference
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:**Example:**

RFF+PQ:309863385000006298123'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0220		SG2	C	99	1	NAD-FII-SG3-SG4-SG5
0230	13	NAD	M	1	1	Name and address

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
NAD				
3035	Party function code qualifier	M an..3	M an..3	List of valid codes II Invoice issuer
C082	Party identification details	C	C	
3039	Party identifier	M an..35	M an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	List of valid codes 9 GS1
C058	Name and address	C	N	
3124	Name and address description	M an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
C080	Party name	C	C	
3036	Party name	M an..70	M an..70	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3045	Party name format code	C an..3	N	
C059	Street	C	C	
3042	Street and number or post office box identifier	M an..35	M an..35	
3042	Street and number or post office box identifier	C an..35	C an..35	
3042	Street and number or post office box identifier	C an..35	C an..35	
3042	Street and number or post office box identifier	C an..35	N	
3164	City name	C an..35	C an..35	
C819	Country subdivision details	C	N	
3229	Country subdivision identifier	C an..9	C an..9	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3228	Country subdivision name	C an..70	N	
3251	Postal identification code	C an..17	C an..17	
3207	Country identifier	C an..3	C an..3	

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

St = Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Segment Remarks:

Example:

NAD+II+987654321::9++Invoice issuer+East street 20:2nd address:X+HEDEHUSENE++2630+DK'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

St = Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0220		SG2	C	99	1	NAD-FII-SG3-SG4-SG5
0250	14	FII	C	5	2	Financial institution information

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
FII				
3035	Party function code qualifier	M an..3	M an..3	List of valid codes II Invoice issuer
C078	Account holder identification	C	C	
3194	Account holder identifier	C an..35	C an..35	
3192	Account holder name	C an..35	C an..35	
3192	Account holder name	C an..35	N	
6345	Currency identification code	C an..3	N	
C088	Institution identification	C	C	
3433	Institution name code	C an..11	C an..11	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	List of valid codes 17 S.W.I.F.T.
3434	Institution branch identifier	C an..17	C an..17	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3432	Institution name	C an..70	C an..70	
3436	Institution branch location name	C an..70	N	
3207	Country identifier	C an..3	N	

Segment Remarks:**Example:**

FII+II+SE1995000099603408720708:DSV Company Name+NDEASESS::17:NORDEA BANK:::BANK?: NORDEA, MALMO'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0270		SG3	C	9999	2	RFF
0280	15	RFF	M	1	2	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	
				List of valid codes
				VA VAT registration number
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:**Example:**

RFF+VA:VATNumber '

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0300		SG4	C	5	2	DOC
0310	16	DOC	M	1	2	Document/message details

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DOC				
C002	Document/message name	M	M	
1001	Document name code	C an..3	C an..3	List of valid codes 385 Consolidated invoice 395 Consignment invoice
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
1000	Document name	C an..35	N	
C503	Document/message details	C	N	
1004	Document identifier	C an..70	N	
1373	Document status code	C an..3	N	
1366	Document source description	C an..70	N	
3453	Language name code	C an..3	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	
3153	Communication medium type code	C an..3	N	
1220	Document copies required quantity	C n..2	N	
1218	Document originals required quantity	C n..2	N	

Segment Remarks:**General Notes**

Composite / Single Invoice Flag.

When reading NAD type "II"

If Consolidated Invoice then this defined as 385

If single Invoice defined as Consignment Invoice (Including Transports) as 395

Example:

DOC+385'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0330		SG5	C	5	2	CTA-COM
0340	17	CTA	M	1	2	Contact information

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
CTA				
3139	Contact function code	C an..3	C an..3	List of valid codes AR Accounts receivable contact
C056	Contact details	C	C	
3413	Contact identifier	C an..17	N	
3412	Contact name	C an..256	C an..256	

Segment Remarks:**Example:**

CTA+AR+:Invoice issuer'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0330		SG5	C	5	2	CTA-COM
0350	18	COM	C	5	3	Communication contact

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
COM				
C076	Communication contact	M	M	
3148	Communication address identifier	M an..512	M an..512	
3155	Communication means type code	M an..3	M an..3	
				List of valid codes
				TE Telephone

Segment Remarks:**Example:**

COM+010-4455663388:TE'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0330		SG5	C	5	2	CTA-COM
0350	19	COM	C	5	3	Communication contact

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
COM				
C076	Communication contact	M	M	
3148	Communication address identifier	M an..512	M an..512	
3155	Communication means type code	M an..3	M an..3	
				List of valid codes
			EM	Electronic mail

Segment Remarks:**General Notes**

Methods of contact - - Repeated for both Email and Telephone

Example:

COM+abc@xx.dsv.com:EM'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0220		SG2	C	99	1	NAD-SG3-SG5
0230	20	NAD	M	1	1	Name and address

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
NAD				
3035	Party function code qualifier	M an..3	M an..3	List of valid codes IV Invoicee
C082	Party identification details	C	C	
3039	Party identifier	M an..35	M an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	List of valid codes 9 GS1
C058	Name and address	C	N	
3124	Name and address description	M an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
C080	Party name	C	C	
3036	Party name	M an..70	M an..70	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3045	Party name format code	C an..3	N	
C059	Street	C	C	
3042	Street and number or post office box identifier	M an..35	M an..35	
3042	Street and number or post office box identifier	C an..35	C an..35	
3042	Street and number or post office box identifier	C an..35	C an..35	
3042	Street and number or post office box identifier	C an..35	N	
3164	City name	C an..35	C an..35	
C819	Country subdivision details	C	N	
3229	Country subdivision identifier	C an..9	C an..9	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3228	Country subdivision name	C an..70	N	
3251	Postal identification code	C an..17	C an..17	
3207	Country identifier	C an..3	C an..3	

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Segment Remarks:

Example:

NAD+IV+123456789::9++Company +West street 12B:Warehouse 8:150+COPENHAGEN++1610+DK'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

St = Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0270		SG3	C	9999	2	RFF
0280	21	RFF	M	1	2	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	
				List of valid codes
				VA VAT registration number
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:**Example:**

RFF+VA:VATNumber '

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0330		SG5	C	5	2	CTA-COM
0340	22	CTA	M	1	2	Contact information

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
CTA				
3139	Contact function code	C an..3	C an..3	List of valid codes AP Accounts payable contact
C056	Contact details	C	C	
3413	Contact identifier	C an..17	N	
3412	Contact name	C an..256	C an..256	

Segment Remarks:**Example:**

CTA+AP+:Invoicee'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0330		SG5	C	5	2	CTA-COM
0350	23	COM	C	5	3	Communication contact

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
COM				
C076	Communication contact	M	M	
3148	Communication address identifier	M an..512	M an..512	
3155	Communication means type code	M an..3	M an..3	
				List of valid codes
			TE	Telephone

Segment Remarks:**Example:**

COM+010-4455663388:TE'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0330		SG5	C	5	2	CTA-COM
0350	24	COM	C	5	3	Communication contact

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
COM				
C076	Communication contact	M	M	
3148	Communication address identifier	M an..512	M an..512	
3155	Communication means type code	M an..3	M an..3	
				List of valid codes
			EM	Electronic mail

Segment Remarks:**General Notes**

Methods of contact - - Repeated for both Email and Telephone

Example:

COM+abc@xx.dsv.com:EM'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0400		SG7	C	99	1	CUX-DTM
0410	25	CUX	M	1	1	Currencies

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
CUX				
C504	Currency details	C	C	
6347	Currency usage code qualifier	M an..3	M an..3	List of valid codes 2 Reference currency
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	List of valid codes 10 Pricing currency
6348	Currency rate	C n..4	N	
C504	Currency details	C	C	
6347	Currency usage code qualifier	M an..3	M an..3	List of valid codes 3 Target currency
6345	Currency identification code	C an..3	C an..3	General Notes All currencies allowed using ISO4217 three alpha character code
6343	Currency type code qualifier	C an..3	C an..3	List of valid codes 11 Payment currency
6348	Currency rate	C n..4	N	
5402	Currency exchange rate	C n..12	C n..12	General Notes Rate of exchange between the currencies
6341	Exchange rate currency market identifier	C an..3	N	

Segment Remarks:**General Notes**

If Single Invoice and 1 currency Rate then this segment is used for Rate of Exchange

Need to complete the currency details here if foreign currency - Need advice as to where in CDM they are detailed

Example:

CUX+2:DKK:10+3:EUR:11+1'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

St = Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0400		SG7	C	99	1	CUX-DTM
0420	26	DTM	C	5	2	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	General Notes If Currency same then this segment not required List of valid codes 134 Rate of exchange date/time
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	List of valid codes 102 CCYYMMDD

Segment Remarks:**Example:**

DTM+134:20181102:102'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0430		SG8	C	10	1	PYT-DTM
0440	27	PYT	M	1	1	Payment terms

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
PYT				
4279	Payment terms type code qualifier	M an..3	M an..3	List of valid codes 3 Fixed date 2 End of month 18 Previously agreed upon 45 Contract basis 47 Dating given
C019	Payment terms	C	C	
4277	Payment terms description identifier	C an..17	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
4276	Payment terms description	C an..35	C an..35	
2475	Event time reference code	C an..3	N	
2009	Terms time relation code	C an..3	N	
2151	Period type code	C an..3	C an..3	List of valid codes M Month D Day
2152	Period count quantity	C n..3	C n..3	

Segment Remarks:**General Notes**

Terms of Payment

Example:

PYT+3+:::Desc. of terms+++D+45'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0430		SG8	C	10	1	PYT-DTM
0450	28	DTM	C	5	2	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	List of valid codes 13 Terms net due date
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	List of valid codes 102 CCYYMMDD

Segment Remarks:**General Notes**

Date of Invoice Payment required

Example:

DTM+13:20180531:102'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0500		SG9	C	10	1	TDT-TSR-SG10-SG11
0510	29	TDT	M	1	1	Transport information

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TDT				
8051	Transport stage code qualifier	M an..3	M an..3	List of valid codes 15 Main carriage - fourth carrier 16 Main carriage - fifth carrier 20 Main-carriage transport 21 Main carriage - first carrier 22 Main carriage - second carrier 23 Main carriage - third carrier
8028	Means of transport journey identifier	C an..17	C an..17	
C220	Mode of transport	C	C	
8067	Transport mode name code	C an..3	C an..3	List of valid codes 1 Maritime transport 3 Road transport 4 Air transport
8066	Transport mode name	C an..17	N	
C001	Transport means	C	C	
8179	Transport means description code	C an..8	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
8178	Transport means description	C an..17	C an..17	
C040	Carrier	C	C	
3127	Carrier identifier	C an..17	C an..17	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3126	Carrier name	C an..35	C an..35	
8101	Transit direction indicator code	C an..3	N	
C401	Excess transportation information	C	N	
8457	Excess transportation reason code	M an..3	N	
8459	Excess transportation responsibility code	M an..3	N	
7130	Customer shipment authorisation identifier	C an..17	N	
C222	Transport identification	C	C	
8213	Transport means identification	C an..35	N	

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

St = Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
	name identifier			
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
8212	Transport means identification name	C an..70	C an..70	
8453	Transport means nationality code	C an..3	N	
8281	Transport means ownership indicator code	C an..3	N	

Segment Remarks:**Example:**

TDT+15+Air+1+:::LH320+6403864782:::LUFTHANSA+++:::LUFTHANSA '

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0500		SG9	C	10	1	TDT-TSR-SG10-SG11
0520	30	TSR	C	1	2	Transport service requirements

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TSR				
C536	Contract and carriage condition	C	N	
4065	Contract and carriage condition code	M an..3	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C233	Service	C	C	
7273	Service requirement code	M an..3	M an..3	List of valid codes 2 Full loads 3 Less than full loads B07 Express 07:00 (DSV specific code) B10 Express 10:00 (DSV specific code) B12 Express 12:00 (DSV specific code) B16 Express 16:00 (DSV specific code) CRN Crane required loading or unloading or both (DSV specific code) EPL EPLT - E-service pallet (DSV specific code) EPR EPRC - E-service colli (DSV specific code) HAZ Hazardous goods (DSV specific code) ING INGT - InNight product (DSV specific code) LIF LIFT - Tail lift (DSV specific code) NTF NTFY - Notify (DSV specific code) OEX Omex service goods (DSV specific code) PAD PADV - Pre-advice (DSV specific code) PDS PDS - Personal delivery service (DSV specific code)
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
7273	Service requirement code	C an..3	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C537	Transport priority	C	C	
4219	Transport service priority code	M an..3	M an..3	List of valid codes 1 Express 2 High speed 3 Normal speed 4 Post service

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

St = Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C703	Nature of cargo	C	N	
7085	Cargo type classification code	M an..3	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	

Segment Remarks:**Example:**

TSR++2+1'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0540	31	LOC	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	List of valid codes 9 Place of loading
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	C	
3223	First related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	List of valid codes 3 IATA (International Air Transport Association)
3222	First related location name	C an..70	N	
C553	Related location two identification	C	C	
3233	Second related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**Example:**

LOC+9+DEFRA::Frankfurt am Main+X::3+X'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0550	32	DTM	C	5	3	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	List of valid codes 757 Departure date/time from place of loading 186 Transport means departure date/time, actual
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	List of valid codes 203 CCYYMMDDHHMM

Segment Remarks:**Example:**

DTM+757:201812131000:203'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0540	33	LOC	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	List of valid codes 8 Place of destination
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**Example:**

LOC+8+DEFRA:::Frankfurt am Main'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0550	34	DTM	C	5	3	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	List of valid codes 132 Transport means arrival date time, estimated 178 Transport means arrival date time, actual
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	List of valid codes 203 CCYYMMDDHHMM

Segment Remarks:**Example:**

DTM+132:201812131000:203'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0540	35	LOC	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	List of valid codes 5 Place of departure
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**Example:**

LOC+5+DEFRA:::Frankfurt am Main'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0550	36	DTM	C	5	3	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	List of valid codes 136 Transport means departure date time, actual 189 Transport means departure date/time, scheduled
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	List of valid codes 203 CCYYMMDDHHMM

Segment Remarks:**Example:**

DTM+136:201812131000:203'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0540	37	LOC	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	List of valid codes 11 Place of discharge
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	C	
3223	First related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	C	
3233	Second related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**Example:**

LOC+11+DEFRA::Frankfurt am Main+X+X'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0550	38	DTM	C	5	3	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	List of valid codes 232 Transport means arrival date/time, scheduled
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	List of valid codes 203 CCYYMMDDHHMM

Segment Remarks:**Example:**

DTM+232:201812131000:203'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0560		SG11	C	9999	2	RFF
0570	39	RFF	M	1	2	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	List of valid codes AAZ Standard Carrier Alpha Code (SCAC) number AFB Cargo manifest number MB Master bill of lading number TF Transfer number TIN Transport instruction number VM Vessel identifier
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:**Example:**

RFF+MB:123456789'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0590		SG12	C	5	1	TOD-LOC
0600	40	TOD	M	1	1	Terms of delivery or transport

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TOD				
4055	Delivery or transport terms function code	C an..3	C an..3	List of valid codes 6 Delivery condition
4215	Transport charges payment method code	C an..3	N	
C100	Terms of delivery or transport	C	C	
4053	Delivery or transport terms description code	C an..3	C an..3	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	N	
4052	Delivery or transport terms description	C an..70	N	
4052	Delivery or transport terms description	C an..70	N	

Segment Remarks:**Example:**

TOD+6++EXW: INCOTERMS'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0590		SG12	C	5	1	TOD-LOC
0610	41	LOC	C	2	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	List of valid codes 1 Place of terms of delivery
C517	Location identification	C	C	
3225	Location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**Example:**

LOC+1+:::Frankfurt am Main'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0620		SG13	C	99	1	EQD-SEL
0630	42	EQD	M	1	1	Equipment details

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
EQD				
8053	Equipment type code qualifier	M an..3	M an..3	List of valid codes CN Container
C237	Equipment identification	C	C	
8260	Equipment identifier	C an..17	C an..17	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3207	Country identifier	C an..3	N	
C224	Equipment size and type	C	C	
8155	Equipment size and type description code	C an..10	C an..10	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
8154	Equipment size and type description	C an..35	C an..35	
8077	Equipment supplier code	C an..3	N	
8249	Equipment status code	C an..3	N	
8169	Full or empty indicator code	C an..3	C an..3	List of valid codes 7 Full, mixed consignment 8 Full, single consignment
4233	Marking instructions code	C an..3	N	

Segment Remarks:**Example:**

EQD+CN+TCLU229803+40HC:::45GO+++8'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0620		SG13	C	99	1	EQD-SEL
0640	43	SEL	C	9	2	Seal number

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
SEL				
9308	Transport unit seal identifier	C an..35	C an..35	
C215	Seal issuer	C	N	
9303	Sealing party name code	C an..3	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
9302	Sealing party name	C an..35	N	
4517	Seal condition code	C an..3	N	
C208	Identity number range	C	N	
7402	Object identifier	M an..35	N	
7402	Object identifier	C an..35	N	
4525	Seal type code	C an..3	N	

Segment Remarks:**Example:**

SEL+DSV123'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1160		SG27	C	9999999	1	LIN-IMD-MEA-DTM-EQD-FTX-SG28-SG31-SG32-SG34-SG35-SG36-SG40-SG46-SG48
1170	44	LIN	M	1	1	Line item

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LIN				
1082	Line item identifier	C an..6	C an..6	
1229	Action code	C an..3	N	
C212	Item number identification	C	C	
7140	Item identifier	C an..35	C an..35	
7143	Item type identification code	C an..3	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C829	Sub-line information	C	N	
5495	Sub-line indicator code	C an..3	N	
1082	Line item identifier	C an..6	N	
1222	Configuration level number	C n..2	N	
7083	Configuration operation code	C an..3	N	

Segment Remarks:**Example:**

LIN+1++BOGO3-Z3362'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1160		SG27	C	9999999	1	LIN-IMD-MEA-DTM-EQD-FTX-SG28-SG31-SG32-SG34-SG35-SG36-SG40-SG46-SG48
1200	45	IMD	C	99	2	Item description

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
IMD				
7077	Description format code	C an..3	C an..3	List of valid codes X Semi-structured (code + text)
C272	Item characteristic	C	C	
7081	Item characteristic code	C an..3	C an..3	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C273	Item description	C	C	
7009	Item description code	C an..17	C an..17	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
7008	Item description	C an..256	C an..256	
7008	Item description	C an..256	N	
3453	Language name code	C an..3	N	
7383	Surface or layer code	C an..3	N	

Segment Remarks:**Example:**

IMD+X+1+:::Freight'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1160		SG27	C	9999999	1	LIN-IMD-MEA-DTM-EQD-FTX-SG28-SG31-SG32-SG34-SG35-SG36-SG40-SG46-SG48
1210	46	MEA	C	5	2	Measurements

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MEA				
6311	Measurement purpose code qualifier	M an..3	M an..3	List of valid codes WT Weights
C502	Measurement details	C	C	
6313	Measured attribute code	C an..3	C an..3	List of valid codes AAD Consignment gross weight
6321	Measurement significance code	C an..3	N	
6155	Non-discrete measurement name code	C an..17	N	
6154	Non-discrete measurement name	C an..70	N	
C174	Value/range	C	C	
6411	Measurement unit code	M an..8	M an..8	List of valid codes KGM kilogram
6314	Measure	C an..18	C an..18	
6162	Range minimum quantity	C n..18	N	
6152	Range maximum quantity	C n..18	N	
6432	Significant digits quantity	C n..2	N	
7383	Surface or layer code	C an..3	N	

Segment Remarks:**General Notes**

Consignment Gross weight

Example:

MEA+WT+AAD+10:100'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1160		SG27	C	9999999	1	LIN-IMD-MEA-DTM-EQD-FTX-SG28-SG31-SG32-SG34-SG35-SG36-SG40-SG46-SG48
1210	47	MEA	C	5	2	Measurements

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MEA				
6311	Measurement purpose code qualifier	M an..3	M an..3	List of valid codes WT Weights
C502	Measurement details	C	C	
6313	Measured attribute code	C an..3	C an..3	List of valid codes ACG Chargeable weight
6321	Measurement significance code	C an..3	N	
6155	Non-discrete measurement name code	C an..17	N	
6154	Non-discrete measurement name	C an..70	N	
C174	Value/range	C	C	
6411	Measurement unit code	M an..8	M an..8	List of valid codes KGM kilogram
6314	Measure	C an..18	C an..18	
6162	Range minimum quantity	C n..18	N	
6152	Range maximum quantity	C n..18	N	
6432	Significant digits quantity	C n..2	N	
7383	Surface or layer code	C an..3	N	

Segment Remarks:**General Notes**

Chargeable weight

Example:

MEA+WT+ACG+KGM:100'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1160		SG27	C	9999999	1	LIN-IMD-MEA-DTM-EQD-FTX-SG28-SG31-SG32-SG34-SG35-SG36-SG40-SG46-SG48
1210	48	MEA	C	5	2	Measurements

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MEA				
6311	Measurement purpose code qualifier	M an..3	M an..3	List of valid codes VOL Volume
C502	Measurement details	C	N	
6313	Measured attribute code	C an..3	N	
6321	Measurement significance code	C an..3	N	
6155	Non-discrete measurement name code	C an..17	N	
6154	Non-discrete measurement name	C an..70	N	
C174	Value/range	C	C	
6411	Measurement unit code	M an..8	M an..8	List of valid codes MTQ cubic metre
6314	Measure	C an..18	C an..18	
6162	Range minimum quantity	C n..18	N	
6152	Range maximum quantity	C n..18	N	
6432	Significant digits quantity	C n..2	N	
7383	Surface or layer code	C an..3	N	

Segment Remarks:**General Notes**

Volume

Example:

MEA+VOL++MTQ:23'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1160		SG27	C	9999999	1	LIN-IMD-MEA-DTM-EQD-FTX-SG28-SG31-SG32-SG34-SG35-SG36-SG40-SG46-SG48
1210	49	MEA	C	5	2	Measurements

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MEA				
6311	Measurement purpose code qualifier	M an..3	M an..3	List of valid codes LMT Loading meters
C502	Measurement details	C	N	
6313	Measured attribute code	C an..3	N	
6321	Measurement significance code	C an..3	N	
6155	Non-discrete measurement name code	C an..17	N	
6154	Non-discrete measurement name	C an..70	N	
C174	Value/range	C	C	
6411	Measurement unit code	M an..8	M an..8	List of valid codes MTR metre
6314	Measure	C an..18	C an..18	
6162	Range minimum quantity	C n..18	N	
6152	Range maximum quantity	C n..18	N	
6432	Significant digits quantity	C n..2	N	
7383	Surface or layer code	C an..3	N	

Segment Remarks:**General Notes**

Loading meters

Example:

MEA+LMT++MTR: 2 '

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1160		SG27	C	9999999	1	LIN-IMD-MEA-DTM-EQD-FTX-SG28-SG31-SG32-SG34-SG35-SG36-SG40-SG46-SG48
1250	50	DTM	C	35	2	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	<p>List of valid codes</p> <p>2 Delivery date/time, requested</p> <p>10 Shipment date/time, requested</p> <p>17 Delivery date/time, estimated</p> <p>35 Delivery date/time, actual</p> <p>65 Delivery date/time, 1st schedule</p> <p>178 Transport means arrival date time, actual</p> <p>186 Transport means departure date/time, actual</p> <p>189 Transport means departure date/time, scheduled</p> <p>232 Transport means arrival date/time, scheduled</p> <p>234 Collection date/time, earliest</p> <p>235 Collection date/time, latest</p> <p>342 Consignment loading date time</p> <p>478 Start date or time, scheduled</p> <p>479 Completion date or time, scheduled</p> <p>200 Cargo pick-up date / time</p>
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	<p>List of valid codes</p> <p>203 CCYYMMDDHHMM</p>

Segment Remarks:**Example:**

DTM+2:201804041000:203'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1160		SG27	C	9999999	1	LIN-IMD-MEA-DTM-EQD-FTX-SG28-SG31-SG32-SG34-SG35-SG36-SG40-SG46-SG48
1290	51	EQD	C	1	2	Equipment details

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
EQD				
8053	Equipment type code qualifier	M an..3	M an..3	List of valid codes TE Trailer CN Container
C237	Equipment identification	C	C	
8260	Equipment identifier	C an..17	C an..17	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3207	Country identifier	C an..3	N	
C224	Equipment size and type	C	C	
8155	Equipment size and type description code	C an..10	C an..10	List of valid codes 14 Trailer
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	List of valid codes 5 ISO (International Organization for Standardization)
8154	Equipment size and type description	C an..35	C an..35	
8077	Equipment supplier code	C an..3	N	
8249	Equipment status code	C an..3	N	
8169	Full or empty indicator code	C an..3	C an..3	
4233	Marking instructions code	C an..3	N	

Segment Remarks:**Example:**

EQD+CN+TCLU8092315+40HC::5:LF40+++8'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1160		SG27	C	9999999	1	LIN-IMD-MEA-DTM-EQD-FTX-SG28-SG31-SG32-SG34-SG35-SG36-SG40-SG46-SG48
1300	52	FTX	C	99	2	Free text

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
FTX				
4451	Text subject code qualifier	M an..3	M an..3	List of valid codes AUY Service characteristic OSI Other service information
4453	Free text function code	C an..3	N	
C107	Text reference	C	N	
4441	Free text description code	M an..17	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C108	Text literal	C	C	
4440	Free text	M an..512	M an..512	
4440	Free text	C an..512	C an..512	
4440	Free text	C an..512	N	
4440	Free text	C an..512	N	
4440	Free text	C an..512	N	
3453	Language name code	C an..3	N	
4447	Free text format code	C an..3	N	

Segment Remarks:**Example:**

FTX+AUYY++X:X'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1320		SG28	C	99	2	MOA
1330	53	MOA	M	1	2	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes
				203 Line item amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				4 Invoicing currency
4405	Status description code	C an..3	N	

Segment Remarks:**General Notes**

Total Amounts of Line before ALC

Example:

MOA+203:9:EUR:4'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1460		SG31	C	10	2	RFF
1470	54	RFF	M	1	2	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	<p>List of valid codes</p> <p>AAS Transport contract document identifier</p> <p>AFB Cargo manifest number</p> <p>AGE Agent's reference</p> <p>AKG Vehicle Identification Number (VIN)</p> <p>AQK Status report number</p> <p>BH House bill of lading number</p> <p>AWM Service category reference</p> <p>CR Customer reference number</p> <p>MB Master bill of lading number</p> <p>SRN Shipment reference number</p> <p>VM Vessel identifier</p> <p>ZZZ Mutually defined reference number</p> <p>EXT Customers External Reference Number</p> <p>ZCU Consignment Identifier Consignor Assigned</p> <p>ZID IDS Reference</p> <p>ZVC Vessel Country of Registration</p> <p>ZXX Unidentified Reference (Default)</p>
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:**Example:**

RFF+SRN:123456789'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1460		SG31	C	10	2	RFF
1470	55	RFF	M	1	2	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	
				List of valid codes
				CU Consignment identifier, consignor assigned
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:**Example:**

RFF+CU:123456789'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1490		SG32	C	10	2	PAC-SG33
1500	56	PAC	M	1	2	Package

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
PAC				
7224	Package quantity	C n..8	C n..8	
C531	Packaging details	C	N	
7075	Packaging level code	C an..3	N	
7233	Packaging related description code	C an..3	N	
7073	Packaging terms and conditions code	C an..3	N	
C202	Package type	C	C	
7065	Package type description code	C an..17	C an..17	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
7064	Type of packages	C an..35	N	
C402	Package type identification	C	N	
7077	Description format code	M an..3	N	
7064	Type of packages	M an..35	N	
7143	Item type identification code	C an..3	N	
7064	Type of packages	C an..35	N	
7143	Item type identification code	C an..3	N	
C532	Returnable package details	C	N	
8395	Returnable package freight payment responsibility code	C an..3	N	
8393	Returnable package load contents code	C an..3	N	

Segment Remarks:**Example:**

PAC+9++43'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1530		SG33	C	10	3	PCI
1540	57	PCI	M	1	3	Package identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
PCI				
4233	Marking instructions code	C an..3	C an..3	List of valid codes 24 Shipper assigned
C210	Marks & labels	C	C	
7102	Shipping marks description	M an..35	M an..35	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
8169	Full or empty indicator code	C an..3	N	
C827	Type of marking	C	N	
7511	Marking type code	M an..3	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	

Segment Remarks:**Example:**

PCI+24+123456789'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1580		SG34	C	9999	2	LOC
1590	58	LOC	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	List of valid codes 8 Place of destination
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	List of valid codes 3 IATA (International Air Transport Association) 6 UN/ECE (United Nations - Economic Commission for Europe)
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Place of Destination

Example:

LOC+8+FRMRS : : 6:MARSEILLE '

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1580		SG34	C	9999	2	LOC
1590	59	LOC	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	List of valid codes 5 Place of departure
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	List of valid codes 3 IATA (International Air Transport Association) 6 UN/ECE (United Nations - Economic Commission for Europe)
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Place of Departure

Example:

LOC+5+DKCPH:::COPENHAGEN'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1580		SG34	C	9999	2	LOC
1590	60	LOC	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	List of valid codes 9 Place of loading
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	List of valid codes 3 IATA (International Air Transport Association) 6 UN/ECE (United Nations - Economic Commission for Europe)
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	C	
3223	First related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	C	
3233	Second related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Place of Loading

Example:

LOC+9+DKHOR:::HORSENS+HOR:::3+40914'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1580		SG34	C	9999	2	LOC
1590	61	LOC	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	List of valid codes 11 Place of discharge
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	List of valid codes 3 IATA (International Air Transport Association) 6 UN/ECE (United Nations - Economic Commission for Europe)
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	C	
3223	First related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	C	
3233	Second related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Place of Unloading/Discharge

Example:

LOC+11+FRMRS:::MARSEILLE+MRS:::3+42782'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1620		SG35	C	99	2	TAX-MOA
1630	62	TAX	M	1	2	Duty/tax/fee details

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TAX				
5283	Duty or tax or fee function code qualifier	M an..3	M an..3	List of valid codes 7 Tax
C241	Duty/tax/fee type	C	C	
5153	Duty or tax or fee type name code	C an..3	C an..3	General Notes Maybe all taxes can be used by Air / Sea List of valid codes VAT Value added tax
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5152	Duty or tax or fee type name	C an..35	N	
C533	Duty/tax/fee account detail	C	N	
5289	Duty or tax or fee account code	M an..6	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5286	Duty or tax or fee assessment basis quantity	C an..15	N	
C243	Duty/tax/fee detail	C	C	
5279	Duty or tax or fee rate code	C an..7	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5278	Duty or tax or fee rate	C an..17	C an..17	
5273	Duty or tax or fee rate basis code	C an..12	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5305	Duty or tax or fee category code	C an..3	C an..3	List of valid codes E Exempt from tax S Standard rate Z Zero rated goods
3446	Party tax identifier	C an..20	N	
1227	Calculation sequence code	C an..3	N	

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
5307	Tax or duty or fee payment due date code	C an..3	N	

Segment Remarks:**Example:**

TAX+7+VAT+++:::25.00+S'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

St = Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1620		SG35	C	99	2	TAX-MOA
1640	63	MOA	C	2	3	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes
				124 Tax amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				4 Invoicing currency
4405	Status description code	C an..3	N	

Segment Remarks:**Example:**

MOA+124:99.99:EUR:4'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1660		SG36	C	99	2	NAD
1670	64	NAD	M	1	2	Name and address

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
NAD				
3035	Party function code qualifier	M an..3	M an..3	List of valid codes CN Consignee CZ Consignor DP Delivery party PW Despatch party
C082	Party identification details	C	C	
3039	Party identifier	M an..35	M an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C058	Name and address	C	N	
3124	Name and address description	M an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
C080	Party name	C	C	
3036	Party name	M an..70	M an..70	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3045	Party name format code	C an..3	N	
C059	Street	C	C	
3042	Street and number or post office box identifier	M an..35	M an..35	
3042	Street and number or post office box identifier	C an..35	C an..35	
3042	Street and number or post office box identifier	C an..35	C an..35	
3042	Street and number or post office box identifier	C an..35	N	
3164	City name	C an..35	C an..35	
C819	Country subdivision details	C	N	
3229	Country subdivision identifier	C an..9	C an..9	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3228	Country subdivision name	C an..70	N	
3251	Postal identification code	C an..17	C an..17	
3207	Country identifier	C an..3	C an..3	

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

St = Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Segment Remarks:

Example:

NAD+CN+123456789++Consignor+North street:Warehouse 2+PARIS++8260+FR'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

St = Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1790		SG40	C	30	2	ALC-SG43-SG45
1800	65	ALC	M	1	2	Allowance or charge

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
ALC				
5463	Allowance or charge code qualifier	M an..3	M an..3	List of valid codes A Allowance C Charge
C552	Allowance/charge information	C	C	
1230	Allowance or charge identifier	C an..35	C an..35	
5189	Allowance or charge identification code	C an..3	N	
4471	Settlement means code	C an..3	N	
1227	Calculation sequence code	C an..3	N	
C214	Special services identification	C	C	
7161	Special service description code	C an..3	C an..3	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
7160	Special service description	C an..35	C an..35	
7160	Special service description	C an..35	N	

Segment Remarks:**Example:**

ALC+A+0112+++FRT:::Freight'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1900		SG43	C	2	3	MOA-CUX
1910	66	MOA	M	1	3	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes
				8 Allowance or charge amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				4 Invoicing currency
4405	Status description code	C an..3	N	

Segment Remarks:**Example:**

MOA+8:1000:EUR:4'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1900		SG43	C	2	3	MOA-CUX
1930	67	CUX	C	1	4	Currencies

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
CUX				
C504	Currency details	C	C	
6347	Currency usage code qualifier	M an..3	M an..3	
				List of valid codes
				2 Reference currency
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				4 Invoicing currency
6348	Currency rate	C n..4	N	
C504	Currency details	C	C	
6347	Currency usage code qualifier	M an..3	M an..3	
				List of valid codes
				3 Target currency
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				3 Home currency
6348	Currency rate	C n..4	N	
5402	Currency exchange rate	C n..12	C n..12	
6341	Exchange rate currency market identifier	C an..3	N	

Segment Remarks:**Example:**

CUX+2:EUR:4+3:SEK:3+0.80'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1900		SG43	C	2	3	MOA
1910	68	MOA	M	1	3	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes
				27 Charges in destination currency
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				3 Home currency
4405	Status description code	C an..3	N	

Segment Remarks:**Example:**

MOA+27:1000:EUR:3'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1980		SG45	C	5	3	TAX-MOA
1990	69	TAX	M	1	3	Duty/tax/fee details

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TAX				
5283	Duty or tax or fee function code qualifier	M an..3	M an..3	List of valid codes 7 Tax 9 Tax related information
C241	Duty/tax/fee type	C	C	
5153	Duty or tax or fee type name code	C an..3	C an..3	List of valid codes VAT Value added tax
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5152	Duty or tax or fee type name	C an..35	C an..35	
C533	Duty/tax/fee account detail	C	N	
5289	Duty or tax or fee account code	M an..6	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5286	Duty or tax or fee assessment basis quantity	C an..15	C an..15	
C243	Duty/tax/fee detail	C	C	
5279	Duty or tax or fee rate code	C an..7	C an..7	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5278	Duty or tax or fee rate	C an..17	C an..17	
5273	Duty or tax or fee rate basis code	C an..12	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5305	Duty or tax or fee category code	C an..3	C an..3	List of valid codes S Standard rate Z Zero rated goods
3446	Party tax identifier	C an..20	N	
1227	Calculation sequence code	C an..3	N	
5307	Tax or duty or fee payment due	C an..3	N	

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

St = Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
	date code			

Segment Remarks:**Example:**

TAX+7+VAT:::250++DICH.INT+X:::25+S'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

St = Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1980		SG45	C	5	3	TAX-MOA
2000	70	MOA	C	2	4	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes
				124 Tax amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				4 Invoicing currency
4405	Status description code	C an..3	N	

Segment Remarks:**Example:**

MOA+124:250:EUR:4'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1980		SG45	C	5	3	TAX-MOA
2000	71	MOA	C	2	4	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes
				124 Tax amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				3 Home currency
4405	Status description code	C an..3	N	

Segment Remarks:**Example:**

MOA+124:250:EUR:3'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2010		SG46	C	10	2	TDT-SG47
2020	72	TDT	M	1	2	Transport information

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TDT				
8051	Transport stage code qualifier	M an..3	M an..3	List of valid codes 20 Main-carriage transport
8028	Means of transport journey identifier	C an..17	C an..17	
C220	Mode of transport	C	C	
8067	Transport mode name code	C an..3	C an..3	List of valid codes 1 Maritime transport 3 Road transport 4 Air transport
8066	Transport mode name	C an..17	N	
C001	Transport means	C	C	
8179	Transport means description code	C an..8	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
8178	Transport means description	C an..17	C an..17	
C040	Carrier	C	C	
3127	Carrier identifier	C an..17	C an..17	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3126	Carrier name	C an..35	C an..35	
8101	Transit direction indicator code	C an..3	N	
C401	Excess transportation information	C	N	
8457	Excess transportation reason code	M an..3	N	
8459	Excess transportation responsibility code	M an..3	N	
7130	Customer shipment authorisation identifier	C an..17	N	
C222	Transport identification	C	C	
8213	Transport means identification name identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
8212	Transport means identification	C an..70	C an..70	

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

St = Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
8453	name Transport means nationality code	C an..3	N	
8281	Transport means ownership indicator code	C an..3	N	

Segment Remarks:**Example:**

TDT+20+Air+4+:::LH320+LFH:::LUFTHANSA+++:::LUFTHANSA'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

St = Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2030		SG47	C	10	3	LOC
2040	73	LOC	M	1	3	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	List of valid codes 8 Place of destination
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	List of valid codes 3 IATA (International Air Transport Association) 6 UN/ECE (United Nations - Economic Commission for Europe)
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Place of Destination

Example:

LOC+8+FRMRS : : 6:MARSEILLE '

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2030		SG47	C	10	3	LOC
2040	74	LOC	M	1	3	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	List of valid codes 9 Place of loading
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	List of valid codes 3 IATA (International Air Transport Association) 6 UN/ECE (United Nations - Economic Commission for Europe)
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Place of Loading

Example:

LOC+9+DKCPH:::COPENHAGEN'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2030		SG47	C	10	3	LOC
2040	75	LOC	M	1	3	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	List of valid codes 5 Place of departure
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	List of valid codes 3 IATA (International Air Transport Association) 6 UN/ECE (United Nations - Economic Commission for Europe)
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Place of Departure

Example:

LOC+5+DKCPH:::COPENHAGEN'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2030		SG47	C	10	3	LOC
2040	76	LOC	M	1	3	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	List of valid codes 11 Place of discharge
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	List of valid codes 3 IATA (International Air Transport Association) 6 UN/ECE (United Nations - Economic Commission for Europe)
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	C	
3223	First related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	C	
3233	Second related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Place of Unloading/Discharge

Example:

LOC+11+FRMRS:::MARSEILLE+MRS:::3+42782'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2060		SG48	C	5	2	TOD-LOC
2070	77	TOD	M	1	2	Terms of delivery or transport

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TOD				
4055	Delivery or transport terms function code	C an..3	C an..3	List of valid codes 6 Delivery condition
4215	Transport charges payment method code	C an..3	C an..3	
C100	Terms of delivery or transport	C	C	
4053	Delivery or transport terms description code	C an..3	C an..3	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	N	
4052	Delivery or transport terms description	C an..70	N	
4052	Delivery or transport terms description	C an..70	N	

Segment Remarks:**Example:**

TOD+6++EXW: INCOTERMS'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2060		SG48	C	5	2	TOD-LOC
2080	78	LOC	C	2	3	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	List of valid codes 1 Place of terms of delivery
C517	Location identification	C	C	
3225	Location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**Example:**

LOC+1+:::Frankfurt am Main'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
---------	----	-----	----	--------	-------	------

2320	79	UNS	M	1	0	Section control
------	----	------------	---	---	---	-----------------

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
UNS				
0081	Section identification	M a1	M a1	

Segment Remarks:**Example:**

UNS+D'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

St = Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2340		SG52	M	100	1	MOA
2350	80	MOA	M	1	1	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes
				128 Total amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				4 Invoicing currency
4405	Status description code	C an..3	N	

Segment Remarks:**Example:**

MOA+128:2000:EUR:4'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2340		SG52	M	100	1	MOA
2350	81	MOA	M	1	1	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes
				128 Total amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				3 Home currency
4405	Status description code	C an..3	N	

Segment Remarks:**Example:**

MOA+128:2000:EUR:3'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2340		SG52	M	100	1	MOA
2350	82	MOA	M	1	1	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes
				125 Taxable amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				4 Invoicing currency
4405	Status description code	C an..3	N	

Segment Remarks:**Example:**

MOA+125:1250:EUR:4'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2340		SG52	M	100	1	MOA
2350	83	MOA	M	1	1	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes
				125 Taxable amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				3 Home currency
4405	Status description code	C an..3	N	

Segment Remarks:**Example:**

MOA+125:1250:EUR:3'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2340		SG52	M	100	1	MOA
2350	84	MOA	M	1	1	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes
				176 Message total duty/tax/fee amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				4 Invoicing currency
4405	Status description code	C an..3	N	

Segment Remarks:**Example:**

MOA+176:5000:EUR:4'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2340		SG52	M	100	1	MOA
2350	85	MOA	M	1	1	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes
				176 Message total duty/tax/fee amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				3 Home currency
4405	Status description code	C an..3	N	

Segment Remarks:**Example:**

MOA+176:5000:EUR:3'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2390		SG54	C	10	1	TAX-MOA
2400	86	TAX	M	1	1	Duty/tax/fee details

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TAX				
5283	Duty or tax or fee function code qualifier	M an..3	M an..3	List of valid codes 7 Tax 9 Tax related information
C241	Duty/tax/fee type	C	C	
5153	Duty or tax or fee type name code	C an..3	C an..3	List of valid codes VAT Value added tax
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5152	Duty or tax or fee type name	C an..35	N	
C533	Duty/tax/fee account detail	C	N	
5289	Duty or tax or fee account code	M an..6	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5286	Duty or tax or fee assessment basis quantity	C an..15	N	
C243	Duty/tax/fee detail	C	C	
5279	Duty or tax or fee rate code	C an..7	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5278	Duty or tax or fee rate	C an..17	C an..17	
5273	Duty or tax or fee rate basis code	C an..12	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5305	Duty or tax or fee category code	C an..3	C an..3	List of valid codes A Mixed tax rate AE VAT Reverse Charge E Exempt from tax S Standard rate
3446	Party tax identifier	C an..20	N	

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

St = Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
1227	Calculation sequence code	C an..3	N	
5307	Tax or duty or fee payment due date code	C an..3	N	

Segment Remarks:**Example:**

TAX+7+VAT+++:::25+S'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

St = Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2390		SG54	C	10	1	TAX-MOA
2410	87	MOA	C	9	2	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes
				176 Message total duty/tax/fee amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				4 Invoicing currency
4405	Status description code	C an..3	N	

Segment Remarks:**Example:**

MOA+176:5000:EUR:4'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2390		SG54	C	10	1	TAX-MOA
2410	88	MOA	C	9	2	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes
				176 Message total duty/tax/fee amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				3 Home currency
4405	Status description code	C an..3	N	

Segment Remarks:**Example:**

MOA+176:5000:EUR:3'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2390		SG54	C	10	1	TAX-MOA
2410	89	MOA	C	9	2	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes
				125 Taxable amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				4 Invoicing currency
4405	Status description code	C an..3	N	

Segment Remarks:**Example:**

MOA+125:5000:EUR:4'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2390		SG54	C	10	1	TAX-MOA
2410	90	MOA	C	9	2	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes
				125 Taxable amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				3 Home currency
4405	Status description code	C an..3	N	

Segment Remarks:**Example:**

MOA+125:5000:EUR:3'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
---------	----	-----	----	--------	-------	------

2470	91	UNT	M	1	0	Message trailer
------	----	------------	---	---	---	-----------------

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
UNT				
0074	Number of segments in a message	M n..10	M n..10	
0062	Message reference number	M an..14	M an..14	

Segment Remarks:**Example:**

UNT+192+123456'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

St = Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Example Message

No	Tag	Example
01	UNA	UNA:+.? '
02	UNB	UNB+UNOC:4+5790000834129:ZZZ+PartnerId:ZZZ+00190121:1500+00000000012345'
03	UNH	UNH+123456+INVOIC:D:10B:UN'
04	BGM	BGM+380+DK456654+9'
05	DTM	DTM+137:201804040800:203'
06	DTM	DTM+3:201804121600:203'
07	FTX	FTX+ADU+++Note'
08	FTX	FTX+DCL+++Document issuer declaration:X:X:X:X'
09	LOC	LOC+183+I382:::DKHOR'
SG1		
10	RFF	RFF+AAM:1223559:X'
SG1		
11	RFF	RFF+CU:1223559'
SG1		
12	RFF	RFF+PQ:309863385000006298123'
SG2		
13	NAD	NAD+II+987654321::9++Invoice issuer+East street 20:2nd address:X+HEDEH USENE++2630+DK'
14	FII	FII+II+SE1995000099603408720708:DSV Company Name+NDEASESS::17:NORDEA B ANK:::BANK?: NORDEA, MALMO'
SG3		
15	RFF	RFF+VA:VATNumber'
SG4		
16	DOC	DOC+385'
SG5		
17	CTA	CTA+AR+:Invoice issuer'
18	COM	COM+010-4455663388:TE'
19	COM	COM+abc@xx.dsv.com:EM'
SG2		
20	NAD	NAD+IV+123456789::9++Company +West street 12B:Warehouse 8:150+COPENHAG EN++1610+DK'
SG3		
21	RFF	RFF+VA:VATNumber'
SG5		
22	CTA	CTA+AP+:Invoicee'

No = Consecutive segment number



No	Tag	Example
23	COM	COM+010-4455663388:TE'
24	COM	COM+abc@xx.dsv.com:EM'
SG7		
25	CUX	CUX+2:DKK:10+3:EUR:11+1'
26	DTM	DTM+134:20181102:102'
SG8		
27	PYT	PYT+3+:::Desc. of terms+++D+45'
28	DTM	DTM+13:20180531:102'
SG9		
29	TDT	TDT+15+Air+1+:::LH320+6403864782::LUFTHANSA++::LUFTHANSA'
30	TSR	TSR++2+1'
SG10		
31	LOC	LOC+9+DEFRA::Frankfurt am Main+X::3+X'
32	DTM	DTM+757:201812131000:203'
SG10		
33	LOC	LOC+8+DEFRA::Frankfurt am Main'
34	DTM	DTM+132:201812131000:203'
SG10		
35	LOC	LOC+5+DEFRA::Frankfurt am Main'
36	DTM	DTM+136:201812131000:203'
SG10		
37	LOC	LOC+11+DEFRA::Frankfurt am Main+X+X'
38	DTM	DTM+232:201812131000:203'
SG11		
39	RFF	RFF+MB:123456789'
SG12		
40	TOD	TOD+6++EXW:INCOTERMS'
41	LOC	LOC+1+:::Frankfurt am Main'
SG13		
42	EQD	EQD+CN+TCLU229803+40HC::45GO+++8'
43	SEL	SEL+DSV123'
SG27		
44	LIN	LIN+1++BOGO3-Z3362'
45	IMD	IMD+X+1+:::Freight'
46	MEA	MEA+WT+AAD+10:100'
47	MEA	MEA+WT+ACG+KGM:100'

No = Consecutive segment number



No	Tag	Example
48	MEA	MEA+VOL++MTQ:23'
49	MEA	MEA+LMT++MTR:2'
50	DTM	DTM+2:201804041000:203'
51	EQD	EQD+CN+TCLU8092315+40HC::5:LF40+++8'
52	FTX	FTX+AUY+++X:X'
	SG28	
53	MOA	MOA+203:9:EUR:4'
	SG31	
54	RFF	RFF+SRN:123456789'
	SG31	
55	RFF	RFF+CU:123456789'
	SG32	
56	PAC	PAC+9++43'
	SG33	
57	PCI	PCI+24+123456789'
	SG34	
58	LOC	LOC+8+FRMRS::6:MARSEILLE'
	SG34	
59	LOC	LOC+5+DKCPH:::COPENHAGEN'
	SG34	
60	LOC	LOC+9+DKHOR:::HORSSENS+HOR::3+40914'
	SG34	
61	LOC	LOC+11+FRMRS:::MARSEILLE+MRS::3+42782'
	SG35	
62	TAX	TAX+7+VAT+++:::25.00+S'
63	MOA	MOA+124:99.99:EUR:4'
	SG36	
64	NAD	NAD+CN+123456789++Consignor+North street:Warehouse 2+PARIS++8260+FR'
	SG40	
65	ALC	ALC+A+0112+++FRT:::Freight'
	SG43	
66	MOA	MOA+8:1000:EUR:4'
67	CUX	CUX+2:EUR:4+3:SEK:3+0.80'
	SG43	
68	MOA	MOA+27:1000:EUR:3'
	SG45	

No = Consecutive segment number



No	Tag	Example
69	TAX	TAX+7+VAT:::250++DICH.INT+X:::25+S'
70	MOA	MOA+124:250:EUR:4'
71	MOA	MOA+124:250:EUR:3'
	SG46	
72	TDT	TDT+20+Air+4+:::LH320+LFH:::LUFTHANSA+++:::LUFTHANSA'
	SG47	
73	LOC	LOC+8+FRMRS:::6:MARSEILLE'
	SG47	
74	LOC	LOC+9+DKCPH:::COPENHAGEN'
	SG47	
75	LOC	LOC+5+DKCPH:::COPENHAGEN'
	SG47	
76	LOC	LOC+11+FRMRS:::MARSEILLE+MRS:::3+42782'
	SG48	
77	TOD	TOD+6++EXW:INCOTERMS'
78	LOC	LOC+1+:::Frankfurt am Main'
79	UNS	UNS+D'
	SG52	
80	MOA	MOA+128:2000:EUR:4'
	SG52	
81	MOA	MOA+128:2000:EUR:3'
	SG52	
82	MOA	MOA+125:1250:EUR:4'
	SG52	
83	MOA	MOA+125:1250:EUR:3'
	SG52	
84	MOA	MOA+176:5000:EUR:4'
	SG52	
85	MOA	MOA+176:5000:EUR:3'
	SG54	
86	TAX	TAX+7+VAT+++:::25+S'
87	MOA	MOA+176:5000:EUR:4'
88	MOA	MOA+176:5000:EUR:3'
89	MOA	MOA+125:5000:EUR:4'
90	MOA	MOA+125:5000:EUR:3'
91	UNT	UNT+192+123456'

No = Consecutive segment number